


GLOBAL ONLINE AUCTION
SEPTEMBER 20, 2011
WEDNESDAY • 7:00 AM CDT

Nereus Pharmaceuticals, Inc.
 10480 Wateridge Circle
 San Diego, CA 92121



GLOBAL ONLINE AUCTION
SEPTEMBER 20, 2011
WEDNESDAY • 7:00 AM CDT

Nereus Pharmaceuticals, Inc.
 10480 Wateridge Circle
 San Diego, CA 92121



COMPLETE FACILITY CLOSURE



COMPLETE FACILITY CLOSURE



**GLOBAL ONLINE AUCTION OF STATE OF THE ART
 BIO PHARMA EQUIPMENT, FROM INNOVATIVE
 DRUG DISCOVERY AND DEVELOPMENT COMPANY**



Heritage Global Partners
 Asset Advisory and Auction Services
A Legacy since 1937

UPCOMING SALES CALENDAR

 **September 28, 2011**
10:00 am EDT



BY ORDER OF U.S. BANKRUPTCY COURT CASE # 11-37366-CGM
Sale of Complete State of the Art, Fully Automated, Crystalline Silicon Solar
Cell Manufacturing and Research Development Facility.

WOULD YOU LIKE TO SELL AN ASSET?
 Simply call 1-858-847-0656 and speak with *George Wandachowicz* Vice President Sales for more information. We will be glad to listen to your specific needs and from that HGP can prepare a detailed solution for your review that will maximize the returns for you're assets for the company and It's Shareholders.

AFFILIATIONS



Fan us on **facebook** Follow us on **twitter**

©2011 HERITAGE GLOBAL PARTNERS, ALL RIGHTS RESERVED
 Complete Terms & Conditions are contained in the Sale Catalog and on the website at www.hgpauction.com.
 Please review the Terms and Conditions prior to placing bids on any items. Global Headquarters: San Diego, California

**GLOBAL ONLINE AUCTION OF STATE OF THE ART
 BIO PHARMA EQUIPMENT, FROM INNOVATIVE
 DRUG DISCOVERY AND DEVELOPMENT COMPANY**



Heritage Global Partners
 Asset Advisory and Auction Services
A Legacy since 1937

www.hgpauction.com

www.hgpauction.com



GLOBAL WEBCAST AUCTION



Heritage Global Partners
Asset Advisory and Auction Services
A Legacy since 1937



SEPTEMBER 20, 2011
TUESDAY • 7:00 AM MDT

Public Preview:

Date/Time:
Tuesday, September 20, 2011 (9:00am to 5:00pm)

Location:
10480 Wateridge Circle, San Diego, CA 92121

Auctioneer's Note:

Nereus Pharmaceuticals is an innovative drug discovery and development company pursuing untapped sources of chemical diversity through identifying drug candidates derived from marine microbes. With unmatched expertise in marine microbiology and integrated technologies to identify and synthesize novel biologically active compounds, the Company's two oncology drug candidates are potentially best-in-class small molecules. Plinabulin (NPI-2358), a tumor vascular disrupting agent, is being evaluated in a Phase 2 trial for non-small cell lung carcinoma and a proteasome inhibitor NPI-0052 is being evaluated in multiple Phase I trials for solid tumors, lymphomas and multiple myeloma. Nereus' discovery portfolio also includes additional drug candidates for oncology, inflammation and infectious diseases.

This Global Online Auction will feature Over 1,000 State of the Art items, in impeccable condition from their Complete Research and Development Facility in San Diego, CA.

Contact Information:

All Interested Parties Should Contact:
George Wandachowicz
Email: gw@hgpauction.com
Office: +1.858.847.0656
Cell: +1.650.400.0328

Additional Information:

For more information including a photo gallery, equipment list, terms and conditions of sale and more, please visit:

www.hgpauction.com

*Buyer's Premium: 15% cash buyers; 18% for credit card purchasers
(Refer to Term 7 in the Auction Terms and Conditions for details).*

SALE WILL BE CONDUCTED IN ENGLISH AND WILL ACCEPT US CURRENCY ONLY



Assets No Longer Required by Nereus Pharmaceuticals, Inc., Produces the Bio-Pharma Equipment Auction of the Year



Handling and Storage Equipment

FREEZERS

Freezer Inserts: Ultra Low Temperature Laboratory Freezer Inserts
FNL Bio II Bio Series (Qty. 2): Freezer System, P/N 10946465, 120 V
GS Laboratory Equipment/ Revco Technolog ULT2586-9-A31: Ultra Low Temperature Laboratory Freezer, -80, 115V, 16.00A, 1 PH, 60 Hz
Kenmore 253.21111102: Laboratory Freezer, 115V, 5.0A, 60 Hz
Kenmore 253.21111104: Laboratory Freezer, 115V, 5.0A, 60 Hz
Kenmore 253.29111991: Laboratory Freezer, 115V, 5.0A, 60 Hz
Kenmore 253.11821100: Laboratory Freezer, 115V, 5.0A, 60 Hz
Kendro Laboratory Products ULT2586-9-A35: Ultra Low Temperature Laboratory Freezer, -80, 115V, 16.00A, 1 PH, 60 Hz
Kirkland Signature by Whirlpool ST18PKXJW0: 1 Laboratory Freezer
Kirkland SCF0710HW05F5 Laboratory Freezer, 115V, 60 Hz, 3.0A
Revco Technologies ULT2586-9-A31 Ultima II -80 Freezer: 115V, 16.0A, 1 PH, 60Hz
Revco Technologies/ Kendro Laboratory Pr ULT2586-9-A36 Ultra Low Scotsman AFE400A-1H Ice Machine: 115V, 9.8A, 1 PH Temperature Laboratory Freezer, -80, 115V, 16.00A, 1 PH, 60 Hz
Thermolyne Bio II: with Auto Fill Cryo Tank, MVE/ Chart, Bio Series LN # Freezer System, 120 Volts, P/M 10946465
Thermo Electron Corp. 3773 Forma Lab Refrigerator: 115V AC, 60 Hz, 5.7A, with Chart Recorder
Thermo Electron Corp. ULT2586-9-A40 Ultra Low Temperature Laboratory Freezer: -80, 115V, 16.00A, 1 PH, 60 Hz
Thermo Scientific 704 Freezer: -86c, Rel # 4, 120V, 60 Hz, 16.0A, 1 PH

SAFETY STORAGE

Se-Cur-All Cabinets Code 30 Large Safety Storage Cabinet for Flammable Liquids with rollers
Justrite Code 30 45gal. Cap. Flammable Liquid Storage Cabinet
Justrite (6+ pcs) 5gal. Cap. Non-Metallic Body Self Closing Faucet Safety Disposal Can Eagle CRA-32 30gal. Cap. Acid and Corrosive Storage Cabinet
Justrite (6+ pcs) 5gal. Cap. Non-Metallic Body Self Closing Faucet Safety Disposal Can
Justrite (10+ pcs) 5gal. Cap. Non-Metallic Body Self Closing Faucet Safety Disposal Can
Rubbermaid / VWR (18) Assorted Trash bins for Biohazardous Waste Spill-X / Commando Assorted Hazmat Spill Kit
Forma Scientific 1104: Biological Safety Cabinet, Class II, Type A, 115V, 60 Hz, 10.0A, 1 PH, approx. 2ft x 4ft
NuAire NU-425-600: Biological Safety Cabinet, 2.5ft x 6ft
The Baker Company SG-600: Biological Safety Cabinet, Class II, Type A/B3, 115V, 60 Hz, 15.9A, approx. 2ft x 6ft. 94" tall w/ legs
The Baker Company EG-6320: Biological Safety Cabinet, 115V, 60 Hz, 18.52 A, approx. 2ft x 6ft
Thermolyne Locator 4 Cryo Biological Storage System
STABILITY CHAMBER
Powers Scientific 101B-A-R-NT-CF-R-CL-U-C (Qty. 2): Stability Chamber with Honeywell Chart Recorder, Temp Control, Humidity Control, 120V, 60 Hz, 1 PH



Bruker DL620V0025X-88 Digital NMR Avance 500 System



Complete Sales Catalog Available Online @ www.hgpauction.com




Global Online Auction of State of the Art Bio Pharma Equipment, from Innovative Drug Discovery and Development Company



New Brunswick Innova 4430 Incubator/ Shaker



Gilson Full Integrated Liquid Handler System



Sartorius BioStat B Plus Micro DCU System



Gilson / Agilent Full Integrated Liquid Handler

State of the Art Bio Pharma Assets in Impeccable Condition

HPLC SYSTEMS

Agilent 1100 Series HPLC: To include: G1322A Degasser S/N JP05031698, G1311A Quat Pump S/N DE14916732, G1313A ALS S/N DE14917398, G1316A COLCOM S/N DE14924306, G1315B DAD S/N DE14914179, Hewlett Packard Vectra CPU w/ username and password, Hewlett Packard Monitor, Keyboard and Mouse

Agilent 1100 Series HPLC: To include: G1322A Degasser S/N JP05031523, G1311A Quat Pump S/N DE14916725, G1313A ALS S/N DE91609319, G1316A COLCOM S/N DE14924314, G1315B DAD S/N DE03010138

Agilent 1100 Series HPLC 1100 Series HPLC System complete with: (1) G1315B DAD s/n DE1113043; (1) G1316A Colcom s/n DE11122192; (1) G1313A ALS s/n DE11116174; (1) G1311A Quat Pump s/n DE11115299; (1) G1322A Degasser s/n JP05030237; (1) Solvent Tray; includes manuals and documentation

Agilent 1200 Series HPLC 1200 Series HPLC to include: G1322A degasser S/N JP60652720, G1311A Quat Pump S/N DE60555329, G1329A ALS DE60555310, G1330B FC/ALS Therm S/N DE60555748, G1316A TCC S/N DE605556001, G1315B DAD S/N DE60555219, Dell Optiplex GX520 with username and password, Dell Monitor with keyboard and mouse

Agilent 1200 Series HPLC 1200 Series HPLC to include: G1322A Degasser S/N JP60652738, G1311A Quat Pump S/N DE60555326, G1329A ALS S/N DE60555317, G1330B FC/ALS Therm S/N DE60555270, G1316A TCC S/N DE60555414, G1315B DAD S/N DE60555288, with Dell Optiplex GX520 with username and password, Dell Monitor keyboard and mouse

CENTRIFUGES

Beckman Coulter Allegra X-15R: Benchtop Centrifuge, 208V, 9A, 60 Hz, max RPM 4750, with SX4750 Rotor 4 x 750 mL, and operating manual

Beckman Coulter Microfuge 18 (Qty.3): Benchtop Centrifuge, 100-120V, 4A, 50/60 Hz, cat no 367160

Beckman Coulter Allegra-6: Benchtop Centrifuge, 120V, 8A, 60 Hz, Cat no 366 802, S/N ALS98D13

Beckman Coulter Microfuge R: cat no 365626, 120V, 10A, 60 Hz

Beckman GH 3.7 Lot: includes (4) Centrifuge Microplate Carriers for Beckman GH 3.7 Rotor. Max 2750 rpm

Eppendorf 5417Rz: Centrifuge, 120V, 7A, 60 Hz, 700W, max speed 16400 min-1, max operating pressure 17 bar

Eppendorf 5415C: Centrifuge, max density of liquid 1.2kg/dm3, 250W, 115V, 60 Hz, 14000 RPM

Fisher Scientific 225: Centrifuge, 115V, 5A, 60 Hz, cat no. 4-978-50

Fisher Scientific MicroV: Centrifuge, 12V DC, 2 A

International Equipment Company Centra CL2: Benchtop Centrifuge

Sorvall RC-5B plus Centrifuge: 5Kw, 208W, 24A, 60Hz, 1 PH, Max speed 21,000 RPM, mfg 2000, to include (2) Rotors consisting of (1) Sorvall SLA-3000 superlite autoclave 121C S/N 9952754, (1) Sorvall SA-600 autoclave 121C, lot to include operating manual

ANALYZERS

Becton Dickinson PTC-200 Fluorescence Activated cell Analyzer complete with Apple Power Mac G4 computer; Includes manuals and documentation

Instrumentation Laboratory ACL 10,000: Analyzer with manuals, sample cups, extra rotors

Nova Biomedical Bioprofile 300: Analyzer Bioprofile 300 Analyzer complete with On-Line Autosampler with built in PC includes manuals and documentation

IMMUNOASSAY SYSTEM

Beckman Access Immunoassay System complete with computer, manuals, printer extra parts, Power Var 12 power supply

MASS SPECTROMETERS

Micromass Q-TOF-2 LC/MS/MS Mass Spectrometer quadrupole / orthogonal analyzer complete with: built in PC and an additional tower PC and Monitor; built in Edwards E2M28 Vacuum Pump; (1) Thermo Neslab Merlin Series M25 Recirculation; Includes Manuals and documentation

LIGHT SCATTERING DETECTORS

Sedere Sedex 75 LT-ELSD (Qty. 3): Low temperature evaporative light scattering detector, 115V AC, 1.5A, 50/60 Hz


MICRO DCU SYSTEMS

B. Braun Biotech BioStat C.: Full Integrated BioStat C system complete with: (1) ITT Industries Double jacketed 316L / 304L Stainless Steel 30Litre Fermentation Vessel, YOM 2003; (1) B. Braun Digital Measurement / Control System; (1) Compaq PC; includes manuals and documentation

Sartorius BioStat B Plus: Micro DCU System with touch Screen complete with: (1) Sartorius 8843415 controller / detector YOM= 2005 s/n D02100514; (2) BioReactors; (1) Compaq Tower PC with monitor

CHROMATOGRAPHY


Biotage Flash 75 Flash Chromatography System with Grounding Assembly



Assets No Longer Required by Nereus Pharmaceuticals, Inc., Produces the Bio-Pharma Equipment Auction of the Year



Virtis 25LGenesis XL-70 Lyophilizer



STIRRERS / VORTEXERS

Barnstead/Thermolyne SP47235 (Qty. 5): Cimarec 3, Hotplate/ Stirrer, 120V, 13.7 A, 1650 Watts, 60 Hz, 1 PH

Barnstead/Thermolyne S131125 (Qty. 2): Cimarec Stirrer, 120V, .03A, 60 Hz, 1 PH

Baxter Scientific SP Vortex Mixer, cat no. 58223-1, 110-120V, 60 Hz, .5A

Corning PC-320 Laboratory Stirrer/ Hotplate, 120V AC, 575 Watts, 60 Hz

Corning PC-410 Laboratory Stirrer, 120V AC, 73 Watts, 60 Hz

Corning PC-610 Laboratory Stirrer, 100V AC, 73 Watts, 60 Hz

Fisher Scientific G-560 Vortex Genie 2, 120V, .5A, 60 Hz


Thermolyne SP18425 Nuova II (Qty. 4): Hotplate/ Stirrer, 120V, 7.3A, 865 Watts, 60 Hz, 1 PH

VWR VMS-C7 (Qty. 2): Hotplate, 120V, 50/60 Hz, 1020 Watts

VWR Scientific VM-3000 Mini Vortexer, cat no 58816-121, 120V AC, 150 Watts, 50/60 Hz, 1 PH

VWR Scientific G-560 (Qty. 3): Vortexer 2, 120V, .5A, 60 Hz

VWR Scientific G-560 (Qty. 3): Vortexer 2, 120V, .5A, 60 Hz



Gilson / Agilent Full Integrated Liquid Handler System

Over 1,000 Auction Items Available

LIQUID HANDLING/DISPENSING

Gilson Full Integrated Liquid Handler System complete with: (1) Gilson 215 Liquid Handler; (1) Gilson 819 Injection Module; (1) Gilson 402 Syringe Pump; (1) Gilson 170 G1315A Diode Array Detector; (1) Gilson 333 Pump with digital controller; (1) Gilson 334 Pump; (1) Dell Optiplex GX260 Tower PC with username and password; (1) Dell Monitor; Includes sample trays, manuals and documentation

Robbins Scientific Hydra 96 Solution Dispensing System

WATER PURIFICATION

Barnstead Nanopure Infinity Ultrapure Water System: with (1) D50251 Pretreatment DI Feed Cartridge; (2) D50253 Ultrapure Cartridges; (1) D50252 High Purity Low TOC Cartridge

LYOPHILIZERS

Virtis 25LGenesis XL-70 Lyophilizer with LG Tower PC

Virtis Advantage Lyophilizer

TABLE AUTOCLAVE

Tuftnauer/ Brinkman 3870 E Table Autoclave

SPEED VACS

Thermo Quest SCR210ARC-120, RVT4104-120: Savant SpeedVac Plus with Radiant Cover RC210B, 120V, 50/60 Hz, 8.0 A, S/N 1C100005-1H, Savant Refrigerated Vapor Trap 120V, 60 Hz, 12.0.A, S/N RVT4104-OC130147-1B

Thermo Savant Discovery 220 (Qty. 3): Discovery Speed Vac, 220V, 60 Hz, 20.0 A, Refrigerant 2lbs Isecon 69L or R403B

Thermo Savant SC210ARC-115, RVT4104-115 (Qty. 2): High capacity

Speed Vac , SCR210ARC-115, 115V, 50/60 Hz, 8.0 A, S/N 11370124-1A, with Refrigerated Vapor Trap RVT4104-115, 115V, 50/60 Hz, 12.0.A, S/N 9.14201, also to include Savant Digital Vacuum gauge

SCUBA GEAR

Assorted Scuba Gear to include: (2) Kristal Fishing Electric Reels XL 930 KF, (6) Wenoka Diving Knives with holding cases, (4) Scuba Pro Glide Plus Respiration Vests, (1) Wet Suit, (1) Pair of fins, plus assorted related accessories

ASSORTED TOOLS / EQUIPMENT / FURNISHINGS

Assorted Scuba Gear to include: (2) Kristal Fishing Electric Reels XL 930 KF, (6) Wenoka Diving Knives with holding cases, (4) Scuba Pro Glide Plus Respiration Vests, (1) Wet Suit, (1) Pair of fins, plus assorted related accessories

Craftsman Lot: includes (1) Craftsman Torque Power drill with bits, charger and 2 batteries; (2) tool boxes no contents inside

Cramer Inc. Lab Stools: Muilit-Lots Available

Pitney Bowes A 603 EZ Seal Envelope Mailer, Code A613

Polaroid Gel: Cam with (1) H-6 0.8x Hood (1) H-5 0.85x Hood

Rubbermaid 4520 (Qty. 3): Service Cart with 2 shelves 200lb capacity per shelf

Sentry S0409: Combination Safe


Tank Transporter

Vogel Peterson, Global Upholstery Comp. (1) Pink Fabric Lab Chair with arm rests, (1) Grey office chair with arm rests, (1) Grey Lab Stool

Werner: 8ft Fiberglass step Ladder with 250 lb Capacity




New Brunswick MF-114 Fermentor



Thermo Savant Discovery 220



Global Online Auction of State of the Art Bio Pharma Equipment, from Innovative Drug Discovery and Development Company




New Brunswick Innova 4430 Incubator/ Shaker



Micromass Q-TOF-2 LC/MS/MS Mass Spectrometer



Gilson Full Integrated Liquid Handler System



Nova Biomedical Bioprofile 300 Analyzer



Agilent 1100 Series HPLC




Assets No Longer Required by Nereus Pharmaceuticals, Inc., Produces the Bio-Pharma Equipment Auction of the Year




Bruker 500 UltraShield



Beckman Coulter Allegra X-15R Centrifuge



B. Braun Biotech BioStat C



Beckman Coulter Allegra-6 Centrifuge



Agilent 1200 Series HPLC

Over 1,000 Auction Items Available



PRESSURE VESSELS

Alloy Products Hygienic Pressure Vessel: 316L Stainless Steel Pressure Canister, 130 psi MAWP at 100°F, MDMT -20°F at 130 psi
Alloy Products H# QC522 (Qty. 9): Hygienic Pressure Vessel, 316L Stainless Steel

SCALES

A&D Company HF-300: Balancing Scale. Max = 310g, D = 0.001g
Mettler Toledo AG204 Delta Range: Analytical Balancing Scale Max = 210g, d = 0.1mg
Mettler Toledo AX205 Delta Range: Analytical Balancing Scale. Max = 81g/220g, d = 0.01mg/0.1mg
Mettler Toledo XP8002S: Excellence Analytical Balancing Scale. Max = 8100g, d = 0.01g
Mettler Toledo XP8002S: Excellence Analytical Balancing Scale. Max = 8100g, d = 0.01g
Mettler Toledo AB54-S: Analytical Balancing Scale. Max = 51g, Min = 10mg, E = 1mg, D = 0.1mg
Mettler Toledo PM2000: Balancing Scale
Mettler Toledo AE240S: Analytical Balancing Scale
Sartorius MC1 LC 1200S: Balancing Scale

PH METERS

Corning 313: Ph/Temperature Meter

Eutech / Oakton Con II Series: Conductivity/TDS/°C Meter
Fisher Scientific AB15: Ph Meter
Mettler Toledo S20 Seven Easy S20 Ph Meter with manuals and accessories
Thermo Orion 410A+: Ph Meter

PUMPS

Baxter AS50: Auto Syringe Infusion Pump with controller
Barnant 400-2901: Vacuum Pump with Electric Motor
Buchi V-500 (Qty. 2): Vacuum Pump
DryFast 2030B-01: Vacuum Pump with Electric Motor
Edwards / KNF PM13196-840.3: Vacuum Pump
Edwards RV8: Vacuum Pump with IEC34 Electric Motor
Fisher Scientific M12C: Vacuum Pump with 1.5 Electric Motor
Gast 0522-V4F-G180DX: Vacuum Pump with Emerson 1.3 hp Electric Motor

Gast DOA-P104-AA: Vacuum Pump with Electric Motor
Labconco 195: Vacuum Pump with Electric Motor
LDC MiniPump: Vacuum Pump with Bodine 1/3 hp Electric Motor
Precision DD20: Vacuum Pump with Electric Motor
Savant VP190: 2 Stage Vacuum Pump with 1.5hp Electric Motor
Savant VLP200: Vacuum Pump with IEC34 Electric Motor
Savant VLP285: Vacuum Pump with IEC34 Electric Motor
Virtis D2.5E Vacuum Pump with Electric Motor
Watson / Marlow PumpPro DPM: Peristaltic Pump with Digital Controller
Welch 8890: Vacuum Pump with 1/4 hp electric motor
Welch 2022B-01: Vacuum Pump with Electric Motor

ROTAVAPORS

Buchi R-114 Rotavapor R-114 (Qty. 2): to include Glassware
Buchi R-200 Rotavapor R-200 (Qty. 6): to include B-721 Vacuum Controller, B-480 Heating Bath and all glassware pictured

WATERBATHS

Boekel 148007 Serological Waterbath
Forma Scientific 2095 (Qty. 3): Circulating Bath, 120V, 60 Hz, 10.7 A, 1


PH, 2 Wire, R-12 11oz
Haake 001-3950: Circulating Waterbath
Lauda WLK 230: Circulating Chiller, 100V - 115V and 50/60Hz
Precision Scientific 188: Dual Chamber Waterbath, 120V, 800 Watts, 1 PH, 6.7 A, 50/60 Hz, temperature range 25 degrees C - 100 Degrees C
VWR 150T: Aquasonic Waterbath
VWR 150HT: Aquasonic Waterbath
VWR P250T: Aquasonic Waterbath
VWR 1140S: Heated/ Refrigerated Circulator, 120V, 50/60 Hz, temperature range 40 degrees C to 200 degrees C
VWR Scientific 1166: Water Bath Chiller/ Circulator, 115V, 60 Hz

PIPETTES

Drummond Scientific: Pipet Aid, 115V AC
Eppendorf Lot: to include (2) Repeater Plus
Fisher Brand Finnpiptette (Qty. 7): 5-50uL
Fisher Brand Lot: to include (3) Macro's
Integrated BioSciences Lot to include (1) PipetBoy acu, (1) Zerostat 3 Sigma Aldrich
Matrix Impact 125uL Digital Pipet
Rainin E3 Rapid Charge Stand (Qty. 7): to include Digital Pipettes: (3) EDP3-Plus (Qty. 5): 2-20uL
Rainin 2500: Electronic Digital Pipette
Rainin/ Gilson Lot: to include (3) Pipettes, (1) L20, (1) L200, (1) L1000
VWR/ Rainin Lot: to include (3) Pipettes, (1) L20, (1)L200, (1)L1000



State of the Art Bio Pharma Assets in Impeccable Condition



MICROSCOPES

Fisher Scientific Micromaster Inverted Inverted Research Microscope Complete with: Dual HKW 10x eye lens; (1) 4/0.10 objective; (1) Hund A Ph 10/0.25 objective; (1) Hund SPL PH 20/0.35 objective; Internal Light Source; includes manuals. s/n FW00-42-1020
Nikon SMZ 1500 Scientific Stereoscopic Zoom Microscope complete with: Nikon C-DSS115 Stand with internal Light source; Dual Nikon C-W10x/22 eye lens; WD 54 Nikon HR Plan Apo 1x objective
Olympus BX51 Scientific Research Microscope complete with: X,Y,Z Stage; Dual WH10X-H/22 Eye Lens; Uplan FI 4x/0.13 objective; Uplan FI 10x/0.30 Objective; Uplan FI 20x/0.50 Objective; Uplan FI 40x/0.75 Objective; Plan Apo 60x/1.40 oil objective; Olympus U-25ND25 Filter slide; Olympus Optical U-LH100HGAPO Light Source with power source; Olympus America IKH027794 Microscope Camera; Gateway E-3400 PC Tower and Gateway Monitor; extra lamps; microscope glass covers; Micro Slides; Lens papers and Manuals and documentation
Zeiss Scientific Research Microscope 467086, LR65844C complete with: X,Y,Z Stage; Dual CPL W10x/18 Eye lens; (1) Zeiss3,2/0,07 objective; (1) A-Plan 10/0,25 objective; (1) A-Plan 40/0,65 objective; (1) A-Plan 100/1,25 oil objective; Internal Light source

INCUBATORS / SHAKERS / HEATBLOCKS

Barnstead/ Lab-Line 2314 Lab Rotator, 120V, 50/60 Hz, 50 Watts
Fisher Scientific 637D: Isotemp Incubator, 120V, 7.2A, 50/60 Hz, Cat No. 11-690-637D
Lab-Line Instruments 120: Compact Incubator, 120V, .83A, 50/60 Hz, 100Watts
Lab-Line Instruments 2050 Multi-Block Heater (Qty. 2): Job No. 3478,

120V, .83 A, 50/60 Hz, 100 Watts
Lab-Line Instruments 3520: Orbit Shaker, 120V, 50/60 Hz, .83 A, 100 Watts
Lab-Line Instruments 4625: Titer Plate Shaker, 120V, 1.00A, 60 Hz, 120 Watts
New Brunswick Scientific G-25: Controlled Environment Incubator/ Shaker, Mfg no. M1024-0000, 115V, 1 PH, 50/60 Hz, 10.0A
New Brunswick Scientific Innova 2350 (Qty. 2): Large Capacity Benchtop Shaker, 120V, 50/60 Hz, 1 PH, 150 VA, mfg no. M1191-0010
New Brunswick Innova 4000 (Qty. 2): Incubator/ Shaker, 120V, 1 PH, 50/60 Hz, 600VA, Mfg No. M1192-000
New Brunswick Innova 4430: Incubator/ Shaker, 120V, 1 PH, 50/60 Hz, 1800VA, mfg no. R1243-0014
New Brunswick Scientific Innova 5000 (Qty. 4): Multi Tier Shaker, 120V, 1 PH, 50/60 Hz, 150 VA, mfg no. M1196-00
New Brunswick Scientific Lot: to include assorted New Brunswick Incubator and Shaker Accessories

NuAire NU-4850 US (Qty. 4): Auto Flow CO2 Water-Jacketed Incubator, Series 5, 115V AC, 50/60 Hz, 1 PH, 5A, mfg 2002
VWR Scientific Standard Heatblock: Heatblock I 949030, Cat No. 13259-030, 120V AC, 100 Watts, 50/60 Hz, 1 PH
VWR Scientific Select Heatblock (Qty. 2): Cat No. 13259-058, Heatblock VI 949039, 120V AC, 410 Watts, 50/60 Hz, 1 PH
Barnstead/ Lab-Line/ Thermo Scientific 150 General Purpose Incubator with User Manual, 120V, 1.3A, 150 Watts, 50/60 Hz
Fisher Scientific FICO3500DABB Double Stacked Incubator, 120V, 7.5A, 1 PH, 60 Hz
New Brunswick Scientific G-25 Controlled Environment Incubator/ Shaker, Mfg no. M1024-0000, 115V, 1 PH, 50/60 Hz, 10.0A
Precision Scientific 4EM Mechanical Convection Incubator, Cat No. 31574, temp 20C, Economy Model 4EM, 120V, 230W, 1 PH, 1.9A, 50/60 Hz
Precision Scientific Econorthern Laboratory Oven, Cat No. 51221126, Temp 65C - 200C, 120V, 1300 Watts, 1 PH, 11.3A, 50/60Hz

VWR Scientific 1545 Incubator, 120V, 50/60 Hz, 1 PH, Two Wire, 750 Watts
VWR Scientific 1305U Gravity Convection Utility Oven, 120V, 50/60 Hz, 5.0A, 600 Watts

GLASSWARE & CONSUMABLE

Ace / Pyrex Glassware Lot: to include 8+ Large glassware flasks; vials; etc.
IST Flashvac Lot: includes (11) Flashvac's.
Pyrex / VWR / Wheaton / Labconco Glassware Lot: to include 1,000+pcs consisting of: Beakers; culture tubes; funnels; flasks; Serological pipettes; Pasteur Pipet; etc. (3 racks included)
Pyrex / VWR / Wheaton / Labconco Glassware Lot: to include 500+pcs Assorted Glassware consisting of various funnels; beakers; flasks; Serological pipet set. (4 racks included)
Pyrex Glassware No. 1596 Lot (Qty. 7): includes (4) Pyrex No. 1596 9 liter Flasks



COMPUTER / NETWORKING EQUIPMENT

Dell / Acer / etc. Assorted Monitors Lot includes: (7) Flat Panel Monitors; (3) CRT Monitor
Dell / Compaq Assorted PC's (14+) Assorted CPU's with no HDD's
HP Assorted HP toner/ print cartridges
HP DeskJet 5650 Office Printer
HP 4650n Laser Jet Color Printer
HP 4050Tn Laser Jet Printer HP ProCurve Networking Procurve Ethernet Switch 10BT
APC 620/750 Smart-UPS back ups