

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
1	SMC	CS1FF125-200	CYLINDER,FRAME PNP,STA 6
1	SMC	LG1H2122NC-700-F5	ACTUATOR,LG1H, SINGLE AXIS ELECTRIC,DIRECT ACTING, GUIDE TYPE, 700 MM STROKE
6	SMC	MY1B80-PS	SEAL KIT, RODLESS CYLINDER 80MM X 1400MM, H60
1	SMC	SS5V2-GAL66	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-03B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 3 STATION, CASSETTE BASE
2	SMC	ISE40-T1-62L-A	SWITCH, DIGITAL PRESSURE, HIGH PRECISION, 1/8 NPT, PNP, BRACKET A, 3M WIRE
2	SMC	MXH20-60	ACTUATOR, 20MM BORE, 60MM STROKE
13	THK	VRU2035	SLIDE,ROLLER
3	SMC	MXH10-40-F9PWL	SLIDE, COMPACT, MXH, 10MM BORE, 40MM STROKE
2	SMC	MHY2-16D2-M9P	GRIPPER,PNEUMATIC
2	SMC	MHC2-16D	GRIPPER,PNEUMATIC
8	SMC	D-F9H	SENSOR,BARREL,SOLID STATE,FLYING LEAD,N.C.
5	SMC	RZQA32-175-100	CYLINDER,3 POSITION,32MM BORE, 175MM FULL STROKE, 100MM FIRST STROKE
5	THK	HRW21CA 1SS	BLOCK,GUIDE,LINEAR MOTION
2	SMC	MXQ8-10A	AIR SLIDE TABLE,8MM BORE,10MM STROKE,RUBBER STOPPERS BOTH ENDS
10	SMC	AS1301F-U10/32-01	AIR, SPEED CONTROLLER, TUBE SIZE 1/8, SMC AS1301F-U10/32-01
6	SMC	CDQ2A40-50D	CYLINDER, COMPACT DOUBLE ACTING, SINGLE ROD, 40MM BORE, 50MM BORE, M5 X 0.8 PORTS
3	SMC	VFA5444-03F-X1	VALVE,3-POSITION,OPEN CENTER, PILOT OPERATED
3	SMC	MXS20-30	MXS LIFT ACTUATOR
3	SMC	CDM2RA25-25	CYLINDER, RND BODY, DIRECT MT
2	SMC	MXS12-30BT	TABLE, SLIDE, MXS SERIES, 12 MM BORE, 30 MM STROKE, ABSORBER ON RETRACTION END, M5X0.8 PORT
2	SMC	MXH10-10	SLIDE TABLE,10 MM BORE X 10 MM STROKE,W/MAGNET
5	SMC	PF2A751-N04-67-M	DIGITAL FLOW SWITCH, INTEG SENSOR, PFA 1/2 INCH, 50-500 LITERS PER MIN, FIXED SI UNITS
1	SMC	CS1FF160-200	CYLINDER,STANDARD PNEUMATIC
8	SMC	NCDQ2A50-50D	CYLINDER,AIR,50 MM BORE X 50 MM STROKE
4	SMC	MXQ12-20A	AIR,SLIDE TABLE,12MM BORE X 20MM STROKE, RUBBER STOPPER BOTH ENDS
11	SMC	MHF2-16DR	GRIPPER, LOW PROFILE, MHF2 SERIES, 16MM BORE, DOUBLE ACTING, SHORT STROKE, SIDE PIPING TYPE, M5X0.8 PORT
1	SMC	CDM2RA25-25	CYLINDER, RND BODY, DIRECT MT

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
4	COX AUTO	PM00038711	TABLE,MXS, AIR SLIDE,CROSS ROLLER GUIDE, 8MM BORE X 10MM STROKE, M3 X .5 PORT SIZE
2	SMC	C95SDB40-50	CYLINDER,AIR,C95 SERIES,BUILT IN MAGNET,BASIC MOUNTING W/O BRACKET,40MM BORE,50MM STROKE
4	SMC	CDM2L32-125	CYLINDER,CDM2L32-125,C(D)M2,AIR,DOUBLE ACTING,SINGLE ROD,32MM BORE X 125MM STROKE,RUBBER BUMPERS
8	SMC	CDQ2A32-175DCM	CYLINDER,COMPACT,LONG STROKE TYPE,DOUBLE ACTING,SINGLE ROD,32MM BORE,175MM STROKE,WITH RUBBER BUMPER,MALE THREADED ROD END,RC 1/8 PORTS
2	SMC	CDQ2A32-40DM	CYLINDER,METRIC,W/ AUTO SWITCH,BOTH ENDS TAPPED,32MM BORE,40MM STROKE,DOUBLE ACTION,MALE THREAD,1/8 PORT SIZE
4	SMC	CDQ2A50-125DC	CYLINDER,CQ2 SERIES COMPACT,WITH AUTOSWITCH. END MOUNTING. 50MM BORE. 125MM STROKE. DOUBLE ACTING. WITH BUMPERS. RC 1/4 PORTS
1	SMC	MXH10-30	COMPACT SLIDE,10 MM BORE X 30 MM STROKE,W/MAGNET
1	SMC	MXQ8L-10A	AIR SLIDE TABLE,SYMETRIC STYLE. SIZE 8. 10MM STROKE. STROKE ADJUST BOTH DIRECTIONS. M5 PORTS
1	SMC	MXS12-20A	AIR SLIDE TABLE,12MM BORE,20MM STROKE,STROKE ADJUSTER AT BOTH ENDS
1	SMC	MXS12-75-A	AIR SLIDE 12MM BORE X 75MM STROKE W/STROKE ADJUSTERS @ BOTH ENDS
2	SMC	MGPL25N-75	CYLINDER, 25 X 75 GUIDED
2	SMC	MGPL25N-75	CYLINDER, 25 X 75 GUIDED
2	SMC	SS5YJ5-42-03N7T	MANIFOLD,3 STATION,FOR SY 5000 VALVES, ONE-TOUCH FITTINGS 1/4", 1/4 NPTF SUP AND EX
2	SMC	SS5YJ5-42-06-N7T	MANIFOLD,6 STATION,FOR SY 5000 VALVES, ONE-TOUCH FITTINGS 1/4", 1/4 NPTF SUP AND EXH
1	COX AUTO	PE00019204	INTERFACE,FOR MODULAR SERIES AC40-06 BRACKET Y500T
1	SMC	MSQB10A	TABLE,ROTARY,SIZE 10, ADJUSTABLE STOPS, 180 DEG. ROTATION
1	SMC	MHY2-20D-M9P	GRIPPER,PNEUMATIC
2	SMC	MXS12-30BT	TABLE, SLIDE, MXS SERIES, 12 MM BORE, 30 MM STROKE, ABSORBER ON RETRACTION END, M5X0.8 PORT
1	SMC	C95SDB50-200N	CYLINDER,TIE ROD,DOUBLE ACTING, SINGLE ROD, BASIC MOUNTING, 50MM BORE, 200MM STROKE, NO CUSHIONS, G1/4 AIR PORTS
2	SMC	MXH10-10	SLIDE TABLE,10 MM BORE X 10 MM STROKE,W/MAGNET
1	SMC	MXH10-20	COMPACT SLIDE,10 MM BORE X 20 MM STROKE,W/MAGNET
2	SMC	MXQ16-20C	AIR SLIDE TABLE,16 MM BORE X 20MM STROKE,METAL STOPPERS AT EACH END,3 WIRE PNP SOLID STATE SWITCHES,QUICK DISCONNECT

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
1	SMC	MXQ20-20A	AIR SLIDE TABLE 20MM BORE X 20MM STROKE,RUBBER STOPPER BOTH ENDS
6	SMC	MXS-12-30-A	AIR SLIDE TABLE,12MM BORE X 30MM STROKE,WITH ADJUSTER AT BOTH ENDS
1	SMC	NCDA1L150-0100	CYLINDER,STANDARD PNEUMATIC
1	SMC	NCDA1F150-0700	CYLINDER,STANDARD PNEUMATIC
2	SMC	NCA1B150-1200	CYLINDER,STANDARD PNEUMATIC
4	SMC	NCA1G150-0600	CYLINDER,STANDARD PNEUMATIC
1	SMC	MGPL25N-50-Y7PZ	CYLINDER,STANDARD PNEUMATIC
1	SMC	MXS25-20AS-M9P	CYLINDER,STANDARD PNEUMATIC
1	SMC	MXS25-40AS	CYLINDER,SLIDE PNEUMATIC
1	SMC	NCDQ2A50-300DCM	CYLINDER,STANDARD PNEUMATIC
1	SMC	MXS16-40AS	CYLINDER,SLIDE PNEUMATIC
1	SMC	NCQ2B32-25DM	CYLINDER,STANDARD PNEUMATIC
1	SMC	NCQ2B32-5DM	CYLINDER,STANDARD PNEUMATIC
1	SMC	NCA1F250-0600H	CYLINDER,STANDARD PNEUMATIC
1	SMC	NCA1G200-0200N	CYLINDER,STANDARD PNEUMATIC
2	SMC	AR30K-N03B-Z	REGULATOR,MODULAR STYLE,ISO 1179-1 W/ISO 228-1 THREADS
4	SMC	MHF2-16D	GRIPPER,16MM BORE, SHORT STROKE, 16MM STROKE
1	COX AUTO	PM00038594	TABLE,AIR-SLIDE,20MMBOREX50MMSTROKE,W/RUBBER STOPPER BOTH ENDS
6	SMC	MXQ20-125B	SLIDE TABLE, AIR,20MM BORE, 125MM STROKE, SHOCK ABSORBERS BOTH ENDS
1	SMC	C95SDB40-200N	CYLINDER,TIE ROD,DOUBLE ACTING, SINGLE ROD, BASIC MOUNTING, 40MM BORE, 200MM STROKE, NO CUSHIONS, G1/4 AIR PORTS
2	COX AUTO	PM00040362	CYLINDER,AV SERIES AIR,3/4" BORE. FOOT MOUNT. 4.25" STROKE. PADS IN BOTH DIRECTIONS. PORTS IN POSITION 1 ON EXTEND AND RETRACT. MAGNETIC PISTON.
5	COX AUTO	PM00038249	CYLINDER,COMPACT,32MM BORE, 175MM STROKE, DOUBLE ACTING SINGLE ROD END WITH FEMALE THREADS, 1/8RPT PORTS
4	SMC	CDUW20-25D	CYLINDER,FREE MOUNT,DOUBLE ACTING,DOUBLE ROD,20 MM BORE,25 MM STROKE,BUILT-IN MAGNET
2	SMC	MSQB30A	ROTARY TABLE,SIZE 30,ADJUSTABLE STOPS,180 DEG. ROTATION
1	SMC	MXH10-50	COMPACT SLIDE,10 MM BORE X 50 MM STROKE,W/MAGNET
1	SMC	MXQ16-125B	AIR SLIDE TABLE,RECIRCULATING LINEAR GUIDE,16MM BORE,125MM STROKE, SHOCK ABSORBERS ON BOTH ENDS,M5X0.8 PORTS
3	SMC	MXQ20-150-A	AIR SLIDE TABLE,MXQ SERIES,20MM BORE,150MM STROKE,RUBBER STOPPER ON BOTH END
1	SMC	MXS20-50A	AIR SLIDE TABLE,20 MM BORE,50 MM STROKE,ADJUSTER AT BOTH ENDS

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
2	SMC	MXH6-25-F9PV	CYLINDER,SLIDE PNEUMATIC
1	SMC	MSQB70R	CYLINDER,ROTARY PNEUMATIC
1	SMC	CDQ2A50-175DC	CYLINDER,AIR,50 MM BORE,175MM STROKE,PORT - RC 1/4
6	SMC	CDU20-25D	CYLINDER,FREE MOUNT,DOUBLE ACTING SINGLE ROD,20 MM BORE,25 MM STROKE,BUILT-IN MAGNETS
3	COX AUTO	PE00019220	REGULATOR, BUILT IN GAUGE, 3/4" NPT, 10-130PSI, NAMEPLATE
1	SMC	MXS25-50BT	SLIDE TABLE,25 MM BORE,50 MM STROKE,ABSORBER ON RETRACTION END,RC 1/8 PORT
2	SMC	MXQ12-100A	AIR SLIDE TABLE,12MM BORE WITH 100MM STROKE
2	COX AUTO	PE00019192	VALVE,SOFT START UP,3/4" NPT, 24 VDC COIL,WITH PRESSURE GAUGE, INDICATOR LIGHT WITH SURGE SUPPRESOR, NON-LOCKING, DIN CONNECTOR
1	DELTA	RMC150E-S2	CONTROLLER,MOTION
1	SMC	IR1010-N01BG-1	REGULATOR, PRECISION, .005-.4 MPA RANGE, 1/8 NPT
1	SMC	SV1000-05-P	REGULATOR, MANIFOLD BASE, SV1000, ODD
6	SMC	MGPM25-30	ACTUATOR, LINEAR, 25MM BORE, 30MM STROKE
1	SMC	MGPM25-30	ACTUATOR, LINEAR, 25MM BORE, 30MM STROKE
15	SMC	D-Y7PVL	MGPM SENSOR, PNP 3-WIRE
3	SMC	PF2A751-N04-67-M	DIGITAL FLOW SWITCH, INTEG SENSOR, PFA 1/2 INCH, 50-500 LITERS PER MIN, FIXED SI UNITS
4	SMC	MHF2-16D1R	AIR SLIDE, 16 MM BORE, MIDDLE STROKE
4	SMC	MXS-AS1227L-X12	STROKE ADJUSTER W/ M8 1.0 X 40 LG THREADED BODY), W/ HEX NUT
3	SMC	MXQ-AT20L	BRACKET, STOP, AIR SLIDE TABLE, MXQ20L, SMC
7	SMC	CDQ2A20- 50DM	CYLINDER,COMPACT,DOUBLE ACTING,SINGLE ROD,20MM BORE,50MM STROKE,ROD END MALE THREAD M8X1.25,M5X0.8 PORT SIZE
45	SMC	D-H7PWSAPC	SWITCH, PNP, 8MM CONNECTOR, FOR C85 CYCLINDER
2	SMC	AC40-E4L01	FILTER,AIR,/REGULATOR,MODULAR TYPE,LUBRICATOR
1	SMC	MXS25-20AS-M9PSAPC	CYLINDER,SLIDE,ECTI PRESS HEAD,STA 3
1	SMC	MXS25-40AS-M9PSAPC	CYLINDER,SLIDE,ECTI PRESS HEAD,STA 3
1	SMC	AC40-E4L01	FILTER,AIR,/REGULATOR,MODULAR TYPE,LUBRICATOR
4	SMC	MHY2-16D2	GRIPPER,180 ANGULAR AIR,CAM STYLE,16MM DIA BORE,DOUBLE ACTING,THROUGH-HOLES IN FINGERS
2	SMC	MIS12-20D1	ESCAPEMENT; 12MM BORE,20MM STROKE,TAPPED ON UPPER AND LOWER FINGER FACES M3X0.5 THRU
4	SMC	CDQ2WA40F-50D	CYLINDER,40MM BORE,50MM STROKE,COMPACT,DOUBLE ACTING, DOUBLE ROD,
8	SMC	VX2110-01-5TZ1	VALVE,SOLENOID,FOR GAS SUPPLY LINE,ORIFICE 2MM

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
3	SMC	AF40-N04-Z	FILTER, MODULAR
2	COX AUTO	PE00019218	FILTER, 3/4" NPT, 5 MICRON, N.O. AUTODRAIN, MODULAR SERIES 4000, PSI NAMEPLATE
3	COX AUTO	PE00019219	FILTER/MIST SEPERATOR, 3/4" NPT, FLOAT TYPE N.O. AUTO DRAIN, 0.3 μM RATING, PSI NAMEPLATE
1	SMC	SS5V2-GAL15	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-05B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 5 STATION, CASSETTE BASE
1	SMC	SS5V2-GAL13	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-08B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 8 STATION, CASSETTE BASE
1	SMC	SS5V2-GAL12	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-08B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 8 STATION, CASSETTE BASE
1	SMC	SS5V1-GAL26A	VALVE, BANK ASSEMBLY SS5V1-W16SA2WD-02B-N3 W/VALVES: SERIES SV1000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 2 STATION, CASSETTE BAS
1	SMC	SS5V2-GAL36A	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-05B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 5 STATION, CASSETTE BASE
1	SMC	SS5V2-GAL61	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-06B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 6 STATION, CASSETTE BASE
21	SMC	D-Y7PW SAPC	SWITCH,HALL EFFECT,PNP, 24V, 2 COLOR INDICATION, WITH 8MM QUICK DISCONNECT PLUG
1	SMC	LG1H2022NC-700-F3	ACTUATOR,HIGH RIGIDITY DIRECT ACTING GUIDE ELECTRIC,WITHOUT COUPLING,700MM STROKE,200-220VOLT
2	SMC	LG1H2022NC-700-F3	ACTUATOR,HIGH RIGIDITY DIRECT ACTING GUIDE ELECTRIC,WITHOUT COUPLING,700MM STROKE,200-220VOLT
4	SMC	CDBX2H25-200B	BEARING,CX2,SLIDE UNIT,SLIDE,25MM BORE,X 200MM STROKE,SHOCK ABSORBERS
2	HPC AUTO	DET 3015	COMB,THIN BOTTOM
1	ALLEN BR	1769-SDN/B	MODULE,DEVICE NET SCANNER,1769 SERIES

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
1	SMC	SS5V2-GAL11	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-04B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 4 STATION, CASSETTE BASE
1		0	0 CYLINDER, DOUBLE ACTING, 32MM BORE, 30MM STROKE, 1/8NPT PORT
13	SMC	MHF2-20DR	GRIPPER,LOW PROFILE AIR,2 FINGER, 20MM BORE, DOUBLE ACTING, SHORT STROKE, SIDE PORTS M5 THREAD
2	SMC	MXQ12-75A	AIR SLIDE TABLE,12MM BORE,75MM STROKE,RECIRCULATING LINEAR GUIDE
2	SMC	MIS12-10D	ESCAPEMENT; 12MM BORE,10MM STROKE,TAPPED M3X0.5 THRU
6	SMC	JA40-14-150	FLOATING JOINT, M14 X 1.50 THREAD
4	SMC	NJ07	COUPLER,ROD END ALIGNMENT,7/16-20
1	SMC	SYJ5000-21-3A	PLATE,BLANKING,FOR SY5000 MANIFOLD, WITH DUST CAP
23	SMC	Y-020B	JOINT,DOUBLE KNUCKLE,M8X1.25 THD, 9MM PIN WITH SNAP RINGS
2	SMC	CXSL15-90	AIR SLIDE
2	SMC	JA40-12-125	JOINT,FLOATING,M12X1.25 THREAD
2	SMC	JB63-10-150	JOINT,FLOATING,JB,FOR COMPACT CYLINDERS, M10 X 1.5
2	SMC	CY1L40L-200B	CYLINDER,RODLESS,BALL BUSHING BEARING SLIDE,40 MM BORE,200 MM STROKE,WITH SHOCK ABSORBERS (2 PCS),AUTO SWITCH,RC 1/4 PORT
4	SMC	AS2201F-01-07S	FLOW CONTROL, METER OUT, 1/8" R(PT) X 1/4"
2	SMC	AS2201F-02-07-S	FLOW CONTROL, METER OUT, 1/4" BSP X 1/4"
4	SMC	KQL04-M5	ELBOW,4MM TUBE X 5MM
59	SMC	KQ2U07-11	UNION REDUCER Y, 3/8` QD TO 1/4` QD
17	COX AUTO	PX00005333	REDUCER 3/8` QD 1/4` QD
39	SMC	AS2051F-07	FLOW RESTRICTOR ADJUSTABLE INLINE 1/4T X 1/4T
7	SMC	NAS2201F-N01-07S	CONTROL,FLOW,1/8" NPT X 1/4" TUBE
1	SMC	CD85E16-25-B	CYLINDER,STANDARD ISO,DOUBLE ACTING, SINGLE ROD, 16MM BORE, 25MM STROKE, BAND MOUNTING SWITCH TYPE, M5 X 0.8 AIR PORTS
29	SMC	AS1201F-M5-03	FLOW CONTROL, METER OUT, M5 TAP, 5/32" TUBE
8	THK	GSR30T	BLOCK, LINEAR BEARING, GSR30T
14	THK	GSR30T	BLOCK, LINEAR BEARING, GSR30T
1	SMC	AR40K-N04-Z	REGULATOR, MODULAR
15	SMC	F7P-SAPC	SWITCH,SOLID STATE CYLINDER,3 WIRE PNP,24VDC
1	SMC	JA40-12-125	JOINT,FLOATING,M12X1.25 THREAD
10	SMC	BT-03	BRACKET,AUTO SWITCH MOUNTING,FOR 32-40MM BORE C95 SERIES CYLINDER
2	SKF	30204	BEARING,TAPERED ROLLER,20MM ID X 47MM OD X 15MM WIDE
4	SMC	MXJ8-10C	GRIPPER ACTUATOR, 8MM BORE X 10MM STROKE

## 4991 SMC

Qty	Mfg	Mfg Part #	Description
20	SMC	SV2000-N0-P	REGULATOR,INTERFACE WITH PSI GAUGE
1	SMC	MGPL25N-30	CYLINDER, 25 X 30 GUIDED
1	SMC	MGPL25N-30	CYLINDER, 25 X 30 GUIDED
2	SMC	MGPL25N-30	CYLINDER, 25 X 30 GUIDED
6	SMC	MXQ12-30A	AIR SLIDE TABLE 12MM BORE X 30MM STROKE,RUBBER STOPPER BOTH ENDS,OPERATING PORT SIZE M5 X 0.8
6	SMC	MXQ12-50A	AIR SLIDE TABLE 12MM BORE X 50MM STROKE,RUBBER STOPPER BOTH ENDS
2	SMC	MXQ12-40A	TABLE,AIR SLIDE,RECIRCULATING LINEAR GUIDE 12MM DOUBLE BORE, 40MM STROKE, BOTH SIDE ADJUSTERS/RUBBER STOPPERS AIR PORT - M5 X 0.8
10	SMC	MHF2-12D1R	GRIPPER,12MM BORE,DOUBLE ACTING,MIDDLE STROKE,M5X.8PORTS,SIDE PORTING OPTION
3	SMC	MHZ2-10DN1	GRIPPER,10MM BORE DUAL ACTING,N1 MOUNTING TO REPLCE MHQ SERIES
5	SMC	MHZ2-10DN1	GRIPPER,10MM BORE DUAL ACTING,N1 MOUNTING TO REPLCE MHQ SERIES
1	COX AUTO	PE00019202	VALVE,OSHA LOCK-OUT,3/4" NPT PORTS ( 1/2 " BODY SIZE ), 4.17CV, MODULAR USE SERIES AC40
2	SMC	SS5V1-GAL25A	VALVE, BANK ASSEMBLY SS5V1-W16SA2WD-02B-N3 W/VALVES: SERIES SV1000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 2 STATION, CASSETTE BAS
1	SMC	SS5V2-GAL65	VALVE,BANK ASSEMBLY SS5V2-W16SA2WD-04B-N7 W/VALVES: SERIES SV2000 VALVES, EX500 DECENTRALIZED SERIAL WIRING, DEVICE NET COMM, 4 STATION, CASSETTE BASE
2	SMC	SV2200-5FUD	VALVE,2 POSITION DUAL SOLENOID,24 VDC,LIGHT & SUPPRESSOR,MANUAL LOCKING. (NO MANIFOLD BLOCK)
4	SMC	NCDQ2WB12-10D	CYLINDER,COMPACT,DOUBLE ACTING,DOUBLE ROD END,BUILT-IN MAGNET,THROUGH HOLES,12MM BORE,10MM STROKE,FEMALE THREADS ON ROD END
1	SMC	LC8-B2H2P-MF	DRIVER,POSITIONING MASTER,FOR AC SERVOMOTOR, FOR LG1 / LJ1 / LTF SERIES ACTUATOR, INPUT: 200/230VAC 1PH 50/60HZ MAX 460VA, 100W 3PH MOTOR OUTPUT, DISC
4	SMC	EX500-IB1	INPUT BLOCK, SMC EX500 IB1
4	SMC	EX500-IB1	INPUT BLOCK, SMC EX500 IB1