

Hilco Industrial, LLC

SHORT NOTICE ONLINE SALE

First in a series of sales

Subject to Bankruptcy Court Approval, Case No. 12-43167, Assets of

UNI-SOLAR.
United Solar Ovonix

a-Si THIN FILM SOLAR CELL MANUFACTURING & LAMINATING FACILITY



ONLINE BIDDING BEGINS: FRIDAY, MARCH 23RD
ONLINE BIDDING ENDS: THURSDAY, MARCH 29TH
AUBURN HILLS, MI

Sale conducted in partnership with the following companies:

Maynards
AUCTIONEERS • LIQUIDATORS • APPRAISERS
Ph 248 569 9781 • Fx 248 569 9793
www.maynards.com

 **Heritage Global Partners**
Asset Advisory and Auction Services
A Legacy since 1937
www.hgpauction.com

VanAcker
www.vanackerassociates.com

Hilco Industrial, LLC

Auctioneers • Liquidators • Appraisers

31555 West Fourteen Mile Road, Suite 207
Farmington Hills, Michigan 48334 USA
Ph 877 37 HILCO (44526) • Fx 248 254 9995

www.hilcoind.com

HILCO INDUSTRIAL, LLC ONLINE AUCTION

Subject to Bankruptcy Court Approval, Case No. 12-43167, Assets of

UNI-SOLAR
United Solar Ovonix

ONLINE BIDDING BEGINS

FRIDAY, MARCH 23RD
AT 10:00 AM LOCAL TIME

ONLINE BIDDING STARTS TO CLOSE

THURSDAY, MARCH 29TH

PLEASE CHECK WWW.HILCOIND.COM FOR CLOSING TIMES

PREVIEW DATE

FRIDAY, MARCH 23RD
9AM TO 4PM LOCAL TIME

PREVIEW LOCATION

2705 COMMERCE PARKWAY
AUBURN HILLS, MI 48326 USA

DIRECTIONS

FROM DETROIT METROPOLITAN AIRPORT: EXIT AIRPORT TO I-94 EAST, TO I-75 NORTH, CONTINUE TO EXIT 81 FOR M-24 NORTH, TURN RIGHT AND CONTINUE TO COMMERCE PKWY AND TURN RIGHT. DESTINATION WILL BE ON THE LEFT.

FURTHER INFORMATION

- AN 18% BUYER'S PREMIUM WILL BE CHARGED ON ALL ASSETS. THE BUYER'S PREMIUM WILL BE REDUCED TO 15% FOR PAYMENTS MADE BY CASH, COMPANY CHECK OR WIRE TRANSFER. AUCTION WILL BE CONDUCTED IN ENGLISH, ACCEPTING U.S. CURRENCY ONLY.
- REMOVAL DEADLINE IS APRIL 20 WITH HOURS OF REMOVAL BETWEEN 8AM TO 4PM MONDAY THRU FRIDAY. ALL MACHINERY & EQUIPMENT MUST BE REMOVED BY THE REMOVAL DEADLINE.
- FOR FURTHER INFORMATION ON MACHINERY & EQUIPMENT, PLEASE CONTACT JEFF TILTON AT 419 344 4435 OR EMAIL JTILTON@HILCOIND.COM
- FOR PAYMENTS PLEASE CONTACT LESIA JOSEPH AT 616 732 1800 X19 OR EMAIL LJOSEPH@HILCOIND.COM OR HILCO ACCOUNTS RECEIVABLE AT HIN_AR@HILCOIND.COM
- FOR CUSTOMER SERVICE, PLEASE CONTACT SANDI NEELY AT 248 254 9999 X16 OR EMAIL SNEELY@HILCOIND.COM



CELL LINES • BLANKING MACHINE

CELL LINES

Lines offered complete and as components.

- 1 – **KOMAX BLANKING MACHINE**, S/N 474-0606-1 (2006), Coil Uncoiler, Cell Cutter w/ (2) Stacking Stations, Coil Wt. 3000 Lbs, Coil Width 14.5", 208 V., Allen Bradley PanelView 1000 Control Interface, (2) Imaje jamie 1000 S8 Coder Ink Jet Printers S/N 6120112U & 6120113U (2006)
- 1 – **TSI (TOHOKU SEIKI IND.) CELL LINE #3**, Loading Station w/ Return System, 4-Stage Rinsing Station, 3-Zone Electric Belt Dryer w/ 15" x 10' Belt, Cooling Conveyer, Buffing Station, VOC Measurement Station, Negative Copper Tab Placement Station w/ (2) Miyachi ML-2350 Compact Yag Lasers, Double Adhesive Tape, Positive Copper Tab & Grid Wire Placement Station, Grid Wire bonding & Positive Tab Bonding Station, Hard Coat Bonding Station, Belt Type 3-Zone Electric Curing Oven w/ Loading Robot, 16" x 23' Belt, Cell Cutter Station w/ J.A.M. #HYP505D C-Frame Hydraulic Press, VOC Measurement Station, VOC Inspection Station, Unloading Station
- 2 – **TSI (TOHOKU SEIKI IND.) CELL LINES #2 & #4**, Loading Station w/ Return System, 4-Stage Rinsing Station, 3-Zone Electric Belt Dryer w/ 15" x 10' Belt, Cooling Conveyer, Buffing Station, VOC Measurement Station, Negative Copper Tab Placement Station w/ (2) Miyachi ML-2350 Compact Yag Lasers, Double Adhesive Tape, Positive Copper Tab & Grid Wire Placement Station, Grid Wire bonding & Positive Tab Bonding Station, Hard Coat Bonding Station, Belt Type 3-Zone Electric Curing Oven w/ Loading Robot, 16" x 23' Belt, VOC Measurement Station, VOC Inspection Station, Unloading Station
- 1 – **TSI (TOHOKU SEIKI IND.) CELL LINE #1**, Loading Station w/ Return System, 4-Stage Rinsing Station, 3-Zone Electric Belt Dryer w/ 15" x 10' Belt, Cooling Conveyer, Buffing Station, VOC Measurement Station, Negative Copper Tab Placement Station w/ Miyachi ML-2350 Compact Yag Laser, Double Adhesive Tape, Positive Copper Tab & Grid Wire Placement Station, Grid Wire bonding & Positive Tab Bonding Station, Hard Coat Bonding Station, Belt Type 3-Zone Electric Curing Oven w/ Loading Robot, 16" x 23' Belt, Cell Cutter Station w/ J.A.M. #HYP505D C-Frame Hydraulic Press, VOC Measurement Station, VOC Inspection Station, Unloading Station





All Equipment New 2006



LAMINATION CURING OVENS

2 – INTERNATIONAL THERMAL SYSTEMS HEAVY DUTY BATCH OVENS, S/Ns 14405, N/A, (2006), LP Gas Fired, Design Capacity 18,000 Lbs Per Batch, Operating Temperature Rating 125°F Minimum to 500°F Maximum, Normal Operating Temperature Rating 316°F, Oven Work Chamber 7'-0" Wide x 26'-0" Long x 10'-0" High, Aluminized Steel Interior, Thru-Feed Powered Roller Conveyor, Honeywell LP Gas Control Valves, Maxon APX Industrial Air Heat Burner, Burner Rating 2MM BTU/HR, 65,000 CFM Recirculation Blower w/ 75-HP Motor & Variable Frequency Drive, Vertical Lift Counterweighted Powered Entry & Exit Doors

CONVEYORS, TRANSPORT SYSTEMS & SUPPORT EQUIPMENT

- 2 – STAGING / LOADING STANDS, 66" x 25' Gravity Roller Conveyor,
- 2 – GANTRY TYPE PALLET STACKER / LOADERS, 10 Pallet Stack, Overall Pallet Size 63-1/2" x 24',
- 4 – 66" X 25' POWERED ROLLER CONVEYOR INFEEED STANDS
- 2 – COOLING CHAMBERS, Cooling Work Chamber 7'-0" Wide x 24'-0" Long x 10'-0" High, Aluminized Steel Interior, 30-HP 37,000 CFM Supply Blower, 30-HP 40,000 CFM Exhaust Blower, Thru Feed Powered Roller Conveyor, Powered Roll-Up Entry & Exit Doors ,
- 2 – 2500 CFM EXHAUST BLOWER SYSTEMS
- 2 – MAIN CONTROL PANELS w/ Allen Bradley MicroLogix 1100 PLC, Panel View Plus 600 Touch Screen, Allen Bradley Power Flex Conveyor & Oven Fan VFD's, Honeywell Digital Burner Control, Motor Breakers & Relays
- 2 – GANTRY TYPE PALLET UNLOADERS
- 2 – PALLET RETURN CONVEYOR SYSTEMS, Powered Roller Conveyor, Estimated 140' Length, w/ Overhead Vacuum Sheet Lifting Station
- 2 – INSPECTION LINE, POWERED ROLLER CONVEYORS, Estimated 50' Length, Overhead Vacuum Sheet Lifting Station, Sogevac Vacuum Pump, Light Curtains, Power Distribution Panel

BALLAST VACUUM PUMPS

6 – AUTOMATIC BALLAST VACUUM PUMP SYSTEMS, 10 Station Vacuum Pump Stand, Trivac Type D65B Pumps, Volume Flow Rate 65, 3-HP, 230/460 Volt, Each Pump w/ Okano Works Digital Pirani Gauge, 10 Station Vacuum Ballast Charging Manifold Stand, Control Panel





WASHERS

- 1 – ECD OVONICS OWW 3-STAGE COIL THRU FEED WASH LINE w/ BLOW OFF, Coil Width 15", Coil Uncoiler & Recoiler
- 1 – AJAX WHFG-840 FORCE DRAFT GAS FIRED WATER HEATING BOILER, S/N 66337, 840000 BTU Per Hr.
- 1 – HOTSY APW 7653R ROTARY PARTS WASHER, S/N C0406-62476, 30" Dia. Table, 42" Work Ht., 460 V.

VACUUM PUMP SYSTEMS

- 4 – VACUUM PUMP SYSTEMS, Each Includes: Kinney #KT 300D 15 H.P. Vacuum Pump, 30 H.P. Aerzen #GMB 17.5 HV-00, 10 H.P. Aerzen #GMA 13.8 VO -01 Blower, Hilco Hyflo Oil Filter, 12" GNB Gate Valve
- 1 – KINNEY VACUUM PUMP SYSTEM, #KT 300D 15 H.P. Pump S/N 905815/1-468993-3, 10 H.P. KMBD-1630 Blower S/N 905815
- 1 – KINNEY VACUUM PUMP SYSTEM, #KT 300 15 H.P. Pump S/N 8969-0510, 10 H.P. KMBD-1600 Blower S/N 8968-0510

SILK SCREEN EQUIPMENT

- 1 – CHEMCUT GSK 168 CLEANING LINE, S/N 274-032, 2-Rinse Stages w/ Blow Off
- 1 – M&R RADICURE RDCR36102036A62SP1 INFRARED BELT TYPE CURING SYSTEM, S/N 070667662R, 36" Belt Width x 15' Long
- 1 – GRIEVE WRH566-500 ELECTRIC OVEN, S/N 86939A0406, 550° F, Chamber Size 5' Wide x 6' Deep x 6' High, Front loading Double Door, 460 V.
- 1 – SATURN PLATINUM 15262016A SILK SCREEN PRINTER, S/N 070667661S
- 1 – ECD OVONICS QA SHORT PASSIVATION SYSTEM

COIL SPLICERS

- 3 – JETLINE CS3-15Z COIL SPLICERS, S/Ns 060129, 060128, 010700, SERIES 9600 Control, Thermal Arc Ultima 150 Power Supply S/N 03680401, Weld Length 24", Manual Crop Shear, (2) Mounted On Mrtz. Cart w/ Power Vert. Travel, (2) Mounted on Cart

MACHINE TOOLS

- 1 – ATLAS 3VSO8 3 H.P. VERTICAL MILL, S/N 041913, 10" x 54" Table w/ Power Feed, 60-4300 RPM, 2-Axis D.R.O.
- 1 – JET GH-1640ZX 16" x 40" GAP BED ENGINE LATHE, S/N 150507ZX916, Swing In Gap 25", Spindle Speeds 25 – 1800 RPM, 3" Spindle Hole, 2-Axis D.R.O., Metric Threading
- 1 – TRINCO 96X48SL/600RC DUAL STATION MANUAL BLAST CABINET, S/N 63831-6, Reclaim System #DP-900RPC S/N 66674-8
- 1 – ECONOLINE MANUAL BLAST CABINET



COMPRESSED AIR SYSTEM • PROCESS WATER / GLYCOL RECIRC. SYSTEM

COMPRESSED AIR SYSTEM

- 2 – KAESER DSD-125 ROTARY SCREW AIR COMPRESSORS, S/Ns 1113, 1101, (2005-2006), Part No. 1.8986.2, 125-HP, 688 CFM, 125 PSIG, 460 Volt, Air Cooled, Sound Panels
- 1 – KAESER TH451E REFRIGERATED COMPRESSED AIR DRYER, S/N K1500C4600509030, 1500 SCFM @ 100 PSI @ 100°F
- 1 – SILVAN INDUSTRIES VERTICAL COMPRESSED AIR RECEIVER TANK, (2005), 1040 Gallon, MAWP 150 PSI @ 450°F
- 2 – KAESER AQUAMAT 6 COMPRESSED AIR OIL / WATER SEPARATORS

PROCESS CHILL WATER / GLYCOL RECIRCULATION SYSTEM

Line offered complete and as components.

- 1 – PROCESS CHILL WATER / GLYCOL RECIRCULATION SYSTEM, Including:
 - (2) Glycol Storage Tanks, 48" Diameter x 92" High
 - (2) Armstrong Model 3x3x8 4300TC Centrifugal Pumps, Vertical Shaft, 186 GPM, 55 Ft. Hd., 5-HP, 1800 RPM, Construction BF-STD
 - (2) Armstrong Model 5x5x8 4300TC Centrifugal Pumps, Vertical Shaft, 240 GPM, 30 Ft. Hd., 3-HP, 1800 RPM, Construction BF-STD
 - (1) Tranter SuperChanger Plate Type Heat Exchanger, Model GXD-026-L-5-UP-57, S/N SM405, MAWP 150 PSI @ 100°F, Surface Area 159.84 Sq.Ft.
 - (1) Tranter SuperChanger Plate Type Heat Exchanger, Model GXD-013-M-5-UP-70, S/N SM560, MAWP 150 PSI @ 120°F, Surface Area 87.83 Sq.Ft.
 - (2) Goulds Model 3996 Circulation Pumps, Vertical Shaft, 400 GPM, 200 Ft. Hd., 3600 RPM, Size 3x4-10, Max. Design Pressure 275 PSI @ 100°F, 7.373 Imp. Diameter, 40-HP, 230/460 Volt
 - (2) Armstrong Model 3x3x6 4300TC Centrifugal Pumps, Vertical Shaft, 200 GPM, 115 Ft. Hd., 10-HP, 3600 RPM, Construction BF-STD
 - (1) DI Water 4-Canister Filter Bank
 - (1) Non-Potable Water 5-Canister Filter Bank
 - (1) Process Water 4-Canister Filter Bank

Quantity of Piping, Pressure Tanks, Etc.

PLANT AUXILIARY EQUIPMENT

- 1 – KOHLER POWER SYSTEMS 1000 RE02DB DIESEL GENERATOR, S/N 2095551 (2006), 1000 KW, 1250 KVA, V-16 Detroit Diesel #R1637M36
- 1 – KOHLER POWER SYSTEMS AUTOMATIC POWER TRANSFER SWITCH
- 2 – H2 ONLY REVERSE OSMOSIS SYSTEMS #1, S/Ns FSMD 0031, FSMD 0017, FSMD 2100 Control
- 2 – AIRSTACK ASP20A 15P 00G MODULE CHILLER SYSTEMS, (4) Modules Each
- 1 – ATMI CDO ECOSYS 858 WET SCRUBBER ABATEMENT, S/N CC-03115, 208-220 V.
- 1 – ADVANTAGE ENERGY GROUP 3.5 RTO-95 REGENERATIVE THERMAL OXIDIZER, 20 H.P. Blower, Allen Bradley 300 Control Interface, 460 V.
- 4 – IFS GAS DELIVERY CABINETS, S/Ns 31957, 31958, 31955, 31956
- 1 – DOLLINGER 4-STATION CANISTER FILTER SYSTEM, (5) #S32120C0 Canisters, (8) 12" GNB Gate Valves, Canister Upender

CRANES

- 2 – CRB 10 TON TOP RUNNING DOUBLE GIRDER BRIDGE CRANES, S/Ns 7029205A, 7029205B, Approximately. 50' Span, 6-Way Control
- 1 – CRB 7.5 TON TOP RUNNING DOUBLE GIRDER BRIDGE CRANE, S/N 7029205C, Approximately. 35' Span, 6-Way Remote Control
- 1 – CRB 3 TON TOP RUNNING SINGLE GIRDER BRIDGE CRANE, S/N 7029205D, Approximately. 23' Span, 6-Way Pendant Control Over 700' of Runway



ROLLING STOCK

- 2 – YALE MTR700LCN24T ELECTRIC STAND UP RIDING TUGGERS, S/Ns A817N06274W, A817N06275W, 24 V., 700 Lb. Draw Bar Pull
- 1 – RAYMOND EASI R30TT 3000 LB. NARROW ISLE STAND UP RIDING ELECTRIC LIFT TRUCK, S/N EZA-99-14657 (1999), 204" Lift, Reach Forks, 36 V.
- 1 – RAYMOND EASI R40TT 4000 LB. NARROW ISLE STAND UP RIDING ELECTRIC LIFT TRUCK, S/N B-99-07443 (1999), 205" Lift, Reach Forks, 24 V.
- 1 – KALMAR AC E50BX EV 4,000 LB. ELECTRIC LIFT TRUCK, S/N 32388A, Side Shift, Cushion Tire, 188" Lift, 36 V.
- 2 – TOYOTA 7BRUI8 3500 LB. NARROW ISLE STAND UP RIDING ELECTRIC COIL LIFTS, S/Ns 24072, N 24073, 210" Lift, Reach Forks, 24 V.

PLANT SUPPORT EQUIPMENT

- 1 – PREFERRED PACKAGING PP981F STRETCH WRAP MACHINE, S/N U160409, Table Dia. 60", Table Cap. 3000 kgs.
 - 1 – INSCALE FS-44-10K 10,000 LB. 48" x 48" PLATFORM SCALE, S/N 34427
 - 10 – VESTIL SELF DUMPING HOPPERS, 2000 – 6000 Lb. Cap.
- Misc. Shop Equipment Including: Shop Carts, Work Benches, Portable Stairs, Pallet Jacks, Banding Carts, Lockers, Ladders, Overhead Doors, Tool Boxes & Hand Tools

OFFICE FURNITURE

Desks, Credenzas, Tables, Chairs & File Cabinets



ELECTRICAL DISTRIBUTION


- 2 – SIEMENS 750 KVA DRY TYPE INDOOR TRANSFORMERS, (2006), CAT No. 3F3J750, Type QL, 60 HZ, 3 Phase, Primary 480 Volts, Secondary 208/120 Volts
 - 1 – SIEMENS 500 KVA DRY TYPE INDOOR TRANSFORMER, (2006), CAT No. 3F3Y500R, Type FCT, 60 HZ, 3 Phase, Primary 480 Volts, Secondary 208/120 Volts
 - 2 – SIEMENS 225 KVA DRY TYPE INDOOR TRANSFORMERS, (2006), CAT No.'s 3F1Y225, 3F3Y225, Type QL, 60 Cycle, 3 Phase, Primary 480 Volts, Secondary 240/120 Volts
 - 1 – SIEMENS 225 KVA DRY TYPE REDUCED-SIZE-PLUS INDOOR TRANSFORMER, (2006), CAT No. 3F3Y225R, Type FCT, 60 HZ, 3 PH, Primary 480 Volts, Secondary 208/120 Volts
 - 1 – SIEMENS 3-PANEL SWITCHBOARD, S.O. 86-51869-B00010, (2006), Switchboard Type / CAT No. SB REV-A, System 208Y/120V, 3PH 4W, 2000 Amp Supply & Section, w/ (1) 2000 Amp 480 Volt Main Disconnect, (2) 600 Amp 240 Volt Disconnects, (2) 200 Amp 240 Volt Disconnects, (4) 100 Amp 240 Volt Disconnects
 - 1 – SIEMENS 2-PANEL SWITCHBOARD, S.O. 17-51869-A00030-02, (2006), Switchboard Type / CAT No. SB3 REV-A, System 480Y/277V, 3PH 4W, 1600 Amp Supply & Section, w/ (1) 1200 Amp 600 Volt Main Disconnect, (2) 200 Amp 600 Volt Disconnects, (4) 100 Amp 600 Volt Disconnects, (2) 60 Amp 600 Volt Disconnects
 - 1 – SIEMENS 2-PANEL SWITCHBOARD, S.O. 86-51869-B00040, (2006), Switchboard Type / CAT No. SB Rev-A, System 240V 3PH 3W, 800 Amp Supply & Section, w/ (1) 800 Amp 600 Volt Main Disconnect, (2) 200 Amp 240 Volt Disconnects, (10) 100 Amp 240 Volt Disconnects, (2) 60 Amp 240 Volt Disconnects
 - 1 – SIEMENS 2-PANEL SWITCHBOARD, S.O. 86-51869-B00020, (2006), Switchboard Type / CAT No. SB-Rev-A, System 208Y/120V, 3PH 4W, 800 Amp Supply & Section, w/ (1) 800 Amp 600 Volt Main Disconnect, (8) 200 Amp 240 Volt Disconnects, (4) 60 Amp 240 Volt Disconnects
 - 1 – SIEMENS 4-PANEL SWITCHBOARD, w/ (1) CAT No. SB3-Rev A Switchboard, S.O. 17-51869-A00020-03, (2006), System 480Y/277V, 3PH 4W, Supply 4000 Amp, Section 1600 Amp, 1200 & 400 Amp Disconnects, (1) CAT No. SB3-Rev A Switchboard, S.O. 17-51869-A00020-02, (2006), System 480Y/277V, 3PH 4W, 4000 Amp Supply, 2000 Amp Section, 2-800 & 4-60 Amp 600 Volt Disconnects, (1) CAT No. SB3-Rev A Switchboard, S.O. 17-51869-A00020-03, (2006), System 480Y/277V, 3PH 4W, 4000 Amp Supply, 1600 Amp Section, 1600 Amp 480 Volt Disconnect, (1) CAT No. SB3-Rev A Switchboard, S.O. 17-51869-A00020-05, (2006), System 480Y/277V, 3PH 4W, 4000 Amp Supply, 2000 Amp Section, 200 Amp 480 Volt Disconnect
 - 1 – SIEMENS 3-PANEL SWITCHBOARD, w/ (1) CAT No. SB3 Rev-A Switchboard, S.O. 17-51869-A00010-01, (2006), System 480Y/277V, 3PH 4W, 3000 Amp Supply, 2000 Amp Section, 2000 Amp 480 Volt Disconnect, (1) CAT No. SB3-Rev A Switchboard, S.O. 17-51869-A00010-03, (2006), System 480Y/277V, 3PH 4W, 3000 Amp Supply, 2000 Amp Section, 1-1200 Amp 1-800 Amp 1-400 Amp 600 Volt Disconnects, (1) CAT No. SB3 Rev-A Switchboard, S.O. 17-51869-A00010-01, (2006), System 480Y/277V, 3PH 4W, 3000 Amp Supply, 2000 Amp Section, 1-600 Amp 2-400 Amp 600 Volt Disconnects
 - 1 – SIEMENS 3-PANEL SWITCHBOARD, Switchboard Type / CAT No. SB Rev-A, S.O. 86-51869-B00030, (2006), System 208Y/120V, 3PH 4W, (1) Panel w/ 2000 Amp Supply, 2000 Amp Section, 2000 Amp 480 Volt Disconnect, (1) Panel w/ 2000 Amp Supply, 2000 Amp Section, 2-400 Amp 2-200 Amp 3-100 Amp 240 Volt Disconnects, (1) Panel w/ 2000 Amp Supply, 1600 Amp Section, 2-400 Amp 2-200 Amp 240 Volt Disconnects
 - 1 – SIEMENS BREAKER PANEL, CAT No. SB1 Rev-A, S.O. 3002229444-000100-01, (2006), System 208Y/120V, 60 HZ, 3PH, 4W, 1600 Amp Supply, 1600 Amp Section, 1600 Amp Main Breaker, 4-300 Amp 2-200 Amp 2-80 Amp 2-60 Amp Breakers
- Quantity Of Buss Duct, Copper Wiring, Conduit

Hilco Industrial, LLC

Auctioneers • Liquidators • Appraisers

Headquarters

31555 W. Fourteen Mile Road, Suite 207
Farmington Hills, MI 48334 USA
Ph: 877 37 HILCO (44526)
Fx: 248 254 9995
www.hilcoind.com



Forwarding Service Requested

HILCO SHORT NOTICE ONLINE SALE

First in a series of sales

Subject to Bankruptcy Court Approval, Case No. 12-43167, Assets of

UNI-SOLAR.
United Solar Ovonix

a-Si THIN FILM SOLAR CELL MANUFACTURING & LAMINATING FACILITY



ONLINE BIDDING BEGINS: FRIDAY, MARCH 23RD
ONLINE BIDDING ENDS: THURSDAY, MARCH 29TH
AUBURN HILLS, MI

Terms of Sale

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by cash, company check or wire transfer. Everything will be sold online to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted online. All items will be sold "as is, where-is" without any warranties, expressed or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. Subject to additions, deletions and prior sale.

Payment: ALL PURCHASES MUST BE PAID IN FULL ON THE DAY OF THE AUCTION. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of total purchases is made on the day of the sale. Contact our office for wire transfer instructions. Only cash, wire transfer or certified check, payable to Hilco Industrial, LLC will be accepted. Company checks payable to Hilco Industrial, LLC will be accepted only if accompanied by a bank letter of guarantee, (see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions.

Sample Bank Letter

(Bank Name) unconditionally guarantees payment to Hilco Industrial, LLC from (Company Name). This guarantee will be valid for purchases made at the Auction of United Solar Ovonix on March 23-29, 2012.

Follow Us on:

facebook

twitter

