

| Manufacturer                    | Model             | Description   |
|---------------------------------|-------------------|---|
| 3Com                            | 3C16701A          | 8-port Ethernet 10Base-T Hub  |
| 3-Com                           | 3300/3c16981      | Super Stack II Switch 3300, 12 Port   |
| 3-Com                           | 3300/3c16981      | Super Stack II Switch 3300, 12 Port   |
| 3-Com                           | 3C16464A          | Super Stack II Baseline 10/100 Switch   |
| 3-Com                           | 3C16465A          | Super Stack II Baseline 10/100 Switch   |
| ABB                             | Commander 1900    | Temperature Humidity Controller   |
| ADE Corp                        | 1708              | Set Up Master Kit   |
| Affinity                        | FWA-032L-ED20CBD  | Chiller for Credence Valstar  |
| Agere                           | Custom            | Custom Manual Probe Station w/ Leica Scope MZ6 and dark box   |
| Agilent                         | 70843B            | Error Performance Analyzer (0.1 - 12 Gbit/s); OPT STD; OPT UHF; OPT UHJ                             |
| Agilent                         | 83484A            | HP 2 Channel 50GHz module (83484A plug in)  |
| American International Electric | AIE-300           | Sealer, Implulse, 12" sealer edge   |
| American Optical                | Micro-Star        | Microscope w/ Polaroid Camera 6.5x; 10x; 20x; and 40x   |
| American Optical                |                   | Microscope  |
| American Optics                 | Spencer           | Microscope with Polaroid Camera, Objectives - Reichert 4,10,20,40, Eyepieces 10X                    |
| Anritsu                         | MP1763B           | Anritsu Generator 12 GHz  |
| Anritsu                         | MP1764A           | Anritsu Error Detector 12 GHz   |
| Aseco                           | S130/3            | Package Handler, #10  |
| AT&T                            | 938P              | Optical Loss Set  |
| AT&T                            | StarLAN 10        | Ethernet 10Base-T Hub   |
| Bauch & Lomb                    | Microzoom         | Microscope, .7x3.0 mag  |
| Bausch & Lomb                   | 31-35-39          | Power Supply, 35 watts  |
| Bausch & Lomb                   | Not Available     | Power Source (Transformer)  |
| Bausch & Lomb                   | Not Available     | Microscope  |
| Bausch & Lomb                   | Stereo Zoom       | Microscope on stand with light source   |
| Bausch & Lomb                   | StereoZoom4       | Microscope, AO 15xWF eyepieces, .7x-3x zoom, 2 focus knobs (larger focal distance), no light source |
| Bell-Art Products               | None              | Wilder  |
| Best Power                      | B610-1500U        | UPS, batteries present  |
| Bird                            | 0240-062          | Coaxial Resistor, 50 Ohm, Dummy Load  |
| Blue M                          | AC-7602TDA-3      | THB Chamber (Oven), inside dims D19"xW24"xH20"  |
| Blue M                          | AC-7702TDC-3      | THB Chamber (Oven), inside dims D19"xW36"xH24"  |
| Blue M                          | DC-366F-HP        | Oven, Code Mark Cure, Date in Service 7-1987  |
| Blue M                          | DCA-336F          | Oven, 125C Moisture Removal Bake Oven   |
| Blue M                          | HRS-27E           | Aerotronic Test System  |
| Blue M                          | HRS-27E           | Power Supply, Aerotronic  |
| Blue M                          | HRS-27E           | Control Panel   |
| Blue M                          | HRS-27E           | Power Supply, Aerotronic  |
| Boekel                          | None              | Dry Box, Small, 14"x20"x20"   |
| Brookfield                      | RVTD              | Viscometer, w/ manual, w/ small sample adapter attachments  |
| Brown & Sharpe                  | None              | Squareness Gauge  |
| Browne & Sharpe                 | 7030-3            | BestTest Dial Indicator, .0005"   |
| Browne & Sharpe                 | 7033-3            | BestTest Dial Indicator, .00005"  |
| BTU                             | Paragon P-70      | Belt Furnace  |
| Buehler                         | Handimet          | Handimet Grinder  |
| Cajon                           | CVS-1000R         | Welding System Transducer for Micro Impulse Series III  |
| CE Johansson                    | None              | Gage Block Set  |
| CentreCOM                       | AT-3612TR         | 12 Port Hub/Repeater  |
| CentreCOM                       | AT-MR820T         | Multiport Hub/Repeater  |
| Chapman                         | RVM 500           | Air Ionization Meter, Residual Air Meter  |
| CMI                             | 21-S              | Master Gauge Blocks   |
| Collins                         | None              | Micro Flat  |
| CoSystems                       | Centellis CT16000 | HDCC Protocol Analyses System w/ 4 CoPCE1600  |
| Credence                        | CS-312            | ALSC212R Test System w/ test head   |
| Credence                        | Valstar 2000      | Test System VS#3  |

| Manufacturer                             | Model                            | Description   |
|--|----------------------------------|---|
| Crest                                    | None                             | Ultrasonic Parts Cleaner,   |
| Datacard                                 | Image Card Magna Platinum Series | Badge Printer, duplex, laminator with overlay,encoder, vint 2004  |
| Datacard                                 | Image Card Magna Platinum Series | Badge Printer, duplex, laminator with overlay,encoder, vint 2004  |
| Datacard                                 | Image Card Magna Platinum Series | Badge Printer, duplex, laminator with overlay,encoder, vint 2004  |
| Delta                                    | 2300                             | Temperature Chamber   |
| Delta                                    | 2300                             | Temperature Chamber   |
| Delta Design                             | NitroFlex - 1201                 | Package Handler #1, docking hardware for HP83&93K   |
| Delta Design                             | NitroFlex - 1201                 | Package Handler #2, docking hardware for HP83&93K   |
| Delta Design                             | TurboFlex - 1210                 | Package Handler #6, docking hardware for HP83&93K   |
| Delta Design                             | TurboFlex - 1210                 | Package Handler #3, docking hardware for A580   |
| Delta Design                             | TurboFlex - 1210                 | Package Handler #7, docking hardware for HP83&93K   |
| Delta Design                             | TurboFlex - 1210                 | Package Handler #4, docking hardware for HP83&93K   |
| Delta Design                             | TurboFlex - 1210                 | Package Handler #5, docking hardware for HP83&93K&Tiger   |
| DL Instruments                           | 1201                             | Voltage Preamplifier  |
| DoALL Company                            | 1612-0                           | Large Vertical Band Saw   |
| Dorsey Gauge Co                          | 414-002                          | Thickness Gauge   |
| DRS                                      | 24-C                             | Solder Rework Station w/ Leica M26 microscope, HDAV Vac system.   |
| Fireberd                                 | 6000A                            | Communications Analyzer   |
| Fisher Scientific                        | 725F                             | Tabletop Oven   |
| Fisher Scientific                        | 97-938                           | Freezer for epoxy and preforms, contains 5oz-R12  |
| Fluke                                    | 2190A                            | Digital Thermometer   |
| Fluke                                    | 8024B                            | Multimeter  |
| Fluke                                    | 8050A                            | Digital Multimeter  |
| Fluke                                    | 8050A                            | Digital Multimeter  |
| Fluke                                    | 8060A                            | True RMS Multimeter   |
| Fluke                                    | 8520A                            | Digital Multimeter  |
| Frontier Semiconductor Measurements, Inc | FSM128                           | Intellignet Film Stress Measurement System  |
| GGB                                      | PicoProbe                        | Power Supply, 100-120V, 50-60Hz,, .1amp   |
| GGB                                      | PicoProbe                        | Power Supply, 100-120V, 50-60Hz,, .1amp   |
| GGB                                      | Picoprobe                        | Picoprobe Power Supply  |
| GGB                                      | Picoprobe                        | Picoprobe Power Supply  |
| GGB                                      | Picoprobe                        | Picoprobe Power Supply  |
| GGB Industries                           | Picoprobe                        | Picoprobe Power Supply  |
| GGB Industries                           | Picoprobe                        | Picoprobe Power Supply  |
| Gigatest                                 | GTL4040                          | Gigatest Probe Station, 5/15/03   |
| GigaTest Labs                            | GTL 4040                         | Probe Station, tabletop, with Leica GZ6E Mic, JHTech EKE fiber optic light source, 4 Positioners, Video Cam w/ feed to 17" LCD Flat Panel |
| GL Communications                        | Xtreme-M-SP-15X-ATX              | Option Mobile Computer  |
| GL Communications                        | Xtreme-M-SP-15X-ATX              | Option Mobile Computer  |
| GN Nettest                               | 96000                            | Inter Watch 96000 ATM-LAN-WAN Protocol Analyzer w/ CPU module, qnty 4-DS1/E1, and primary protocal engine V3.0                            |
| GN Nettest                               | 96000                            | Inter Watch 96000 ATM-LAN-WAN Protocol Analyzer w/ CPU module, qnty 4-DS1/E1, and primary protocal engine V3.0                            |
| GN Nettest                               | 01-104901A1                      | ATM Processor - DS1 Wan/ATM Modules, DS1/E1 BAN/RJ45 ATM, qnty 5  |
| GW                                       | GPD-1850                         | Lab DC Power Supply   |
| Harrison                                 | 6291A                            | Power supply, 0-40V @0-5A   |
| Heidenhain                               | None                             | Measure Recorder  |
| Hitachi                                  | GP5AU                            | Video Camera, Color w/ Camera Adapter   |
| Hitachi Instruments                      | Not Available                    | Microscope,.67x Adapter, w/ Olympus SZSTS head, w/ 1.5x single obj.   |
| HP                                       | 9000                             | HP CPU  |
| HP                                       | 1631D                            | HP1631D Logic Analyzer  |
| HP                                       | 16500B                           | Logic Analysis System w/2 - 16555A. 1 - 16533A Source   |

| Manufacturer          | Model            | Description  |
|-----------------------|------------------|--|
| HP                    | 16500B           | Logic Analyzer, Opt 001, w/ 16555A Plugin S#US34472158 and w/ 16555A Plugin S#US34472156   |
| HP                    | 3437A            | System Voltmeter   |
| HP                    | 3478A            | Multimeter   |
| HP                    | 3555B            | Transmission & Noise Measuring Set   |
| HP                    | 3789B            | DS3 Transmission Test Set  |
| HP                    | 3852A            | Data Acquisition Control Unit  |
| HP                    | 41800A           | Active Probe, Complete in case, 5Hz-500MHz   |
| HP                    | 4275A            | Multi-frequency LCR Meter  |
| HP                    | 59306A           | Relay Activator  |
| HP                    | 6181B            | Current Source   |
| HP                    | 6203B            | Power Supply, 0-7.5V 0-3A, Opt 011   |
| HP                    | 6203B            | DC Power supply, 0-7.5V@0-3A   |
| HP                    | 6205C            | Dual DC Power Supply, 0-40V@.3A/0-20V@.6A  |
| HP                    | 6214A            | Power Supply   |
| HP                    | 6216A            | Power Supply   |
| HP                    | 6217A            | Power Supply   |
| HP                    | 6218A            | Power Supply   |
| HP                    | 6218A            | Power Supply   |
| HP                    | 6236B            | Power Supply, Triple Output, 0-6V@0-2.5A/0-20V@0-.5A   |
| HP                    | 6253K            | DC POWER SUPPLY  |
| HP                    | 6281A            | DC Power Supply  |
| HP                    | 6600A            | MPS Mainframe with 3-66101A DC PS 0-8V 16A and 1-66102A DC PS 0-20V 7.5A & DC Module connectors  |
| HP                    | 6621A            | DC Power Supply  |
| HP                    | 8150DN           | Laser Jet Printer  |
| HP                    | 81525A           | Optical head 800-1650nm, New in Box  |
| HP                    | C4314A           | External DVD ROM Drive   |
| HP                    | C4314A           | External DVD ROM Drive   |
| HP                    | C6512A           | External CD ROM Drive  |
| HP                    | C6512A           | External CD ROM Drive  |
| HP                    | C6512A           | External CD ROM Drive  |
| HP                    | E27608           | Chiller for HP 83000   |
| HP                    | HP83000          | 50 MHz Digital IC Test System workstation CPU and monitor w/ chiller: 512 Pin Test head; 480 4M Digital Channels F50; 4 8M/64M Scan Channels F50; 4 Channels of Production Device Power Supply |
| HP                    | HP7500           | VXI Bus, Series C  |
| Hypervision           | Visionary 2000   | Light Emission Microscope with Karl Suss PM-8 and 2 chucks   |
| IDS / Credence        | 95862062         | Temperature Control Chuck, thermal 6" with lid model 97861005 vintage 1995.  |
| IDS / Credence        | IDS2000/OPS2000  | 1024 Pin Load Module   |
| ILX Lightwave         | LDT-5910B        | Temperature Controller   |
| Intest                | IN2 - LTFusionCX | Manipulator  |
| Intest                | None             | Manipulator for Credence CS-312  |
| Jofra                 | EVJ6005          | Temperature Calibrator   |
| Keithley              | 225              | Current Source   |
| Kelvinator Scientific | Not Available    | Chemical Refrigerator, small, white  |
| Kent                  | Clearspam P105M  | Temperature Humidity Controller  |
| Kepeco                | JQE 100-1M       | Power Supply, 0-100V 0-1A  |
| Lab Safety Supply     | 2324             | Red flammable chemical cabinet, 2 tier, max cap 16 gal, 23"X18"X22.5"  |
| Ladd                  | DV-BAX           | Tabletop Sputterer   |
| Laurier               | SA220            | Die Bonder, w/ Olympus SZ30 mic  |
| Leader                | LBO-310A         | Oscilloscope, Portable, Monochrome, 4 MHz, 1 Channel MaxVert Sens 20 mV/div, Input Imp 1 Mohm  |
| Leader                | LBO-310A         | Oscilloscope, Portable, Monochrome, 4 MHz, 1 Channel MaxVert Sens 20 mV/div, Input Imp 1 Mohm  |
| Leitz                 | Ergolux          | Microscope, K2 IND, objectives - NPL10x, LL20X, L50X, L125X  |

| Manufacturer         | Model                | Description   |
|----------------------|----------------------|---|
| Leitz                | Ergolux              | Microscope, Optics: NPL10X, L25X, Plan L50X, Wild MPS52 Junction Box, Wild MPS46 Photo Automat  |
| Leland-Gifford       | None                 | Drill Press   |
| Lindberg             | 55667                | Tube furnace  |
| Lindberg             | 79400                | Tube Furnance   |
| Lindberg             | 58434-P-3P           | Tube furnace controller   |
| Lindberg/Blue M      | ESP-4000-5           | Oven 38 degree C - 260 degree C, 60 Hz  |
| Lindberg/Blue M      | ESP-400C-5           | Oven, 38C-260C  |
| Lindberg/Blue M      | G01310SA             | Gravity Oven, 40C-260C  |
| Lindegreen           | T/T                  | RF Enclosure, Copper  |
| Lista                | None                 | Lista 4.5' x 3' x 3' Workbench w/ drawers, electric hook-up, and shelves  |
| Loop Telecom         | 4100-CG              | Loop-V Umap Connector Panel   |
| Loop Telecom         | 4100-CG              | Loop-V Umap Connector Panel   |
| Loop Telecom         | 4100-CG              | Loop-V Umap Connector Panel   |
| Loop Telecom         | 4100-CG              | Loop-V Umap Connector Panel   |
| Loop Telecom         | 4100-CH              | Loop-V 4100 Access Platform, w/ C(S)=T1, C(SW)=0, C(M)=E1, B(S)=T1, B(SW)=0, B(M)=E1, A(S)=T1, A(SW)=0, A(M)=E1, qty 2-OC-3/STM-1   |
| Loop Telecom         | 4100-CH              | Loop-V 4100 Access Platform, w/ C(S)=T1, C(SW)=0, C(M)=E1, B(S)=T1, B(SW)=0, B(M)=E1, A(S)=T1, A(SW)=0, A(M)=E1, qty 2-OC-3/STM-1   |
| Loop Telecom         | 4100-CH              | Loop-V 4100 Access Platform, w/ C(S)=T1, C(SW)=0, C(M)=E1, B(S)=T1, B(SW)=0, B(M)=E1, A(S)=T1, A(SW)=0, A(M)=E1, qty 2-OC-3/STM-1   |
| Loop Telecom         | 4100-CH              | Loop-V 4100 Access Platform, w/ C(S)=T1, C(SW)=0, C(M)=E1, B(S)=T1, B(SW)=0, B(M)=E1, A(S)=T1, A(SW)=0, A(M)=E1, qty 2-OC-3/STM-1   |
| Loop Telecom         | 48V/4.5A             | Loop-V 48V/4.5A Power Modules to Convert to 48V DC, qty 4   |
| LTX                  | 858-4164-01          | PCS Family Board  |
| LTX                  | 858-4164-01          | PCS Family Board  |
| LTX                  | 858-4164-01          | PCS Family Board  |
| LTX                  | 974-0195-00          | Fusion RD Diag Kit 10 Loadboards - RFMSS, RFMSC, RFSTD-C, RDSTD-B, RFSTD-B, RFSTD-D, RFMPS, DD AC CAL, RDSRC, RFSTD-A, and INTERCONNECT Loadboards  |
| LTX                  | Synchro              | Aluminum Loadboard Stiffeners, qty 39   |
| LTX                  | Synchro              | RF Family Boards - POGO, NRV5 CAL , Termination, Short Test, Open Test  |
| Marvel               | None                 | Refrigerator, contains CFC12  |
| MDA-Zellwegger       | Lifeline II          | Lifeline II Transmitter & Sensor Units, ransmitter SW Ver 01V32, Sensor SW Ver 01V20, Lon Works SW Ver 01V00, 21 units, 2 additional transmitters and 23 100% LEL H2 Cartridges dated 02-May-02 |
| Merge                | 3500 International   | ISDN Basic Rate Interface Central Office Emulator   |
| MetCal               | PS2E-01              | Solder Station, current tip ~320 deg C  |
| Metcal               | SmartHeat MX-500P-11 | Solder Station, new in box, with MX-WS4, MX-WS5, MX-RM3E, MX-Talon  |
| Metler               | AE163                | Digital Scale   |
| Metler               | AE240                | Digital Scale   |
| Metler               | D-3                  | Digital Scale   |
| Metron               | None                 | Bantam Speed Changers, Gear Reduction Kit   |
| MI Lab               | Not Available        | Granite Air Table   |
| Micro Control Co.    | ABES MEM             | Oven with memory system with 4 Wallow Temperature Controllers (A1001756; A1001757; A1001758; A1001759)  |
| Micromanipulator     | Unknown              | Probe Station w/ MicroZoom II and 1/2" CCD CAMERA WV-CL350 S#4YB10223   |
| Mitsubishi           | Diamond Pro21TX      | Monitor 19"   |
| Mitutoyo             | 7008                 | Manual depth gauge w/ stand   |
| Mitutoyo             | 513-253              | Dial Indicator, .0001"  |
| Mitutoyo             | None                 | Digimatic Indictor, Remote Control  |
| MM Microscope        | None                 | Microscope, w/ Mitutoyo Optics and Objectives, WF10x/24, obj - APO 2x, 10x, 20x, 50x, illumination in mic body, with MTI CCD72S Camera and stage that holds 4" plates                           |
| Mosaid               | MS3490ce/M349001     | Memory Tester   |
| Moxa                 | DE303                | N Port Server Pro 16 Ports Serial Device Server   |
| MRC                  | SMZ-168-BL           | Stereoscopic Microscope   |
| MTS                  | XPW                  | Nano Indenter XPW   |
| Nanospec             | AFT 4150             | Film Measurement System   |
| National Instruments | PXI-1000B            | Compact PCI with PXI-8156B SCSI 100 and 4 - 7104 Interface Cards  |

| Manufacturer       | Model         | Description   |
|--------------------|---------------|---|
| Neslab             | System II     | Liquid / Liquid Recirculator  |
| Netcom Systems     | SMB-1000      | SmartBits Advanced Multiport Performance Tester/Simulator/Analyzer w/ Integrated ET-1000. Chassis firmware upgraded to SmartBits 2000. 2-GX1405, 2-ML7710, 2-SX7410B, 2-SX7210, 1-SX7205                                |
| Netcom Systems     | X1000         | Fast Ethernet Tester/Simulator/Analyzer w/ laptop and software  |
| Nikon              | MC-230        | Nikon Adapter for measurescope readout MC-230   |
| Nikon              | ME600P        | Microscope, Eclipses, Eplan obj 5x,10x,20x,50x,100x, CSI 10x/22 eyepieces, built-in illumination  |
| Nikon              | Metaphot      | Microscope  |
| Nikon              | Metaphot      | Microscope with CFUW15 eyepieces, objectives - 2.5x, 10x, 20x, 60x, 100x, 150x, light in base, adj field diaphragm 5 filters, currently setup w/ polaroid AFX-II exposure controller, and a CF10X/14 optical micrometer |
| Nikon              | Optiphot      | Microscope, w/ CFUW10xM eyepieces, W5x,20x,40x,100x objectives, set-up with manual X-Y measurement in MM  |
| Nikon              | SM2-10        | Microscope w/ camera: Optics .66; 1; 1.5; 2; 3; 4   |
| NIKON              | SMZ-1         | Microscope, eyepieces taken   |
| Nikon              | SMZ-10        | Microscope, .66-4x, 10x eyepieces   |
| Nikon              | SMZ-10A       | Microscope Inspection Station 1.25x, with Excel light source  |
| Nikon              | SMZ-10A       | Microscope 1.5x w/ light source and base  |
| Nikon              | SMZ-10A       | Microscope 1.5x w/ light source and base  |
| Nikon              | UM-3          | Measurescope, optics .0075; .1; .25; .8   |
| Nilfisk            | GM80          | Vacuum, Hepa filter   |
| None               | None          | Dry Box - Double Stack, Stainless   |
| OK Industries      | SMW-2000      | BGA Rework System, Series 2000, with convection subzone preheater. SMW-2001 sn180 and BGA-2101 s#184  |
| Olympus            | AL110 Series  | Olympus Wafer Loader (For D233873)  |
| Olympus            | BX60M         | Microscope  |
| Olympus            | MX-50A-F      | Olympus Microscope with Auto Loader)  |
| Olympus            | Vanox         | Microscope, with WF10x eyepieces, Objectives - MPlan5/5N, MPlan10/10N, MPlan20/20N, MPlan40/40N, MPlan100/100N, dual light source (top & bottom) and power supply   |
| Omega              | 2168A         | Digital Thermometer   |
| Omega              | CL521         | Precision Calibrator/Thermometer  |
| Omega              | CT485B        | Temperature Recorder  |
| Omega              | LHS-500C      | Hot Plate   |
| Omega Meter        | 600R-SC       | Ionic Contamination Test System   |
| OneAC              | CDR451        | Power Conditioner for Verigy 93K  |
| PMC                | BP-40G        | Regulated Power Supply  |
| Polyvar            | MET           | Microscope .5x; 5x; 10x; 20x; 50x optics  |
| Power Design       | 2005          | Power Source, 0-20VDC, 0-500MA  |
| Power Design       | 2005          | Power Source, 0-20VDC, 0-500MA  |
| Power Design       | 2005A         | Power Source, 0-20VDC, 0-500MA  |
| ProSonik           | Not Available | Sink and Hood   |
| Pulse Instrunments | PI-100A       | 4 Channel Clock Generator   |
| Quad Group         | Sebastian-V   | SEBASTION MULTI-PURP  |
| Qualitau           | MIRA          | Modular Integrated Reliability Analyzer MICA  |
| Qualitau           | MIRA          | Modular Integrated Reliability Analyzer (MIRA) Mainframe w/ 4 Modules - 1-HCT, 2-HCT, 3-EML, 4-EML, and 2 ovens   |
| Qualitau           | MIRA          | Modular Integrated Reliability Analyzer (MIRA) Mainframe w/ 4 Modules - 5-HC W/L, 6-HC, 7-HC, 8-HC  |
| Qualitau           | MIRA          | Modular Integrated Reliability Analyzer (MIRA) Mainframe w/ 4 Modules - 1-TDDB, 2-TDDB, 3-TDDB, 4-TDDB, and 1 oven  |
| R&K                | 240           | Rucker & Kolls 240 Prober (no base, no scope): A1022918   |
| R&K                | 260           | Rucker & Kolls 260 Prober (no base, no scope): A1022920   |
| R&K                | 260           | Rucker & Kolls 260 Prober (no base, no scope): A1022921   |
| R&K                | 296DC         | Hot Chuck, 1Ph/60V/10A  |
| Ransco             | 7101-1        | Temperature Cycle, may not be fundtional  |
| Ransco             | 7102-1        | Temperature Chamber with cabinet of spare parts   |
| Reichert           | None          | Poly matic camera system  |
| Reichert Jung      | 1177          | Microscope Light Source   |

| Manufacturer     | Model           | Description  |
|------------------|-----------------|--|
| Reichert-Jung    | Polylite 88     | Microscope, Eyepieces - WPK10x, Objectives - PlanFlour LWD 5x/0.10Epi, LWD 10x/0.20Epi, LWD 20x/0.40Epi, LWD 50x/0.60Epi, motorized turret   |
| Reichert-Jung    | Polyvar-Met     | Microscope with 150W IREM Xenon lamp power supply, MTI camera, AO photo controller, Objectives: Plan 2X/0.04, 5x/0.10 Epi, Plan 10xEpi, Plan 20x/0.40 Epi, Plan 50x/0.60 Epi, LWD 100x/.70 Epi |
| Reynolds Tech    | None            | Stainless Solvent Sink   |
| Rockwell         | C62.9+/-1.0 HRS | Hardness Test Block, C62.9+/-1.0   |
| Rucker & Kolls   | 260             | Manual Prober 19751 for use with probe card, yolk but no mic mount   |
| Rucker & Kolls   | 260             | Manual Prober 19751 with yolk and Bausch & Lomb mic  |
| Rucker & Kolls   | 260             | Manual Prober 19751 for use with probe card, yolk but no mic mount   |
| Schlumberger     | IDS 10,000 plus | Probe System, E Beam main body   |
| Schlumberger     | IDS 10,000 plus | Probe System, E Beam probe head  |
| Schlumberger IDS | IDS2000/OPS2000 | Laser Voltage Probe System, vintage 1999 installed 2000/01   |
| SELA             | MC 200          | Micro Cleaver System, 115V, 8AMP   |
| Semco            | A200            | Ionizer  |
| Semitool         | 880S-3-2-E-ML   | Rinser/Dryer Double Stack  |
| Server Bench     | Mark IV         | Small White Airtable 2.5'x3'   |
| Single           | SC02/E2760D     | Cooling Unit for Verigy 93K  |
| SMASL            | None            | Temperature Controller for R&K manual prober   |
| SMASL            | None            | Temperature Controller for R&K manual prober   |
| SMASL            | None            | Temperature Controller for R&K manual prober   |
| Spencer          | 56C-103         | Microscope   |
| Spencer          |                 | Microscope   |
| Stanley          | 3-Drawer        | 30", 7 drawer, Lt. Blue, with 5' - 2" maple butcher block workbench surface and legs   |
| Stanley Vidmar   | 14-Drawer       | 59" 14-drawer gray Vidmar  |
| Stanley Vidmar   | 17-Drawer       | 59" 17-drawer tan Vidmar   |
| Stanley Vidmar   | 2-shelf         | Cabinet, light blue, 2 shelf, Fair Condition   |
| Stanley Vidmar   | 30", 3-Drawer   | 30", 3 drawer, Grey Workbench  |
| Stanley Vidmar   | 30", 3-Drawer   | 30" 3-Drawer (dark gray) Vidmar, Good condition  |
| Stanley Vidmar   | 30", 3-Drawer   | 30", 3-Drawer workbench, Dark Grey, with Blue Laminate Top, Good condition   |
| Stanley Vidmar   | 30", 4-Drawer   | 30", 4-drawer, Tan & Royal Blue w/ 1 Orange drawer, Fair condition   |
| Stanley Vidmar   | 3-Drawer        | Vidmar, 30", 3 drawer, Dk Grey Workbench   |
| Stanley Vidmar   | 44", 4-Drawer   | 44", 4-Drawer, Dark Grey, Good condition   |
| Stanley Vidmar   | 44", 5-Drawer   | 44", 5-drawer, Dark Grey, Good condition   |
| Stanley Vidmar   | 44", 6-Drawer   | 44", 6-drawer, Brown & Burnt Orange, Excellent condition   |
| Stanley Vidmar   | 59", 5-Shelf    | 59" 5-shelf (tan) Vidmar w/ door   |
| Stanley Vidmar   | 5-Drawer        | 30" 5-drawer blue Vidmar   |
| Stanley Vidmar   | 7-Drawer        | 59" 7-drawer tan Vidmar  |
| Stanley Vidmar   | 9-Drawer        | 59" 9-drawer Vidmar Light Gray   |
| Stanley Vidmar   | 9-Drawer        | 59" 9-drawer tan Vidmar  |
| Starrett         | 655-141         | Dial Indicator, .250" Range  |
| Starrett         | None            | Surface Plate, grade AA, thickness 5 - 5.5" granite, pink  |
| Starrett         | PT26151         | Center Line Gage, 1 Pair   |
| Systron Donner   | 9015            | Volt/Ohm Meter   |
| Techcon Systems  | TS907           | Vari-Meter   |
| Tektronix        | 468             | Digital Storage Oscilloscope   |
| Tektronix        | 576             | Curve Tracer, bad scale illumination   |
| Tektronix        | 2430            | Digital Oscilloscope   |
| Tektronix        | 2465            | Oscilloscope 300 MHz   |
| Tektronix        | 2465            | Oscilloscope 300 MHz, with cart  |
| Tektronix        | 7854            | Waveform Calculator  |
| Tektronix        | 2402A           | Tekmate  |
| Tektronix        | 7A24            | Dual Trace Amplifier Plug-In   |
| Tektronix        | AM501           | Operational Amplifier, Plug-In   |
| Tektronix        | cd5010          | Programmable Universal Counter/Timer   |
| Tektronix        | DM501A          | Digital Multimeter, Plug-In  |
| Tektronix        | DM501A          | Digital Multimeter, Plug-In  |
| Tektronix        | DM501A          | Digital Multimeter, Plug-In  |

| Manufacturer           | Model                | Description   |
|------------------------|----------------------|---|
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | DM501A               | Digital Multimeter, Plug-In   |
| Tektronix              | FG502                | Function Generator, Plug-In   |
| Tektronix              | FG502                | Function Generator, Plug-In   |
| Tektronix              | P6106, P6105A, P6136 | Probe Kit including P6106, P6105A, P6136  |
| Tektronix              | P6201                | Probe, FET, Complete Set  |
| Tektronix              | PS5004               | Power Supply Plug-In  |
| Tektronix              | PS501-1              | Power Supply, Plug-In   |
| Tektronix              | PS501-1              | Power Supply, Plug-In   |
| Tektronix              | PS501-1              | Power Supply, Plug-In   |
| Tektronix              | PS503A               | Dual Power Supply, Plug-In  |
| Tektronix              | PS503A               | Dual Power Supply, Plug-In  |
| Tektronix              | PS503A               | Dual Power Supply, Plug-In  |
| Tektronix              | PS503A               | Dual Power Supply, Plug-In  |
| Tektronix              | PS503A               | Dual Power Supply, Plug-In  |
| Tektronix              | PS503A               | Dual Power Supply, Plug-In  |
| Tektronix              | TM5006               | Mainframe, Empty  |
| Tektronix              | TM504                | Power Module w 4-AM503 Current Probe Amplifiers                                       |
| Tektronix              | TM506                | Power Module, Empty   |
| Tektronix              | TM506                | Mainframe   |
| Tektronix              | TM506                | Mainframe   |
| Tektronix              | TM506                | Mainframe   |
| Termaline              | 8890-300             | Coaxial Resistor, 250W 50 Ohm, Dummy Load   |
| Thermionics            | Agere Made           | E-Beam Evaporator : Au / Al / SiO2 / Si with Key Vacuum System                        |
| Thermolyne             | OV47515              | REC Oven Series 9000  |
| Torque Water           | 6500-T4              | Torque Calibrator   |
| Trion Technology       | MiniLock             | Metal Etcher, N2, Hydrogen Bromide, Chlorine, Boron Triflouride, Freon 14, & O2 gases |
| Unitron                | ZST                  | Microscope, Built-in power supply   |
| Veeko                  | None                 | Squareness Gauge  |
| Verigy                 | 93000 - E69788       | 93K SOC Series Test System  |
| Verilink               | 551V ST L2           | ESF CHAN SCV UN   |
| Vision Engineering     | TS-2                 | Stereo Dynacope, w/ 12V 75W Power Supply  |
| Vision Engineering     | TS-3                 | Dyna Scope  |
| Vision Engineering     | TS-3/259             | Stereo Dynascope  |
| Voyager                | SRM/RTG              | Voyager Surface Resistivity   |
| Vulcon                 | 3ERD50F              | 3 PH, Double Well Deep Fryer w/ four baskets and warming station                      |
| VWR                    | 210                  | Mini Hot Plate  |
| Wavecrest              | Valstar m2000        | Cal Unit for Credence Valstar   |
| Weller                 | DS800                | Desoldering Station, Electronic   |
| Wentworth Lab          | TC100                | Wentworth Lab TempChuck Model TC100   |
| Wentworth Laboratories | 001-1121             | Soldering Head  |
| Wentworth Laboratories | 001-1121             | Soldering Head  |
| Wild Heerbrugg         | EN-307621-J          | Microscope, set-up for packages   |
| Wild Heerbrugg         | None                 | Microscope 10x/21 with light source   |
| Winslow Automation     | Flexline             | Automated Hot Solder Dip System   |
| WTB Binder             | DVS-2000             | Dynamic Vapor Sorption Oven   |

| Manufacturer | Model    | Description  |
|--------------|----------|--|
| Zebra        | 140x ill | Label, Barcode Printer                                       |
| Zeiss        | LSM3101R | Laser Scanning Microscope with Photometrics PH250 CCD Camera |