

Lot#	Lead	Qty	Mfg.	Model	Desc.	Location
300	Pro-Curve Switch	1	Hewlett Packard	J4093A	Pro- Curve Switch 2424m 100-127 Vac. 2.0 A, 1.0A.	Asset Located in Oak Park, MI.
301	Pro-Curve Switch	1	Hewlett Packard	J4093A	Pro- Curve Switch 2424m 100-127 Vac. 2.0 A, 1.0A.	Asset Located in Oak Park, MI.
302	Pro-Curve Switch	1	Hewlett Packard	J4093A	Pro- Curve Switch 2424m 100-127 Vac. 2.0 A, 1.0A.	Asset Located in Oak Park, MI.
303	Wireless Router	1	D-Link	DIR-615	Wireless Router.	Asset Located in Oak Park, MI.
304	Wireless Router	1	Linksys	WRT54GS	Wireless Router.	Asset Located in Oak Park, MI.
305	Rack Mounted Keyboard Monitor	1	Master View	CL716 M-C	Rack Mounted Keyboard Monitor.	Asset Located in Oak Park, MI.
306	Server.	1	Dell	Power Edge 1950	Server.	Asset Located in Oak Park, MI.
307	Server.	1	Dell	Power Edge 860	Server.	Asset Located in Oak Park, MI.
308	Environmental Monitoring Unit	1	APC	AP9319	Environmental Monitoring Unit with Temp Sensoring Probe and Accessories.	Asset Located in Oak Park, MI.
309	Dell 1/2 Height Server Rack	1	Dell	Server Rack	Dell 1/2 Height Server Rack.	Asset Located in Oak Park, MI.
310	Monitor Stands	1		Desk Top Monitor Stands	Lot Qty ( 6 ) Monitor Stands. 100 lb. /45 Kg. Capacity.	Asset Located in Oak Park, MI.
311	Bickle Cart With Storage Cases	1	Sortimo	LB BS 102	Lot Bickle Cart With Plastic Storage Cases	Asset Located in Oak Park, MI.
312	Flat Panel Monitors	1	Dell	U2211HT	Lot Qty ( 3 ) Flat Panel Monitors.	Asset Located in Oak Park, MI.
313	Flat Panel Monitor	1	Mag	2200 W	Flat Panel Monitor.	Asset Located in Oak Park, MI.
314	Flat Panel Monitor	1	Dell	176FPb, 177FPb, 177FPf	Lot Qty ( 3 ) Flat Panel Monitors.	Asset Located in Oak Park, MI.
315	Flat Panel Monitor	1	Dell	2208 FPt, P2210Hc, 2005 FPW	Lot Qty ( 3 ) Flat Panel Monitors.	Asset Located in Oak Park, MI.
316	Flat Panel Monitor	1	Dell	1908FPt, 1908FPc, !908 WFPf	Lot Qty ( 4 ) Flat Panel Monitors. ( 2 ) 1908 WFPf Monitors.	Asset Located in Oak Park, MI.
317	Flat Panel Monitor	1	Dell	E198FPb, E198FPf	Lot Qty ( 3 ) Flat Panel Monitors. ( 2 ) E198FPb Monitors.	Asset Located in Oak Park, MI.

318	Flat Panel Monitor	1	Dell	M781p	15" Monitor.	Asset Located in Oak Park, MI.
319	Laptop CPU	1	Dell	D810	Lot Qty ( 6 ) Latitude Laptop Computers, Intel Pentium M Processor 1.73 GHz.	Asset Located in Oak Park, MI.
320	Laptop CPU	1	Dell	D810	Lot Qty ( 6 ) Latitude Laptop Computers, Intel Pentium M Processor 1.73 GHz.	Asset Located in Oak Park, MI.
321	Laptop CPU	1	Dell	D610	Lot Qty ( 4 ) Laptop Computers.	Asset Located in Oak Park, MI.
322	Laptop CPU	1	Hewlett Packard, Jujitsu	Nc6000	Lot Qty ( 4 ) Laptop Computers. ( 2 ) Lifebook and ( 2 ) Nc6000.	Asset Located in Oak Park, MI.
323	CPU	1	Dell	Optiplex 755,780	Lot Qty ( 4 ) Tower CPU ( 3 )Model 755, ( 1 ) 780. Intel Core 2 Duo CPU E4600 2.4 GHz.	Asset Located in Oak Park, MI.
324	CPU	1	Dell	Optiplex 745	Lot Qty ( 5 ) Intel Pentium D CPU, 3 GHz.	Asset Located in Oak Park, MI.
325	CPU	1	Dell	Optiplex 745	Lot Qty ( 5 ) Intel Pentium D CPU, 3 GHz.	Asset Located in Oak Park, MI.
326	CPU	1	Dell	Optiplex 745	Lot Qty ( 7 ) Intel Pentium D CPU, 3 GHz.	Asset Located in Oak Park, MI.
327	CPU	1	Dell	Optiplex GX620	Lot Qty ( 4 ) Intel Pentium D CPU 2.8 GHz.	Asset Located in Oak Park, MI.
328	CPU	1	Dell	Optiplex GX620	Lot Qty ( 5 ) Intel Pentium D CPU 2.8 GHz. ( 1 ) Model GX520 Unit.	Asset Located in Oak Park, MI.
329	CPU Server	1	Dell	Power Edge 2800	Server Unit Windows Svr. Std. 2003 1-4 CPU 5Cit. Sn H5N8R61.	Asset Located in Oak Park, MI.
330	CPU Server	1	Dell	Power Edge 2500	Server Unit Windows 2000 Sever 1.4 CPU. Server Tag JZTXV01.	Asset Located in Oak Park, MI.
331	CPU Server	1	Dell	Power Edge 2500	Server Unit Windows 2000 Sever 1.4 CPU. Server Tag 30VXV01.	Asset Located in Oak Park, MI.
332	CPU Server	1	Dell	SC1420	Server Unit Windows Svr. Std. 2003 1-4 CPU 5Cit. CHO9871.	Asset Located in Oak Park, MI.
333	Monitor Stands with Docking Stations	1	Dell	PRO 1X, PRO 2X, PRO 3X	Lot Qty ( 14 ) Docking Stations With Risers.	Asset Located in Oak Park, MI.
334	Printer	1	Dell	3130CN, 1130	Lot Qty ( 2 ) Asstd. Printers.	Asset Located in Oak Park, MI.
335	Printer	1	Dell	1710 N	Lot Qty ( 3 ) Printers.	Asset Located in Oak Park, MI.
336	Copier Machine	1	Canon	Image Runner 210S	Copier / Fax Machine Sn.NPR1104.	Asset Located in Oak Park, MI.
337	Copier/ Scan Machine	1	Panasonic	DP 3510	Copier/ Scanner/ Fax Machine.	Asset Located in Oak Park, MI.
338	Technical Cart	1	Dell		Technical Cart 24" X 39 1/2" X 47 1/2".	Asset Located in Oak Park, MI.

339	Technical Cabinet	1	APC	Netshelter	Lot Qty. ( 2 ) Technical Cabinet 34 X 1/2 " X 23 1/2" X 83 1/2".	Asset Located in Oak Park, MI.
340	Conference Phone Unit With Speakers.	1	Polycon	Sound Station 2	Conference Phone Unit With Speakers.	Asset Located in Oak Park, MI.
341	Conference Phone Unit	1	Clear One, OmniSound	Konftel 50, Mod. 860- 158 - 500.	Lot Qty ( 4 ) Conference Phone Stations. Includes Radio Shack 40 Watt Amplifier	Asset Located in Oak Park, MI.
342	Hand Type Scanner	1	Motorola, Handheld Products		Lot Qty ( 2 ) Hand Type Scanners CNC-16-5250. , Sn.AB 33- 13522. , And, LS/DS3408.	Asset Located in Oak Park, MI.
343	Keyboards	1	Dell		Lot Qty. Asstd. Keyboards in ( 2 ) boxes	Asset Located in Oak Park, MI.
344	Hard Drives	1	Dell		Lot Qty. ( 1 ) 9CY131-037, Sn 9RW6LZMH. 7200.10 ROHS. ( 1 ) 9SL142-301. ,Sn.9VM3XCZP. 7200.12 500Gb. Hard Drives.	Asset Located in Oak Park, MI.
345	Hard Drives	1	Hitachi	Deskstar	Lot Qty. ( 1 ) Sn. GEA350RC1NSK8L, ( 1 ) GEA350RC1NPGTN. Hard Drives	Asset Located in Oak Park, MI.
346	Power Diag Broadband Routers	1	Dell, Cisco,		Lot Power Diag. Broadband Routers, ( 2 ) Dell E. Legacy Extenders ( 1 ) Digital QC. Surge Suppressor.	Asset Located in Oak Park, MI.
347	Power Cords	1	Dell		Lot Power Cords , Locks for Laptops, Misc. Ink Cartridges and More. In ( 3 ) Boxes.	Asset Located in Oak Park, MI.
348	Assembly and Display Kits	1	Poster Garden, Smart PakIQ.		Lot Asstd. Assembly and Display Accessories and Kits. In ( 1 ) Box.	Asset Located in Oak Park, MI.
351	5000 LBS. Capacity Electric Forklift	1	Toyota	5FBC25	5000 Lbs. Capacity Electric Forklift Truck. 36 Volt Battery. Solid Tires. 3-Stage Mast , Lift Height At 24" Load Center 130", Cushion Seat With Belt. 82 1/4" Mast Height. 72 " Forks. Lot Includes Battery Charger. Ferro 1500 Series 208- 240-480- Volt.	Asset Located in Oak Park, MI.
352	6000 LBS. Capacity Electric Forklift	1	Clark	ECG32 Type E	6000 Lbs. Capacity Electric Forklift Truck. 48 Volt Battery. 82 " Mast Height, Side Shift. 48 ", Forks. Truck Weight 8660 Lbs. Tire Width 45.4 in. Tires 21" X 9 " X 15" Lot Includes Battery Charger. Hertner Auto 1000.TN-1050. Fork Extensions Included.	Asset Located in Oak Park, MI.

353	Citibus	1	StarTrans	G-1	VIN # 5R6KB32D55A00034. Series Hybrid Shuttle Bus, Built on Workhorse P42 Chassis with Spartans Bus Body and Azure Series HEV System. Engine/ Trans: 4.8L GM Gas/Auto, Wheelbase 178", HV Battery Cobasys, Condition: Vehicle Runs & all Hybrid Components Work. Vehicle was used as a Show /Demonstration Bus. Mileage 10,241 mi; Selling for parts since front axle is under-sized for weight distribution.	Asset Located in Oak Park, MI.
354	Passenger Bus Turtle Top 14 Seat	1	Ford	E450 Cutaway / Shuttle Bus	VIN # 1FDXE4FL2BDA05023 Ford E-450 Cutaway Chassis with Turtle Top Shuttle Bus Body & Azure PHEV System. Engine 5.4L Gas/5R110 Auto, Wheelbase 158", HV Battery JCI LI -ion PHEV Battery Pack-(pack may be removed ). DMOC'S GEN 2, Clutched FEAD, Condition : Vehicle Runs and All Hybrid Components Work; PHEV Battery ,Onboard Charger may be removed. This is an un-tested PHEV prototype system	Asset Located in Oak Park, MI.
355	Van	1	Azure/Ford	Transit Connect Electric	VIN # NMOLS6BN5AT012516 Transit Connect Electric with Azure Force Drive Electric System (i.e.-Pure Electric Vehicle ), Wheelbase 114" HV Battery: JCI LI ion EV Pack, 28kWh, GEN 2 DMOC-645, Vehicle was Used as a Sales Demonstration Vehicle. Other: 255 Degree rear Door Opening Azure Vehicle ID VP5. Mileage 3,245. This was originally a gasoline vehicle that was converted.	Asset Located in Oak Park, MI.
356	Passenger Bus 14 Seat	1	StarTrans	E-450 Cutaway / Shuttle Bus	VIN# 1FDXE4FL4BDA09585 Ford E-450 Cutaway Chassis with Spartans Shuttle Bus Body & Azure PHEV System. Engine/ Trans: 5.4 L Gas /5R110. Wheelbase: 158", HV Battery: JCI Li-Lon PHEV Battery Pack (pack & charger may be removed), Gen 2 DMOC-645, Clutched FEAD, Condition : Vehicle DID Run and All Hybrid Components Worked, Harnesses have been removed ( Vehicle Does not Currently Run ) Azure Vehicle ID 26, Mileage 7,050	Asset Located in Oak Park, MI.

357	Passenger Bus Turtle Top 14 Seat	1	Ford	E450 Cutaway / Shuttle Bus	VIN # 1FDXE4FL7BDA29978 Ford E-450 Cutaway Chassis With Turtle Top Shuttle Bus Body; Engine belt/pulley system and cooling fan removed and discarded (need to re-purchase & install); Driveshaft center mount bearing bracket removed). Engine / Trans 5.4 L Gas 5R110 Auto, Wheelbase 158". Condition: Vehicle is Essentially New. Engine belt/cooling fan assembly (FEAD) removed in preparation for HEV system. New Ford FEAD Components Required to Return To Original Condition. Turtle Top Endorsed 2nd. A/C Compressor System Required For FEAD. Driveshaft Center Bearing Mount Removed , New One Required. The Balance of Bus In Original Conventional. Configuration. Mileage Less Than 1,000.	Asset Located in Oak Park, MI.
358	Cab	1	Ford	E450 Cutaway Cab (Turtle Body )	VIN # 1FDXE4FLOCD A00016 Ford E-450 Cutaway Chassis-NEW, Engine/ Trans: 5.4L Gas/ 5R110 Auto, 158 " Wheelbase. Chassis Is New, No Hybridization In Process. Mileage: 12 miles.	Asset Located in Oak Park, MI.
359	Van	1	Azure/Ford	Transit Connect Electric	VIN # 537LS7D43CTO75870 Transit Connect with Azure Force Drive Electric System (i.e.-Pure Electric Vehicle ), Engine/ Trans, Not Applicable, Wheelbase 114" HV Battery JCI LI ion EV Pack, 28kWh, Gen 2 DMOC-645, Condition; Like New, Vehicle was Used as An Engineering Vehicle. Other: 255 Degree Rear Cargo Door Opening Reverse Camera, Azure Vehicle ID MY12.5. Mileage 4,507.	Asset Located in Oak Park, MI.
361	AC Induction Motor	1	Siemens	1PV5138- 4WS24-ZW12	AC Induction Motor. Usage : Azure Gas Series HEV Shuttle Bus And Step Van. Workhorse P42 & W42 Chassis. Azure Part No. 101592. Peak Continuous Rating 150/ 85 KW @ 6000 Rpm. Max Speed 9000 Rpm. Rated Bus Voltage 650 V.	Asset Located in Oak Park, MI.
362	AC Induction Motor	1	Siemens	1PV5138- 4WS24-ZW12	AC Induction Motor. Usage : Azure Gas Series HEV Shuttle Bus And Step Van. Workhorse P42 & W42 Chassis. Azure Part No. 101592. Peak Continuous Rating 150/ 85 KW @ 6000 Rpm. Max Speed 9000 Rpm. Rated Bus Voltage 650 V.	Asset Located in Oak Park, MI.

363	Permanent Magnet Generator	1	Siemens	1FV5139-6WS28-ZW02	Permanent Magnet Generator. Usage : Azure Gas Series HEV Shuttle Bus & Step Van Workhorse P 42 & W 42 Chassis. Azure Part No.101755. Peak/ Continuous Ratings: 85/ 117 K @ 2500 Rpm. Max Speed 4000 Rpm. Rated Battery Voltage: 650 V	Asset Located in Oak Park, MI.
364	Permanent Magnet Generator	1	Siemens	1FV5139-6WS28-ZW02	Permanent Magnet Generator. Usage : Azure Gas Series HEV Shuttle Bus & Step Van Workhorse P 42 & W 42 Chassis. Azure Part No.101755. Peak/ Continuous Ratings: 85/ 117 K @ 2500 Rpm. Max Speed 4000 Rpm. Rated Battery Voltage: 650 V	Asset Located in Oak Park, MI.
365	Permanent Magnet Generator	1	Siemens	1FV5139-6WS28-ZW02	Permanent Magnet Generator. Usage : Azure Gas Series HEV Shuttle Bus & Step Van Workhorse P 42 & W 42 Chassis. Azure Part No.101755. Peak/ Continuous Ratings: 85/ 117 K @ 2500 Rpm. Max Speed 4000 Rpm. Rated Battery Voltage: 650 V	Asset Located in Oak Park, MI.
366	AC Induction Motor	1	Siemens	1PV5138-4WS24-ZW11	AC Induction Motor. Usage : Azure Diesel Series HEV Step Van Workhorse P42 Chassis. Azure Part No. 100447. Peak / Continuous Ratings:150/85 K @ 6000 Rpm. Max. Speed 9000 Rpm. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
367	AC Induction Motor	1	Siemens	1PV5138-4WS24-ZW11	AC Induction Motor. Usage : Azure Diesel Series HEV Step Van Workhorse P42 Chassis. Azure Part No. 100447. Peak / Continuous Ratings:150/85 K @ 6000 Rpm. Max. Speed 9000 Rpm. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
368	Permanent Magnet Generator	1	Siemens	1FV5135-6WS36-Z-W12	Permanent Magnet Generator. Usage : Azure Diesel Series HEV Step Van. Azure Part No. 100448. Peak /Continuous Ratings: 60/91 K @ 2500/ 4000 Rpm. Max. Speed 4000 Rpm. Rated Battery Voltage 650V. ( Note Comes With Bell Housing & Adapter Shaft.	Asset Located in Oak Park, MI.
369	AC Induction Motor	1	Siemens	1PV5138-4WS24-Z-W12 + KDS ( Silvatech ) E560 Gearbox.	AC Induction Motor. Usage : Azure Gas Series HEV Shuttle Bus And Step Van ( Workhorse P42 & W42 Chassis ). Azure Part No. 101592 ( motor ) & 101348 ( Gearbox ). Peak Continuous Ratings : 150/ 85 K @ 6000 Rpm. Max Speed 9000 Rpm. Rated Bus Voltage 650V. GEARBOX: Azure Part No. 101348. 30 MM Shaft, 2.36:1 Gear Ratio. Integral Park Pawl.	Asset Located in Oak Park, MI.

370	E560 Gearbox	1	Siemens	1PV5138-4WS24-Z-W12 + KDS ( Silvatech ) E560 Gearbox.	AC Induction Motor. Usage : Azure Gas Series HEV Shuttle Bus And Step Van ( Workhorse P42 & W42 Chassis ). Azure Part No. 101592 ( motor ) & 101348 ( Gearbox ). Peak Continuous Ratings : 150/ 85 K @ 6000 Rpm. Max Speed 9000 Rpm. Rated Bus Voltage 650V. GEARBOX: Azure Part No. 101348. 30 MM Shaft, 2.36:1 Gear Ratio. Integral Park Pawl.	Asset Located in Oak Park, MI.
371	AC Induction Motor	1	Siemens	1PV5138-4WS24-Z-W12 + KDS ( Silvatech ) E560 Gearbox.	AC Induction Motor. Usage : Azure Gas Series HEV Shuttle Bus And Step Van ( Workhorse P42 & W42 Chassis ). Azure Part No. 101592 ( motor ) & 101348 ( Gearbox ). Peak Continuous Ratings : 150/ 85 K @ 6000 Rpm. Max Speed 9000 Rpm. Rated Bus Voltage 650V. GEARBOX: Azure Part No. 101348. 30 MM Shaft, 2.36:1 Gear Ratio. Integral Park Pawl.	Asset Located in Oak Park, MI.
372	ELFA Duo Inverter	1	Siemens	A5E00410415	QTY. ( 2 ) Siemens ELFA Duo Inverter. ( 14 V) Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis.). Azure Part No. 101347. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
373	ELFA Duo Inverter	1	Siemens	A5E00410415	QTY. ( 2 ) Siemens ELFA Duo Inverter. ( 14 V.) Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis.). Azure Part No. 101347. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
374	ELFA Duo Inverter	1	Siemens	A5E00410415	QTY. ( 2 ) Siemens ELFA Duo Inverter. ( 14 V.) Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis.). Azure Part No. 101347. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
375	ELFA Duo Inverter	1	Siemens	A5E00410415	QTY. ( 9 ) Siemens ELFA Duo Inverter. ( 14 V.) Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis.). Azure Part No. 101347. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
376	ELFA Duo Inverter	1	Siemens	A5E00410415	QTY. ( 6 ) Siemens ELFA Duo Inverter. ( 14 V.) Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis.). Azure Part No. 101347. Rated Bus Voltage 650V.	Asset Located in Oak Park, MI.
377	KDS Gearbox	1	KDS Silvatech	KDS E560	KDS Gearbox. Usage : Azure Gas Series HEV Shuttle Bus and Step Van ( Work Horse P42 & W42 Chassis.). Azure Part No.101348. 30mm Shaft. Gear Ratio 2.36:1. Integral Park Pawl.	Asset Located in Oak Park, MI.

378	AC Induction Motor	1	Siemens	1PV5138-4WS24-ZW11	AC Induction Motor. Usage : Azure Diesel Series HEV Step Van ( Workhorse P42 Chassis.) Azure Part No. 100447. Peak /Continuous Ratings 150/85 K @ 6000 Rpm. Max Speed : 9000 Rpm. Rated Bus Voltage 650 V.	Asset Located in Oak Park, MI.
379	AC Induction Motor	1	Siemens	1PV5138-4WS24-ZW11	AC Induction Motor. Usage : Azure Diesel Series HEV Step Van ( Workhorse P42 Chassis.) Azure Part No. 100447. Peak /Continuous Ratings 150/85 K @ 6000 Rpm. Max Speed : 9000 Rpm. Rated Bus Voltage 650 V.	Asset Located in Oak Park, MI.
380	MagMotor Permanent Magnet Motor	1	Sitcom Co.	BF46-H-500H	Qty. ( 5 ) MagMotor Permanent Magnet Motor - Power Steering Unit. Usage : Azure Gas Series HEV Shuttle Bus and Step Van Electric Power Steering System ( Workhorse P42 & W42 Chassis. ) SatCon and Azure Part No. 730460029/ 101678.	Asset Located in Oak Park, MI.
381	MagMotor Permanent Magnet Motor	1	Sitcom Co.	BF46-H-500H	Qty. ( 5 ) MagMotor Permanent Magnet Motor - Power Steering Unit. Original Use Azure Gas Series HEV Shuttle Bus and Step Van Electric Power Steering System ( Workhorse P42 & W42 Chassis. ) SatCon and Azure Part No. 730460029/ 101678.	Asset Located in Oak Park, MI.
382	Motor Control	1	Sitcom Co.		Qty. ( 4 ) SatCon Power Systems Motor Controller- Power Steering. Original Use On Azure Gas Series HEV Shuttle Bus & Step Van Electric Power Steering System ( Workhorse P42 & W42 Chassis. )	Asset Located in Oak Park, MI.
383	Motor Control	1	Sitcom Co.		Qty. ( 3 ) SatCon Power Systems Motor Controller- Power Steering. Original Use On Azure Gas Series HEV Shuttle Bus & Step Van Electric Power Steering System ( Workhorse P42 & W42 Chassis. )	Asset Located in Oak Park, MI.
384	Hybrid Shuttle Bus Body Assembly Parts	1	Azure	Citibus	Citibus ( G1 Series Hybrid Shuttle Bus ) Body Assembly Parts. Used On Azure Gas Series HEV Shuttle Bus ( Workhorse P42 & W42 Chassis. ) ( Qty. 8 102279- Bumper LH), ( Qty 8-102281-Bumper RH ), ( Qty 10 x 102273- Fender ), ( QTY 10 x 102277 -Fender), ( Qty 9 x 102283-Hood ), ( Qty 9 x 102285- Inner Fender ), ( Qty 10 x 102286-Inner Fender ),( Qty 17 x 102280 - Bumper , Mid ), ( Qty 21 x 102275- Grill ).	Asset Located in Oak Park, MI.
385	Dual Cooling Fan	1	Citibus G1 Series		Lot ( 17 ) Dual Cooling Fan Assembly Units , G1 Series HEV Shuttle Bus ( Workhorse P42 & W42 Chassis. Azure Part No.101545.	Asset Located in Oak Park, MI.



386	A/C Condenser Units	1	Proair Frigiking		Lot ( 25 ) A/C Condenser Units. Usage : Azure Gas Series Shuttle Bus ( Workhorse P 42 & W 42 Chassis. ) Pro air/ Azure Part No. :31 000 033/10268	Asset Located in Oak Park, MI.
387	Spare Service Parts	1	Citibus G1 Series		Spare Service Parts Usage : Azure Gas Series HEV Shuttle Bus ( Workhorse P42 & W42 Chassis.) Parts Consisting Of Bendix Brake Pedals, Steering Columns, Seat Adaptors. International Park Brake Handles, Steering Wheels, Center Instrument Panel Plates, Instrument Panel Carrier.	Asset Located in Oak Park, MI.
388	A/C Compressor	1	Tama Mfg.	Valeo TM16HD	Lot (16) Valeo TM16HD A/C Compressor. Used On Azure Gas Series HEV Shuttle Bus ( Work horse P42 & W42 Chassis. Valeo / Azure Pn. 500630-9330/101877 ( Also could be Seltec Pn.0630-9034 )	Asset Located in Oak Park, MI.
389	Radiator	1	Canada Radiators	G-1	Lot ( 5 ) Radiator Low Temp ( Electronics ) Cooling System. Units Used on Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis. ) Azure Pn. 102026	Asset Located in Oak Park, MI.
390	Flywheels and Ring Gears	1		G-1	Flywheels and Ring Gears. Used on Azure Diesel & Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W 42 Chassis ) ( 21 ) Ring Gear : Azure Pn . 101762. ( 14 ) Flywheel Azure Pn. 100875.	Asset Located in Oak Park, MI.
391	Vehicle Controllers-Variou Units	1	GMC, International , Siemens		Vehicle Controllers-Assorted Units used on Azure Diesel & Gas Series HEV Shuttle Bus & Van ( Workhorse P42 & W42 Chassis ) ( 20 ) GM Tac Modules; ( 16 ) Siemens Dico Module; ( 20 ) International ESC Module; ( 18 ) GM ECM 4.8L -2006MY; ( 9 ) Wabco ABS Module; ( 20 ) Mototron Gateway; ( 20 ) Axiomatic PWM to Analog Module.	Asset Located in Oak Park, MI.
392	Vehicle Service Parts and Spares	1	Citibus	G-1	Vehicle Service Parts and Spares. Lot Quantities In Boxes on Pallets. Parts Consisting of Electronic Wire Harness Parts ,Cables Assy, Fuse Blocks, Power train Harness, , Brackets, Starter Motor Ford Diesel, Harness for 12-24 V Converter. Pressure Switches, DC -DC Enabler, Power Steering Enabler, Cab Heater Pump, Cab Shifter. Lot Includes :Gen AC Phase W, Mtr AC Phase V and U, Sensors, Pump, AC Mag Drive, 17650 Series, Bushings, Bearings, Headlight Mounts Instrument Clusters and More. Reference List .	Asset Located in Oak Park, MI.

393	Shifter and Parking Brake Cables	1	Citibus	G-1	Shifter and Parking Brake Cables. Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W42 Chassis ). Azure Pn. 102647 Qty ( 8 ) Shifter Cable; Azure Pn. 102075 Qty ( 8 ).	Asset Located in Oak Park, MI.
394	Centrifugal Pump Modified	1	Gorman Rupp	Citibus	Lot: (20) Centrifugal Pump Modified & Batter Heater Pump Assy. Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W42 Chassis. Centrifugal Pump Azure Pn. 15970-003S/ 101546. ( 3 ) Battery Heater Pump Azure Pn. 17651-554/101681.	Asset Located in Oak Park, MI.
395	ZF Power Steering Pump	1	Citibus		Lot: (18) ZF Power Steering Pump. Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W42 Chassis. Azure Pn. W0007632/102446.	Asset Located in Oak Park, MI.
396	AC/Compressor	1	Delphi	Citibus	Lot: (115) AC / Compressor. Usage : Azure Gas Series HEV Shuttle Bus & Step Van ( Workhorse P42 & W42 Chassis. Delphi/ Azure Pn. 52445255 /103166.	Asset Located in Oak Park, MI.
397	Adjustable Pallet Rack	1			Adjustable Pallet Rack. Lot Includes ( 18 ) 12' Uprights. ( 2 ) 14' Uprights . ( 52 ) 9'- 3" Crossbeams. ( 104 ) Wire Rack Units.	Asset Located in Oak Park, MI.
398	Wire Cable Spools	2	Leoni	E47543EC	Wire Cable Spools. Approx. 3 000 ' (21 mm2 ) 4 AWG, 105C, 600 V. FTI.	Asset Located in Oak Park, MI.
400	Transit Connect Electric	1	Transit Connect		Transit Connect Electric. Model 2011/ 2012 Bracket Units. Lot To Include Multiple Part Lists and Approx. Parts Counts in Boxes and on ( 8 ) Pallets. Lot To Include : Bracket Hrns. Mount, Bracket Ehpas Connector, Adaptor Battery Heat Switch, Busbar HJVB, Pressure Sensor Brackets, Clamps, Harness, Battery Heater Pump Base, Toroid Mount Bracket, Tie Strap 11" X 0.15". Cooling Pack Brackets. Cable Support Tunnel LH Bracket, Vacuum Pump and Motor Mount RHS Straps. ( 1 ) Pallet Pn. 107059 100 Pcs. Bracket, DCDC & EWOC.( 1 ) Pallet Pn . 107390 50 Pcs. Bracket , Heater & Air Cond, Lower. ( 1 ) Pallet Pn. 107230 86 Pcs. Bracket HV Charger. ( 3 ) Pallets with Pn.106321 59 Pcs. Junction Box; Finished Cast.	Asset Located in Oak Park, MI.
401	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	AC Induction Motor; Usage Transit Connect Electric; Pn. (104820).	Asset Located in Oak Park, MI.

402	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	Lot (4) AC Induction Motor; Usage Transit Connect Electric; Pn. (104820).	Asset Located in Oak Park, MI.
403	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	Lot (2) AC Induction Motor; Usage Transit Connect Electric; Pn. (104820).	Asset Located in Oak Park, MI.
404	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	Lot (10) AC Induction Motor; Usage Transit Connect Electric; Pn. (104820) .	Asset Located in Oak Park, MI.
405	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	Lot (10) AC Induction Motor; Usage Transit Connect Electric; Pn. (104820).	Asset Located in Oak Park, MI.
406	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	Lot (10) AC Induction Motor; Usage Transit Connect Electric; Pn. (104820).	Asset Located in Oak Park, MI.
407	AC Induction Motor	1	Siemens	1PV5135-4WS14-ZW12	Lot (15) AC Induction Motor; Usage Transit Connect Electric; Pn. (104820).	Asset Located in Oak Park, MI.
408	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. (107176 or CTR-010201).	Asset Located in Oak Park, MI.
409	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. (107176 or CTR-010201).	Asset Located in Oak Park, MI.
410	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201. ).	Asset Located in Oak Park, MI.
411	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201).	Asset Located in Oak Park, MI.
412	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201).	Asset Located in Oak Park, MI.
413	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201).	Asset Located in Oak Park, MI.

414	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201).	Asset Located in Oak Park, MI.
415	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201).	Asset Located in Oak Park, MI.
416	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201 ).	Asset Located in Oak Park, MI.
417	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (12) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201 ).	Asset Located in Oak Park, MI.
418	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (12) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201).	Asset Located in Oak Park, MI.
419	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 107176	Lot: (12) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America, Europe ). Azure Pn. ( 107176 or CTR-010201 ).	Asset Located in Oak Park, MI.
420	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
421	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.

422	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
423	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196 ).	Asset Located in Oak Park, MI.
424	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
425	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
426	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
427	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196 ).	Asset Located in Oak Park, MI.
428	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-01019).	Asset Located in Oak Park, MI.
429	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.

430	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
431	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
432	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (4) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
433	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (8) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
434	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (15) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
435	DMOC 645 Liquid Cooled	1	AZD	DMOC-645, Transit Connect Electric, P/N 106633	Lot: (15) DMOC 645 Liquid Cooled. Usage Transit Connect Electric ( North America ). Azure Pn. ( 106633 or CTR-010196).	Asset Located in Oak Park, MI.
436	Portable Safety Ladder	1	Cotterman		Portable Safety Ladder. 9 Step, 350 Lbs. Capacity.	Asset Located in Oak Park, MI.
437	Fiberglass Step Ladder	1	Werner	7408	Fiberglass Step Ladder. 8 ' Height, 375 Lbs. Capacity.	Asset Located in Oak Park, MI.
438	Tire Inflation & Repair Kit	196	Continental		Tire Inflation & Repair Kit. 12V= ,15A, 180W, Max 8 Bar, IP33. Ford Pn. GG92-19L523-BB., Continental Pn. 31202303.	Asset Located in Oak Park, MI.

439	Transit Connect Electric Spare Parts	1	Ford		Transit Connect Electric Spare Parts. 2012, 2011 Mfg. Yr. Rear Seat Sets, Pedal, Brake Automatic, Accumulator Air Conditioning. Clamp, Anti- Roll Bar, Interior Panels/Carpets. Windshield, Headlight Assembly, Sensor TPMS Receiver Cooling Fan Assembly, Front Drivers & Passenger Seats and Other Assorted Azure Parts Listed.	Asset Located in Oak Park, MI.
440	Motor Inverter Development Parts	1	KEMET, SEMIKRON		Motor Inverter Development Parts. In Boxes on 2 Pallets.	Asset Located in Oak Park, MI.
441	DC -DC Converter	2	Satcon Co.		DC -DC Converter G1 Citibus Useage ( Pn. 101957 ).	Asset Located in Oak Park, MI.
442	DC -DC Converter	2	Satcon Co.		DC -DC Converter G1 Citibus Useage ( Pn. 101957 ).	Asset Located in Oak Park, MI.
443	DC -DC Converter	2	Satcon Co.		DC -DC Converter G1 Citibus Useage ( Pn. 101957 ).	Asset Located in Oak Park, MI.
444	DC -DC Converter	10	Satcon Co.		DC -DC Converter G1 Citibus Useage ( Pn. 101957 ).	Asset Located in Oak Park, MI.