

*PN	DESCRIPTION	QTY	TOTAL_AMOUNT
*1000032LF	543-0116-00 EMERSON OEM 2D/3D	2	175.07
*1000033LF	543-0117-00 EMERSON OEM 4D/6D	8	653.45
*1000143LF	543-0143-00 EMERSON Module-Wiring Assm	1	-
*1000143LF	543-0143-00 EMERSON Module-Wiring Assm	1	-
*1003102	40405 HUNTER OP CONTROL BOX	1	453.99
*1003102	40405 HUNTER OP CONTROL BOX	1	453.99
*1003102	40405 HUNTER OP CONTROL BOX	1	453.99
*1003102	40405 HUNTER OP CONTROL BOX	1	453.99
*1003102	40405 HUNTER OP CONTROL BOX	3	1,361.96
*1003102	40405 HUNTER OP CONTROL BOX	1	453.99
*1003103	41401 HUNTER MAIN CONTROL BOX	1	398.00
*2002491	044511 ITW NETWORK INTERFACE	-1	-
*2002491	044511 ITW NETWORK INTERFACE	1	61.07
*2002513	442533 ITW/HOBART COMMUNICATION KIT SERI	18	759.65
*2002513	442533 ITW/HOBART COMMUNICATION KIT SERI	9	429.93
*2002513	442533 ITW/HOBART COMMUNICATION KIT SERI	6	253.25
*2002538-2	049187 ITW/HOBART PRINTER BD U2000P3	1	72.84
*2002661	444637 ITW/HOBART KIT TCP/IP WIRELESS	1	85.86
*2002909	M.1604.3110 Hexagon UMP-360	3	3,142.96
*2002938	M.1604.6011 Hexagon RCU TESA CHINA	1	213.93
*2100455	330956 ITW/HOBART L/HAND SENSOR	2	64.89
*2100456	331547 ITW R/HAND SENSOR	22	787.15
*2100456	331547 ITW R/HAND SENSOR	1	35.78
*2100456	331547 ITW R/HAND SENSOR	1	35.77
*2100456	331547 ITW R/HAND SENSOR	1	36.83
*2100512	355800 ITW FRYER CONTROL	10	1,137.24
*2100512	355800 ITW FRYER CONTROL	10	1,196.89
*2100512	355800 ITW FRYER CONTROL	1	113.72
*2100512	355800 ITW FRYER CONTROL	1	120.18
*2100515	475120 ITW POWER SUPPLY #	1	41.23
*2100515	475120 ITW POWER SUPPLY #	8	350.85
*2100515-KIT	475120 ITW POWER SUPPLY #	1	74.74
*2100517	475100 ITW CONTROL #	2	210.43
*2100601-10	0H90-1186-10 WLDON LED STOP&TAIL 3800SER	1	21.51
*2100616	0H90-1032-00 WELDON 2-CH STROBE PWR	1	223.69
*2100618	0H90-1273-00 WELDON MININODE CONTROLLER	1	34.69
*2100618	0H90-1273-00 WELDON MININODE CONTROLLER	2	-
*2100618-MOD	0H90-2138-00 WELDON MININODE CONTROLLER	4	146.95
*2100627	0H90-1007-00 WELDON PWR SUPPLY STROBE	8	606.99
*2100639-MOD	0H90-2135-00 WELDON V-MUX HERCULES III	1	160.63
*2100644-1	0H70-0673-00 WELDON STROBE	2	63.03
*2100918	S290-0035-02 TST EAGLEEYE GENERIC BRIDGE	2	159.10
*2100921	S290-3043-00 TST DURATEK 10 PANEL AREV	2	107.62
*2100924	S290-3061-00 TST CONTROL PANEL PLOW NOW	1	65.81
*2100926	S290-0080-00 TST LG 800 F/RTSIM CPU 800	2	182.89
*2100939	S290-0240-00 TST EZ LOCK ELECTRONIC CNTL	1	11.38
*2100939	S290-0240-00 TST EZ LOCK ELECTRONIC CNTL	3	34.13
*2100939	S290-0240-00 TST EZ LOCK ELECTRONIC CNTL	1	10.46
*2100939	S290-0240-00 TST EZ LOCK ELECTRONIC CNTL	1	10.46
*2100939	S290-0240-00 TST EZ LOCK ELECTRONIC CNTL	1	10.46
*2100940	S290-0241-00 TST OBSOLETE SEE TEXT	11	37.01
*2100940-1	S290-0241-01 TST EZ LOCK ECU SWITCH PNL	2	6.75
*2100940-1	S290-0241-01 TST EZ LOCK ECU SWITCH PNL	2	-
*2100942-0	S290-0103-00 TST TITAN FLASHER	1	11.26
*2100943-0	S290-0242-00 TST SPLIT HALL EFFECT SENSO	5	60.00
*2100945	S290-0045-00 TST SENSOR MICROPROCESSOR	3	61.41
*2100946	S290-0041-00 TST DAM DISPLAY BD	3	59.63
*2100946	S290-0041-00 TST DAM DISPLAY BD	1	19.87
*2100946	S290-0041-00 TST DAM DISPLAY BD	75	1,490.76
*2100946	S290-0041-00 TST DAM DISPLAY BD	120	2,385.20

*2100946	S290-0041-00 TST DAM DISPLAY BD	26	520.85
*2100946	S290-0041-00 TST DAM DISPLAY BD	1	20.67
*2100948	S290-0043-00 TST EAGLE EYE DAM CONN BD	1	10.46
*2100954	S290-3011-00 TST AUGER SPINNER CNTRL MOD	1	12.59
*2100955	S290-3012-00 TST PLOW HOIST KEYPAD	4	59.41
*2100956-00	S290-3013-00 TST CERTIFIED PWR PLC MOD	2	106.08
*2100959	S290-0037-00 TST COMMANDER 350 CONTROL	1	11.09
*2100960	S290-0125-00 TST SOLID STATE FLASHER	1	5.12
*2100961	S290-0050-00 TST EAGLE EYE INTERFACE II	10	270.06
*2100964	S290-0918-00 TST START/STOP THROTTLE	1	57.19
*2100966	S290-0056-PA-0000 TST EAGLE EYE GHOST MO	4	60.79
*2100967	S290-0810-00 TST LATCHING RELAY MODULE	4	102.89
*2100968-1	S290-5275-01 TST 5 POS SMT B/L STRIP	7	79.27
*2100972	S290-3021-00 TST MUNCIE PWR SPREADER	1	112.70
*2100973	S290-3022-00 TST ROAD FORCE 1	1	75.60
*2100974	S290-3023-00 TST ROAD FORCE 1 SLAVE PDC	1	52.85
*2100976-02	S290-5309-02 TST 9 POS SMT B/L STRIP	1	5.85
*2100977	S290-5206-00 TST 6 POS SMT B/L STRIP 1 I	15	104.14
*2100979	S290-0340-00 TST JOYSTICK CNTL CRASH RES	1	58.55
*2100979	S290-0340-00 TST JOYSTICK CNTL CRASH RES	1	34.74
*2100986	S290-0342-00 TST 4 POS INDICATOR	1	16.25
*2100987	S290-2020-00 TST 3-RELAY RF RECEIVER	1	78.00
*2100990-02	S290-5205-02 TST 5 POS SMT B.L STRIP 1 I	15	109.98
*2100991	S290-3030-00 TST MUNCIE PWR/ELECT	1	30.01
*2100991	S290-3030-00 TST MUNCIE PWR/ELECT	1	30.03
*2100996	S290-0072-00 TST SWITCH (ON)-OFF	1	15.88
*2100998	S290-0076-00 TST PCB LIFE GRD 800	7	574.57
*2101841	110A0366 NEMATRON	3	38.93
*2101859	110A0501A NEMATRON DG16/JUKI DISPLAY ADP	11	122.45
*2102487	475191 ITW RELAY	1	23.25
*2102488-KIT	046374 ITW 1MB PSRAM	-9	(68.67)
*2102488-KIT	046374 ITW 1MB PSRAM	74	544.03
*2102488-KIT	046374 ITW 1MB PSRAM	25	183.79
*2102490	183700 ITW LBL TKN SENSOR	3	75.65
*2102493	439375 ITW SCALE DISPLAY/KEYBOARD	6	119.62
*2102494	043577 ITW SCALEMASTER	6	323.45
*2102510-KIT	184165 ITW RS232 422/485 SCALEMASTER	-1	-
*2102510-KIT	184165 ITW RS232 422/485 SCALEMASTER	1	52.50
*2102514	042330 ITW RS232 / ILA ULTIMA	12	263.73
*2102518	042300 ITW BRHLESS DC MTR CONTRL CLA	1	48.19
*2102523-2	438109-2 ITW 240V PLAN W/O DISPLAY	2	363.72
*2102535	046408-1 ITW CON CNRL ULTIMA W/EPROM	1	88.07
*2102535	046408-1 ITW CON CNRL ULTIMA W/EPROM	1	88.07
*2102538	044893 ITW PRINTER CNTL W/O EEP CONFIG	2	108.01
*2102546	355857 ITW/VULCAN EOC MAIN CTRL	7	1,169.20
*2102546-1	355857 ITW/VULCAN EOC MAIN CTRL	4	544.64
*2102547-D	355856 ITW FRONT PANEL W/PCB REV E	1	76.32
*2102554	477225 ITW DISPLAY PCA #	2	174.04
*2102557-2	475458-2 ITW TEMP CONTROL (112-140)	21	348.06
*2102557-3	475458-3 ITW TEMP CONTROL	3	60.70
*2102557-3	475458-3 ITW TEMP CONTROL	1	21.37
*2102557-3	475458-3 ITW TEMP CONTROL	2	45.08
*2102557-4	475458-4 ITW TEMP CONTROL (120-200)	2	28.58
*2102557-4	475458-4 ITW TEMP CONTROL (120-200)	1	15.71
*2102557-4	475458-4 ITW TEMP CONTROL (120-200)	2	42.60
*2102557-4	475458-4 ITW TEMP CONTROL (120-200)	1	15.71
*2102564	478222 ITW SPDCNT	20	496.25
*2102565	047488 ITW SCALEMASTER SP600	4	104.45
*2102591-KIT	048559 ITW KEYBOARD INTERFACE AT-XT	2	17.99
*2102610-BAG	048861 ITW PRINTER	1	70.13
*2102613	048852 ITW FLASH 2MB	2	46.04

*2102615	873566 ITW 2912PS/SC	2	139.16
*2102621-26-KIT	048890-26 ITW 2MB FLASH PROGRAMMED	5	100.14
*2102624	046514 ITW CONSOLE QUANTUM	1	17.45
*2102647-2	892715-2 ITW CHEMICAL SENSE	51	666.70
*2102647-2	892715-2 ITW CHEMICAL SENSE	67	875.87
*2102647-2	892715-2 ITW CHEMICAL SENSE	30	392.18
*2102647-2	892715-2 ITW CHEMICAL SENSE	41	535.98
*2102647-2	892715-2 ITW CHEMICAL SENSE	5	65.36
*2102647-2	892715-2 ITW CHEMICAL SENSE	2	25.90
*2102647-2	892715-2 ITW CHEMICAL SENSE	3	42.47
*2102647-2	892715-2 ITW CHEMICAL SENSE	3	42.87
*2102647-2	892715-2 ITW CHEMICAL SENSE	1	14.47
*2102647-2	892715-2 ITW CHEMICAL SENSE	1	12.95
*2102647-2	892715-2 ITW CHEMICAL SENSE	1	12.95
*2102647-2	892715-2 ITW CHEMICAL SENSE	2	26.55
*2102655	441860 ITW CONSOLE EVOLUTION ***OBSOLETE	2	459.18
*2102655	441860 ITW CONSOLE EVOLUTION ***OBSOLETE	1	5.41
*2102660	OBS 443685-1 ITW/HOBART PRINTER CONTROLR	1	89.93
*2102660	OBS 443685-1 ITW/HOBART PRINTER CONTROLR	1	89.93
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	4	73.87
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	1	20.20
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	38	701.84
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	35	646.42
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	24	443.27
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	24	443.25
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	38	701.84
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	3	55.41
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	4	80.82
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	16	287.55
*2102661-2	892934-2 ITW/HOBART AM RELAY PROD	16	295.51
*2102663	441285 ITW/HOBART LSMN EVOLUTION	1	35.74
*2102669	441831 ITW/HOBART MEDIA SENSOR EVOLUTION	31	113.40
*2102671	443050 ITW/HOBART R/W FLASH	5	49.16
*2102671-2-KIT	443600-2 ITW/HOBART R/W FLASH	1	10.93
*2102674	047497 ITW/HOBART PROCESSOR 2MBYTE	1	227.32
*2102674	047497 ITW/HOBART PROCESSOR 2MBYTE	1	156.23
*2102682	443102 ITW DUAL BLDC DRIVER	133	11,033.13
*2102683-1	442800-1 ITW/HOBART OBS SEE 2102683	1	6.67
*2102683-3	442800-3 ITW/HOBART PROGRAMMED R/W FLASH	1	13.55
*2102692	442308 ITW/HOBART FILM SENSOR INTERFACE	5	68.60
*2102692	442308 ITW/HOBART FILM SENSOR INTERFACE	1	12.98
*2102692	442308 ITW/HOBART FILM SENSOR INTERFACE	1	22.68
*2102692	442308 ITW/HOBART FILM SENSOR INTERFACE	1	22.69
*2102692	442308 ITW/HOBART FILM SENSOR INTERFACE	1	12.98
*2102693	442200 ITW/HOBART IR REC 4 SGL 455KHz	2	36.80
*2102693	442200 ITW/HOBART IR REC 4 SGL 455KHz	3	55.18
*2102694	442213 ITW/HOBART LIGHTPIPE LED	1	7.57
*2102694	442213 ITW/HOBART LIGHTPIPE LED	30	227.06
*2102698	442182 ITW/HOBART IR DETECTOR ARRAY	6	101.59
*2102701	443750 ITW/HOBART EPP CONSOLE	3	891.81
*2102703	444250 ITW/HOBART WIRELESS ADAPTER	1	88.57
*2102703	444250 ITW/HOBART WIRELESS ADAPTER	1	88.57
*2102705	444705 ITW/HOBART HLX WIRELESS CARDBUS	1	28.88
*2102707	444702 ITW/HOBART ETHERNET HLX	1	16.99
*2102708	444745 ITW/HOBART POWER INPUT HLX	1	8.88
*2102709	916818 ITW/HOBART INTERFACE	170	1,570.92
*2102709	916818 ITW/HOBART INTERFACE	2	15.56
*2102712	444955 ITW/HOBART INFRARED EMITTER	12	72.58
*2102712	444955 ITW/HOBART INFRARED EMITTER	2	12.09
*2102726-1LF	914454-1 ITW/HOBART MANUAL SLICER RoHS	3	183.61
*2102726-2LF	914454-2 ITW/HOBART OBSOLETE SEE SPECS	3	96.30

*2102727	919471 ITW/HOBART NIAGARA CONTROL	1	58.53
*2102727	919471 ITW/HOBART NIAGARA CONTROL	1	53.40
*2102727	919471 ITW/HOBART NIAGARA CONTROL	1	53.40
*2102727	919471 ITW/HOBART NIAGARA CONTROL	1	53.40
*2102727	919471 ITW/HOBART NIAGARA CONTROL	1	53.40
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	2	121.31
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	60.66
*2102728	919472 ITW/HOBART NIAGARA RELAY	1	58.25
*2102734	913084-1 ITW DAUGHTER I/O ASSY	1	32.41
*2102907	M.1604.3118 HEXAGON SMP360 VER2 PROCES	5	1,518.70
*2102907	M.1604.3118 HEXAGON SMP360 VER2 PROCES	1	303.75
*2102908	M.1602.0116 HEXAGON SCU-360 VER2	1	190.22
*2102909	M.1604.3083 HEXAGON AC INPUT BD	1	27.91
*2102909	M.1604.3083 HEXAGON AC INPUT BD	1	23.67
*2103203LF	127152 PAXAR RFID I/O W/ ATTEN RoHS	2	93.62
*2103204LF	126798 PAXAR PRINT ENGINER RoHS	4	313.31
*2103206LF	126722 PAXAR MAIN PROCESSOR RoHS	6	2,019.00
*2103206LF	126722 PAXAR MAIN PROCESSOR RoHS	4	6.65
*2103207LF	126696 PAXAR R2K CONTROL RoHS	1	280.12
*2103209LF	12647324 PAXAR BATTERY STATUS BD RoHS	1	29.90
*2103301	I1039 34985 IN-SOURCE SCALE	1	33.57
*2103301	I1039 34985 IN-SOURCE SCALE	1	31.16
*2103301	I1039 34985 IN-SOURCE SCALE	1	25.73
*2103301	I1039 34985 IN-SOURCE SCALE	1	33.36
*2103303	I2224 PRTEMP-0004 IN-SOURCE	1	31.87
*2103303	I2224 PRTEMP-0004 IN-SOURCE	2	63.75
*2103303	I2224 PRTEMP-0004 IN-SOURCE	2	63.75
*2103310-A	A-POD US THERMAL	3	111.95
*2103310-P	P-POD US THERMAL	1	51.60
*2103311	FOOTBALL US THERMAL	2	232.01
*2103311	FOOTBALL US THERMAL	10	556.65
*2103312	PASSPORT US THERMAL	2	98.95
*2103312	PASSPORT US THERMAL	3	97.68
*2103312	PASSPORT US THERMAL	5	194.96
*2103400	518426 SPX AC375 ROBINAIRE CONTROL BD	1	71.31
*2103402	121054 SPX CONTROL BD	1	70.75
*2103403	124243 SPX CONTROL PANEL	1	87.64
*2104384-CON	11K1831 LEXMARK SIMM 5+2MB FLASH 4MB SDR	-78	-
*2104384-CON	11K1831 LEXMARK SIMM 5+2MB FLASH 4MB SDR	-87	-
*2104384-CON	11K1831 LEXMARK SIMM 5+2MB FLASH 4MB SDR	165	-
*2106262	493392 MILLER ELEC IDLE DEVICE TIMING	17	405.00
*2106319	402045 Kaba Mas CRTL LCDL	1	13.81
*2106319	402045 Kaba Mas CRTL LCDL	13	178.01
*2106323	536-31740-01 Kaba Mas SERVER	5	298.26
*2106324	536-31741-01 Kaba Mas FRONT PANEL	1	26.62
*2106328	402065 KABA MAS 455X DOOR LOCK	2	77.62
*2106329LF	362120 KABA MAS CONTROL TLC/LC RoHS	3	15.68
*2106331	402072 KABA MAS POWER PROX	1	14.74
*2106335	622000 KABA MAS MOTOR DRIVER	1	10.14
*2106337	622007 KABA MAS RFID READER	3	84.44
*2106338	362172 KABA MAS SYSTEM CARD. TLC	3	11.56
*2106340	362187 KABA MAS SYS LC	15	66.98
*2106342	402073 KABA MAS 155X BASE CODE V1.25	1	22.02
*2106342	402073 KABA MAS 155X BASE CODE V1.25	1	25.16
*2106342	402073 KABA MAS 155X BASE CODE V1.25	2	44.03

*2106348LF	622012 KABA MAS CITCON 152 RFID READER	1	53.04
*2106350LF	702001 KABA MAS 99USER SMPT/SMLK II RoHS	2	36.99
*2106350LF	702001 KABA MAS 99USER SMPT/SMLK II RoHS	1	18.40
*2106352LF	702004 KABA MAS SMPT/SMLK II V1.6.8 RoHS	18	276.17
*2107251	9612038 INVACARE	3	18.35
*2107252	9612039 INVACARE	8	145.17
*2107253	9612040 INVACARE POWER TQ BD	1	48.31
*2107253	9612040 INVACARE POWER TQ BD	1	45.78
*2107300	163200 WINCHESTER EXT CABLE CONN BD	1	-
*2107300	163200 WINCHESTER EXT CABLE CONN BD	1	-
*2107301	161639 WINCHESTER CABLE CONN ASSY	2	363.43
*2107301	161639 WINCHESTER CABLE CONN ASSY	1	-
*2107500	80010095 HIGH END(SIMCLAR) DISPLAY SP2 S	1	27.43
*2107514LF	80010206EF HIGH END RGD LED CONTROL RoHS	4	160.22
*2107517LF	80030088EF HES IO USB TO TIMECODE 3 RoHS	4	162.77
*2108056	AEB-0104-004 BIOMETRIC STA-e	6	348.07
*2430033	444560 ITW/HOBART SYMBOL CARD	-83	-
*2430033	444560 ITW/HOBART SYMBOL CARD	83	182.22
*2452480	049819 ITW BRACKET ETHERNET	4	7.34
*2721050LF	60101102 RITRON RCCR DB-9 CABLEASSY RoHS	47	138.81
*2721060LF	60101104 RITRON RCCR SPEAK ASSY RoHS	23	31.75
*2721065LF	60101105 RITRON RCCR RF CABLE ASSY RoHS	9	-
*2721070LF	60101107 RITRON RCCR AUX ASSY RoHS	143	673.69
*2721300	020-000442-0009 MARSH INTELLIPASS CABLE	-7	-
*2721640	90-26160-4 EATON 4041 CABLE ASSY	1	13.40
*3011007	MICROCONTROLLER 8BIT 80C52 OTP DIP40	7	5.84
*3011510	IC EPROM 64K*8 100NS 28 PIN	13	33.47
*3011515	IC 27C512 DIP-28 EPROM 512K 150NS MAX	10	27.63
*3011520-1	IC 27C512 DIP-28 EPROM 512K 200NS MAX	2	6.18
*3012168	IC LO-PWR PAL16V8-25LP	4	4.32
*3014000	IC 16C57 DIP-28 8 BIT MICROCONTROLLER	3	13.13
*3014023	MICROPROCESSOR 28 PIN PIC16C63	229	732.80
*3014023	MICROPROCESSOR 28 PIN PIC16C63	1230	4,052.98
*3014023	MICROPROCESSOR 28 PIN PIC16C63	2	6.40
*3014023	MICROPROCESSOR 28 PIN PIC16C63	1	3.20
*3014023	MICROPROCESSOR 28 PIN PIC16C63	2	6.40
*3014024	IC 8 BIT MICROCONTROLLER CMOS	4	7.45
*3014025	MICRPROCESSOR 16C715 18 PIN DIP	2	5.77
*3014030	MICROPROCESSOR 40 PIN DIP PIC17C44	8	85.51
*3015004	IC 68HC705P6A 28 PIN (OTP)	11	30.81
*3015006	MICROPROCESSOR DIP-40	1	6.80
*3017110	FLASH 1 MEG 28F010	3	17.18
*3017112	IC 29F010 128KX8 1M FLASH EPROM DIP-32	4	18.25
*3018441	MODULE ELECTRIC PROGRAMMING	3	12.20
*3018441	MODULE ELECTRIC PROGRAMMING	123	485.85
*3018441	MODULE ELECTRIC PROGRAMMING	36	142.20
*3020020	DIODE SCHOTTKY BARRIER MBR160 DO-41	97	5.89
*3020037	DIODE ZENER 1N751A 500MW 5.1V 5%	531.02	16.35
*3020037	DIODE ZENER 1N751A 500MW 5.1V 5%	45.98	0.74
*3020050	DIODE ZENER PLVA450A	3	0.08
*3020075	DIODE ZENER AP203D 2.1V 500MW 1%	1	0.76
*3020075	DIODE ZENER AP203D 2.1V 500MW 1%	154	154.00
*3020090	DIODE 1N4003 200V 1A T/R	352.96	4.37
*3020090	DIODE 1N4003 200V 1A T/R	63.52	0.83
*3020090	DIODE 1N4003 200V 1A T/R	63.52	0.83
*3020104	DIODE RECTIFIER 1N4004 T/R	1359	13.99
*3020106	DIODE RECT 1N4006GP	960.84	28.20
*3020106	DIODE RECT 1N4006GP	1472.16	63.30
*3020107-2	DIODE RECT 1N4007 100V 1A DO-41 A/L	4899	40.36
*3020114	DIODE ZENER 1N4711 27V AXIAL .020 IN	43	0.48
*3020115	DIODE ZENER 1N4750A 27V	488	9.54

*3020130	DIODE 1N4148 T/R (1N914)	23	0.97
*3020138-2	DIODE ZENER 5.1V 1W 1n4733A	18.46	0.59
*3020138-2	DIODE ZENER 5.1V 1W 1n4733A	2.54	0.08
*3020139	DIODE ZENER 8.2V 1N4738	22	0.40
*3020154	DIODE ZENER 1N4743A T/R	1313	49.89
*3020171	DIODE ZENER 1N4746A 18V T/R	63	1.54
*3020178	DIODE ZENER 1/2W 4.7V 1N5230B	-101.16	(1.11)
*3020186LF	DIODE ZENER 1N5240B 10V 500mw RoHS	4.84	0.37
*3020186LF	DIODE ZENER 1N5240B 10V 500mw RoHS	0.16	0.01
*3020190	DIODE ZENER 1N5235BRL	645.56	8.64
*3020190	DIODE ZENER 1N5235BRL	590.44	7.68
*3020194LF	DIODE ZENER 1N5243B 13V 500mw RoHS	9011.74	102.08
*3020194LF	DIODE ZENER 1N5243B 13V 500mw RoHS	3.26	0.04
*3020226	DIODE 1N5822 3A 40V	770	58.67
*3020228-1	DIODE 1N5822 RL SCHOTTKY	1089	112.14
*3020229	DIODE ZENER 1N5237	47	0.63
*3020232	DIODE 1N5819 40V 1A T/R DO-41	2212	127.55
*3020237	DIODE ZENER 27V 1.5W 1N5935A 10%	2923	195.65
*3020237	DIODE ZENER 27V 1.5W 1N5935A 10%	25	1.68
*3020320	RECTIFIER BRIDGE 4A 50V RS401L	235	38.72
*3020329	DIODE RECTIFIER 400V 6A P600 A/L MR754	561	82.03
*3020329	DIODE RECTIFIER 400V 6A P600 A/L MR754	31	3.72
*3020330	RECT FULL WAVE BRIDGE GBJ2504	1	0.79
*3020335	RECTIFIER BRIDGE 6A 600V RS605	13	5.52
*3020335	RECTIFIER BRIDGE 6A 600V RS605	5	2.15
*3020400	DIODE SIGNAL BAT47/5082-2810 20V T/R	17	1.21
*3020401	DIODE SIGNAL 1N4448	7672.92	45.82
*3020401	DIODE SIGNAL 1N4448	1055.08	6.12
*3020514	DIODE PWR RECT MUR160 DO41 600V	3.88	0.32
*3020514	DIODE PWR RECT MUR160 DO41 600V	3.12	0.25
*3020519	RECTIFIER SCHOTTKY BARRIER MUR410	796	91.80
*3020520	DIODE RECTIFIER 1N5401 T/R	823	37.29
*3020521	DIODE RECTIFIER AXIAL .250 IN 1N5401	111	4.91
*3020525	RECTIFIER BRIDGE 2A	30	8.65
*3020544	DIODE BRIDGE RS402L 4A 100PIV INLINE	348.1	159.50
*3020544	DIODE BRIDGE RS402L 4A 100PIV INLINE	0.4	0.18
*3020544	DIODE BRIDGE RS402L 4A 100PIV INLINE	0.5	0.22
*3020549	BRIDGE RECTIFIER DF01M DF-M(HALF DIP)	24	2.62
*3020550	RECTIFIER BRIDGE 35 AMP 100V	8	8.24
*3020551-1	BRIDGE RECTIFIER 50V 4A PBU 401 or 402	428.06	189.54
*3020551-1	BRIDGE RECTIFIER 50V 4A PBU 401 or 402	21	9.03
*3020551-1	BRIDGE RECTIFIER 50V 4A PBU 401 or 402	2.94	1.26
*3020552	DIODE RECT DUAL IN-LINE BRIDGE 1A 50V	1.28	0.15
*3020552	DIODE RECT DUAL IN-LINE BRIDGE 1A 50V	375.1	43.89
*3020552	DIODE RECT DUAL IN-LINE BRIDGE 1A 50V	117.6	14.15
*3020552	DIODE RECT DUAL IN-LINE BRIDGE 1A 50V	1064.02	124.49
*3020552	DIODE RECT DUAL IN-LINE BRIDGE 1A 50V	50	5.85
*3020554	RECTIFIER DIODE GBPC3501W	45.5	56.23
*3020554	RECTIFIER DIODE GBPC3501W	5	6.18
*3020554	RECTIFIER DIODE GBPC3501W	0.5	0.60
*3020600	BRIDGE FULL WAVE 50V 1.5A	2	0.82
*3020607	VARISTOR V275LA2 275VAC	4	0.49
*3020607	VARISTOR V275LA2 275VAC	200	24.71
*3020607	VARISTOR V275LA2 275VAC	10	0.97
*3020613	VARISTOR 150V 14MM	209	23.89
*3020614	VARISTOR 275V 14MM	12	1.37
*3020617	VARISTOR 150V 20MM V150LA20A	808.8	195.72
*3020617	VARISTOR 150V 20MM V150LA20A	25	6.05
*3020617	VARISTOR 150V 20MM V150LA20A	2055.2	482.97
*3020620	VARISTOR MOV V250LA2	5	0.62
*3021504	DIODE ZENER VOLT SUPP 1.5KE33CA DO-201	9	1.90

*3022010	DIODE ARRAY MONOLITHIC 14 PIN MAD1103	13	17.40
*3022570	DIODE MPTE-5/1N6373 T/R	18	8.60
*3022921	DIODE MBR360	722.98	89.34
*3022921	DIODE MBR360	1.02	0.12
*3022928	DIODE SCHOTTKY 20A 100V MBR20100CT	46.5	15.33
*3022928	DIODE SCHOTTKY 20A 100V MBR20100CT	0.5	0.16
*3022970	DIODE DUAL MDS6100	715	73.62
*3023300	DIAC HT32	206	23.33
*302403148MHGR	DIODE ZENER 1N5349B 12V 5W T-18	2428	625.04
*302403148MHGR	DIODE ZENER 1N5349B 12V 5W T-18	214	53.50
*3024900	DIODE ZXRE125ER MICROPWR 1.22V VOLT REF	3151.84	1,207.33
*3024900	DIODE ZXRE125ER MICROPWR 1.22V VOLT REF	5	1.92
*3024900	DIODE ZXRE125ER MICROPWR 1.22V VOLT REF	19	7.28
*3024900	DIODE ZXRE125ER MICROPWR 1.22V VOLT REF	20.16	7.50
*3024900	DIODE ZXRE125ER MICROPWR 1.22V VOLT REF	10	3.72
*3025000	VOLT REFERENCE DIODE LM385BZ-2.5	83	28.80
*3025983	DIODE ZENER VOLT REG. 6.8V P6KE6.8A	7	1.59
*3026000	DIODE TRANS V SUPPRESSOR P6KE20CA	-1	(0.11)
*3026015-1	MOV HIGH SURGE VE20E300	66	19.23
*3026017	MOV ERZV10D471	8	-
*3026022	VARISTOR ZINC OXIDE 6500A	29.64	16.44
*3026022	VARISTOR ZINC OXIDE 6500A	0.36	0.19
*3026030	PROTECTOR SURGE 150V	1	0.10
*3026063	VARISTOR 250VAC 330VDC D73Z0V251RA21	606	49.92
*3026065LF	MOV VARISTOR V10E275P RoHS	1352	196.29
*3026065LF	MOV VARISTOR V10E275P RoHS	303	40.00
*3026065LF	MOV VARISTOR V10E275P RoHS	80	11.28
*3026180	MOV 273V AXIAL V430MA7B	1476	379.97
*3026180	MOV 273V AXIAL V430MA7B	2	0.50
*3026702	LIMITER CURRENT 2.5A 50V	3	0.91
*3030012LF	TRANS 2N2907A TO-18 RoHS	42.8	10.75
*3030012LF	TRANS 2N2907A TO-18 RoHS	0.2	0.05
*3030121LF	TRANS 2N3906 RoHS	317.2	4.24
*3030121LF	TRANS 2N3906 RoHS	305	3.97
*3030121LF	TRANS 2N3906 RoHS	43.8	0.57
*3030122-1	TRANS 2N3906 PNP TO92	486	7.00
*3030122-1	TRANS 2N3906 PNP TO92	59	0.83
*3030149	TRANSISTOR NPN MPSA05	72	1.93
*3030153	TRANS MOS FET TO -220 MTP3055EL	24	6.18
*3030158	SUPPRESSOR VOLT TRANSIENT P6KE24A 19.4V	19	1.95
*3030160	TRANS 2N4401 NPN TO-92	45	2.04
*3030160-1	GEN PURP NPN TRANS 2N4401	622	10.12
*3030169	TRANS N-CH MOSFET PWR IRFP044	21	18.38
*3030169	TRANS N-CH MOSFET PWR IRFP044	50	43.76
*3030170	TRANS PSMN005-55P MOS-FET -CH TO220AB	74	75.44
*3030195	FIBER OPTIC TRANSMITTER OPF372A	4	56.64
*3030196	FIBER OPTIC RECEIVER OPF522	1	12.34
*3030248	TRANS 2N7000 POWER MOSFET	188	10.65
*3030357LF	TRANS 1W HIGH CURRENT NPN MPSW01 RoHS	100	5.87
*3030368	TRANS MTP23P06 MOSFET-P-CHAN 12 OHM 60V	9	23.63
*3030404-1	TRANS MTP36N06V MOSFET N-CHANNEL	76	24.26
*3030404-1	TRANS MTP36N06V MOSFET N-CHANNEL	130	41.50
*3030433	TRANS TIP31C NPN 3A TO-220 (BULK)	36	5.75
*3030445	TRANS NPN DARLINGTON 5A 60V TIP120 TO220	6.56	1.42
*3030445	TRANS NPN DARLINGTON 5A 60V TIP120 TO220	2.44	0.51
*3030460	TRANS MPS6651/MPS750	22	0.95
*3030511	TRANS TMOS PWR FET 60V 12A	6	2.23
*3030519	TRANS DARLINGTON MJH6287	4	17.12
*3030530-2	TRANS DMOS N-CHANNEL VN0106N3	821.5	219.94
*3030530-2	TRANS DMOS N-CHANNEL VN0106N3	60	16.06
*3030530-2	TRANS DMOS N-CHANNEL VN0106N3	1.5	0.39

*3030538	N-FET TRANS	36.88	9.88
*3030538	N-FET TRANS	2.04	0.54
*3030538	N-FET TRANS	4.2	1.12
*3030538	N-FET TRANS	6.88	1.79
*3030540	TRANS DMOS P-CHANNEL VP0104N3 TO-92	30	9.58
*3030544	TRANS DMOS N-CHANNEL VN0104N3 TO-92	11	3.17
*3030610	TRANS ZTX849 30V 1.2W 5A NPN TO-92	10	3.50
*3030700	TRANS 600V 15A Q6015L6	91	71.78
*3030705	TRIAC 1.0A 600V TO-92	302	154.02
*3030810	VARIATOR V39ZA1 25V 250A 7MM	133	15.06
*3030902	TRIAC MAC218-8	40.12	36.36
*3030902	TRIAC MAC218-8	1.88	1.65
*3030903	TRIAC 200V 3MA 500/50	3.1	6.90
*3030903	TRIAC 200V 3MA 500/50	5.9	12.74
*3030907	TRIAC 1.0A 200V TO-92	5	2.52
*3030917-2	TRIAC 8A 400V SNUBBERLESS	5	2.09
*3030925	TRIAC 8A 600V	8	3.36
*3030980	PHOTOTRANSISTOR OP505C 30V	13	5.62
*3030987	PHOTOTRANSISTOR NSL-4512	15.9	15.56
*3030987	PHOTOTRANSISTOR NSL-4512	62.1	42.85
*3030990	PHOTOTRANSISTOR OPB706B 4 PIN STRAIGHT	4	2.06
*3040001	IC H11AA1 DIP-6 OPTOISOLATOR	48	12.60
*3040017	IC DARLINGTON OCTAL INVERTER ARRAY	36	10.08
*3040017LF	IC DARLINGTON ULN2803A 18P RoHS	1	0.30
*3040018	IC ULN2803 DARLINGTON 18PIN OPTO-COUPLER	4	2.30
*3040026-1	OPTO PHOTOTRANSISTOR 4N25	48	7.91
*3040065	IC 4023 14 PIN TRIPLE INP NAND GATE	9	1.39
*3040065	IC 4023 14 PIN TRIPLE INP NAND GATE	1	0.15
*3040065	IC 4023 14 PIN TRIPLE INP NAND GATE	1	0.15
*3040088	IC 4066 14 PIN DIGITAL QUAD BILAT DIP	1	0.11
*3040088	IC 4066 14 PIN DIGITAL QUAD BILAT DIP	6	0.67
*3040088	IC 4066 14 PIN DIGITAL QUAD BILAT DIP	6	0.67
*3040095	IC H11AA4 6 PIN	33	6.80
*3040100	IC CD40107	20	3.09
*3040110	IC LOW DROPOUT TL750L08 8V TO-92 BULK	4	1.58
*3040113	IC VOLT REG +5V LM2931 TO-92	3	-
*3040114	IC VOLT REG 6.2V 100MA 78LO6AC	110	7.36
*3040116	VOLT REGULATOR LM317T	5	4.12
*3040119	IC LP2952 VOLT REG ADJ	12	30.89
*3040120	IC MC34063AP1	34	8.40
*3040122-1	IC OP AMP QUAD LM324	8	0.84
*3040134	IC LM386N-3 POWER AMP LOW VOLT	2	0.66
*3040149	IC 7705 PC POWER ON RESET GENERATOR	64	11.51
*3040164	IC OP AMP LM224	14	1.29
*3040180	REG VOLT LM2576T +5V 3A SW'ER	6	7.34
*3040183	IC LM2575-5.0 5V SW REG 5 LEADS	9	8.16
*3040185LF	IC 3717A STEPPER MOTOR DVR DIP16 RoHS	6	4.38
*3040188	IC VOLT REG. 5.0V TO220-5 LM2595T-5.0	111	208.02
*3040188	IC VOLT REG. 5.0V TO220-5 LM2595T-5.0	1	1.82
*3040197	VOLTAGE REGULATOR 5V 1A	39	20.25
*3040199	VOLT REG LM2937 LOW DROP OUT TO-220	26	16.39
*3040199	VOLT REG LM2937 LOW DROP OUT TO-220	9	5.09
*3040203	VOLT REG MC7815CT/LM340T-15 TO-220	50	6.69
*3040203	VOLT REG MC7815CT/LM340T-15 TO-220	7	0.98
*3040206	VOLTAGE REGULATOR 7812CT	37	4.35
*3040208	VOLTAGE REGULATOR 7806 6V	17	2.82
*3040209	VOLTAGE REGULATOR 7905 -5V	6	0.77
*3040218	IC MC3487 16 PIN	2	0.37
*3040218	IC MC3487 16 PIN	1	0.20
*3040218	IC MC3487 16 PIN	1	0.20
*3040219	IC OPTOISOLATOR MOC3063	38	9.43



*3040226	IC MOC3023 6 PIN DIP	32	26.20
*3040228	IC VOLT REG 1A 20W 7824 TO-220AB +24VDC	2	0.31
*3040228LF	IC VOLT REG 1A 20W 7824 TO-220AB RoHS	5	0.77
*3040233	REGULATOR VOLTAGE ADJ LM317HVT	9	7.73
*3040250	IC LM2904N 8 PIN	37	2.71
*3040312	IC 7805 TO-220 5V VOLTAGE REGULATOR	-1	(0.13)
*3040312	IC 7805 TO-220 5V VOLTAGE REGULATOR	1	0.13
*3040359	IC DIFF DVR/RCVR SN75179BP 8 PIN	1	-
*3040359	IC DIFF DVR/RCVR SN75179BP 8 PIN	2	0.65
*3040382LF	IC DUAL COMPARITOR LM293N RoHS	6	-
*3040386	IC 74AC08 AND QUAD 2 IN DIP	148	10.98
*3040386	IC 74AC08 AND QUAD 2 IN DIP	2	0.14
*3040386	IC 74AC08 AND QUAD 2 IN DIP	2	0.14
*3040387LF	IC DUAL 74AC74 14 PIN RoHS	1	-
*3040389	IC 74AC138 ADVANCED CMOS 1:8 DECODER	22	5.18
*3040396	IC M5480B7 LED DISP DRIVER 23BIT DIP28	2	30.89
*3040528	IC OP AMP 741 8 PIN	20	4.02
*3040633	IC TEMP SENSOR AD22100ST TO-92	8	27.18
*3040738	IC 5V INPUT DARLINGTON DRIVER 16 PIN	73	11.80
*3040741-1	IC 74HC573 LATCH	24	8.00
*3040820LF	IC MOTOR DRIVER SLA7026M-T RoHS	1	3.12
*3041026-2	EOC EPROM PROG #355904-2 V4.00	1	5.09
*3041197	IC RAM 32KX8 150NS 62256	9	7.88
*3041205-10	PROGRAMMED EPROM 477802-10	8	22.63
*3041209-32	IC PROG 328602-32 V1.01 EPROM	56	226.87
*3041219-35	PROG. EPROM 042063-35	10	22.24
*3041220-42	EPROM PROGRAMMED 259003-42	2	9.22
*3041220-42	EPROM PROGRAMMED 259003-42	3	13.83
*3041353-1	IC 74HCT151 16 PIN DIP	15	2.78
*3041353-1	IC 74HCT151 16 PIN DIP	4	0.72
*3041370	INFRARED DETECT VISHAY TSOP1140	778	430.21
*3041370	INFRARED DETECT VISHAY TSOP1140	7	3.87
*3041370	INFRARED DETECT VISHAY TSOP1140	4	2.15
*3041370	INFRARED DETECT VISHAY TSOP1140	25	13.43
*3041370	INFRARED DETECT VISHAY TSOP1140	1	0.54
*3041370	INFRARED DETECT VISHAY TSOP1140	1	0.54
*3041380	IC LM386 POWER AMP LOW VOLT 1W	18	5.89
*3041404	IC REFERANCE VOLTAGE +5V	2	5.46
*3041460	IC RAM/E SQUARED 25C45	2	54.92
*3041485	IC ADC0831CCN	32	33.94
*3041524LF	IC SER REAL TIME CLOCK DS1306 16P RoHS	8	20.68
*3041536	IC 74HC541 8 BUFF D/R 3S DIP	32	5.76
*3041536	IC 74HC541 8 BUFF D/R 3S DIP	3	0.53
*3041536	IC 74HC541 8 BUFF D/R 3S DIP	3	0.53
*3041540	IC 74HC595 16 PIN DIP	2	0.35
*3041540-1	SERIAL IN/PARALLEL OUT 74HC595	11	1.53
*3041549	IC OPTOISOLATOR ILQ2 16 SMT	6	5.00
*3041550LF	IC 8-CH ANALOG 74HC4851 16 PIN RoHS	4	0.78
*3041550LF	IC 8-CH ANALOG 74HC4851 16 PIN RoHS	2	0.38
*3041570	IC 74HC00 14P QUAD 2-INP NAND	68	9.10
*3041574-1	IC 74HC04 HEX INVERTER	25	3.48
*3041579	IC 74HC74 H-CMOS DUAL D FLIP FLOP	15	-
*3041581LF	IC QUAD 2INP XOR GATE 74HC86 14 PIN RoHS	70	4.90
*3041583	IC 74HC125 QUAD 3S BUFFER DIP	93	14.37
*3041584	IC 74HC123 16 PIN DIP	4	0.60
*3041598LF	IC CMOS PHASE 74HC4046 16 PIN RoHS	10	1.75
*3041610-1	IC 74HC373 OCTAL D TRI-STATE LATCH	57	9.04
*3041610-1	IC 74HC373 OCTAL D TRI-STATE LATCH	70	10.81
*3041610-2	IC 74HC373 OCTAL 3-STATE NONINVE	9	3.00
*3041615-1	IC MM74HC164 8BIT SERIAL-PAR SHF	20	3.91
*3041621	IC 74HC244 20 PIN	11	3.69

*3041624	IC 74HCT244	8	2.13
*3041629	IC 74HCT573 OCTAL TRANSPARENT LATCH	16	2.44
*3041631	IC 74HCT393 DUAL RIPPLE DIP14	10	2.08
*3041631	IC 74HCT393 DUAL RIPPLE DIP14	25	5.20
*3041631	IC 74HCT393 DUAL RIPPLE DIP14	2	0.40
*3041633	IC 74HC273N	6	2.22
*3041636	IC 74HC597 PARALLEL IN/SERIAL OUT	6	1.39
*3041641	IC 74HC374 H-CMOS FLIP FLOP OCTAL	6	0.74
*3041641-1	IC 74HC374 OCT 3STATE NONINV D F	9	1.67
*3041664	IC DUAL 4BIT SYNCH BINARY 74HC4520 16PIN	10	3.71
*3041681	IC LM2574 REG. SWITCHING 5V 8 PIN	160	125.21
*3041686	IC UDN-2998W MTR DRIVER DUAL H BRIDGE	2	17.65
*3041730	IC 68HC68T1 16 PINS	2	13.39
*3041750	IC 74ACT245 8 BUS TRAN 3S DIP	15	4.33
*3042431-1	IC H11G1 OPTO-ISOLATOR 6 PIN	3332	887.22
*3042431-1	IC H11G1 OPTO-ISOLATOR 6 PIN	20	6.34
*3042435	IC PHOTOTRANSISTOR H11A1 6 PIN	12	1.48
*3042435	IC PHOTOTRANSISTOR H11A1 6 PIN	21	2.52
*3043000	I-BUTTON EEPROM DS1973-F3	5	25.72
*3043154LF	IC TEMP SENSOR LM35DT TO-220 RoHS	57	48.37
*3043305	IC CURRENT MODE CONTROLLER 3842 8 PIN	35	7.97
*3043340	IC 5A DC-DC REG LT1074CT 5 PIN TO-220	3	29.35
*3043340	IC 5A DC-DC REG LT1074CT 5 PIN TO-220	2	19.56
*3043353	IC LTC1090CN 10-BIT A/D CONVERTER	2	20.39
*3043357	IC SWITCHING VOLT REG. LM2594N-5 8 PIN	8	11.86
*3043368LF	IC VOLT REG LT1585 TO-220 RoHS	4	17.51
*3043375	IC L6506 MOTOR CONTROLLER	46	64.40
*3043375	IC L6506 MOTOR CONTROLLER	0.8	1.16
*3043375	IC L6506 MOTOR CONTROLLER	12	17.30
*3043375	IC L6506 MOTOR CONTROLLER	8	11.20
*3043375	IC L6506 MOTOR CONTROLLER	45.2	63.28
*3043423	IC REG 12V SWITCHING LM2595T-12	38	64.22
*3043423	IC REG 12V SWITCHING LM2595T-12	1	1.69
*3043427LF	IC LM2596T-5.0 3A SWITCHER TO220 RoHS	29	65.69
*3043460	IC SP720 EDS ARAY 16P DIP	196	222.01
*3043460	IC SP720 EDS ARAY 16P DIP	200	226.54
*3043620	IC OCTAL TLV5628CN 8-BIT 16 PIN	20	55.81
*3044090	IC EEPROM 24LC01B 128 BIT SERIAL DIP-8	51	7.65
*3044111	IC LINEAR OP AMP LF411	2	0.88
*3044308	IC EEPROM 5V 8 PIN	4	-
*3044429	IC LOADCELL DRIVER 8 PIN	234	118.07
*3044429	IC LOADCELL DRIVER 8 PIN	24	10.08
*3044429	IC LOADCELL DRIVER 8 PIN	24	10.08
*3044600	IC 16-BIT AD7715AN-5 SIGMA DELTA DIP-16	8	67.71
*3045007	IC TC534CPL A/D CONVERTER DIP40	3	21.96
*3045034	IC OPTO CNY17F-3 PHOTOTRANS NO BASE CONN	4301	575.74
*3045034	IC OPTO CNY17F-3 PHOTOTRANS NO BASE CONN	1	0.13
*3045035	IC OPTO-ISOLATOR CNY17-3 6PIN DIP	139	18.61
*3045176LF	IC SN75176 COMM BUFFER RoHS	20	9.72
*3045176LF	IC SN75176 COMM BUFFER RoHS	9	3.71
*3045182	IC QUAD SPST DG445 ANALOG SWITCH 16 PIN	4	3.32
*3045304	IC TRANSFORMER RS-485 MAX253 8 PIN WIDE	3	3.86
*3045305	IC RS-485 LINE DRIVER MAX485	20	28.63
*3045360	IC VOLT RESET MONITOR 5V TO-92	6	0.94
*3045385	IC RESET ECONO 5V 15% DS1811-5	2	1.09
*3045410	LCD DRIVER MM5453M	1	2.26
*3045516	IC CS5516 A/D 24 PIN	5	424.76
*3045580LF	IC DMOS FULL BRIDGE DVR L6202 DIP18 RoHS	9	38.92
*3046105	IC MOC3042 OPTOISOLATOR 6PIN DIP	30	7.72
*3046114	DIGITAL OCTAL 8BIT MAX529CPP 20PIN	10	54.06
*3046479-1	IC RS-232 TRANSCEIVER MAXIM	3	0.85

*3046485	IC TLP620-4GB/C844 OPTO-COUPLER 16 PIN	168	120.23
*3046486	OPTO-COUPLER	3	1.95
*3046490	IC VQ1000 14 PIN	2	9.84
*3047000	1K CMOS EPROM 93LC46A/P NYM	1	0.27
*3047000	1K CMOS EPROM 93LC46A/P NYM	4	1.04
*3047001	EEPROM XLS93LC46B-/P	85	17.51
*3047001	EEPROM XLS93LC46B-/P	120	24.71
*3047007	IC 93C66 4K SERIAL CMOS EEPROM	44	7.48
*3047080	IC STEPPER DRIVER L298N 15 PIN SIP	20	35.01
*3047083LF	IC DRIVER 3773 DUAL STEPPER RoHS	266	538.77
*3047243	IC X25020 DIP-8 EEPROM 128X8	70	252.28
*3047270	IC DS1233-15 TO-92 PLASTIC 3LEAD	39	24.09
*3047450	IC 9637A 8 PIN	13	3.16
*3047510	IC OP AMP OP400HP 14-PIN	4	18.33
*3047551-1	OPTO INSOLATOR 6N137	5	3.04
*3047570	IC MC34064P-5 UNDERVOLT SENSE	76	15.65
*3047570	IC MC34064P-5 UNDERVOLT SENSE	10	3.43
*3047581	IC IXDP630 18 PIN	20	44.48
*3047702LF	IC VOLT REG 5V 3 TERM 78L05ABZ RoHS	10	-
*3048100	IC DP3695 8 PIN	6	2.60
*3048100	IC DP3695 8 PIN	1	0.24
*3048120	IC CONTROLLER MIC3172 8 PIN	19	29.74
*3048950-V1.15	IC PROGRAMMED MICROCONTROLLER	19	88.76
*3049380	IC PROGRAMMED GAL 16V8 DIP-20	20	23.27
*3049381	IC PROGRAMMED FLASH CYBERLIGHT	3	4.39
*3100202C	PCB ITW 294690 RELAY	15	262.27
*3100202C	PCB ITW 294690 RELAY	1	15.94
*3100244B	PCB ITW 294312 MOTOR PROTECTOR	1	15.70
*3100249M	PCB ITW TIMER 118418	3	40.38
*3100279D	PCB ITW 122181-3 3 RMB	358	1,234.94
*3100295B	PCB ITW 111630 MASTER	27	328.21
*3100473B	PCB ITW 294275 HTCB BD.	6	94.47
*3100517B	PCB ITW 475099 CONTROL	10	230.66
*3100922-A00	PCB TST 290-3042-00 DURATEK 10 PDC AREV	1	15.41
*3100939C	PCB TST 290-0240-C00 ECM LOCK CONTROL	56	35.53
*3100940-D00	PCB TST 290-0241-01 ECU SWITCH PANEL	10	6.46
*3100942-C00	PCB TST S290-0103-B00 TITAN FLASHER	1900	586.94
*3100942-C00	PCB TST S290-0103-B00 TITAN FLASHER	2	0.60
*3100942-C00	PCB TST S290-0103-B00 TITAN FLASHER	18	-
*3100943B	PCB TST 290-0242-B00 SPLIT HALL EFF SEN	240	58.82
*3100949A	PCB TST 290-0872-00 TOUCH TEK SWITCH PAN	1512	949.73
*3100962-A00	PCB TST 290-5302-A00 2 POS SMT B/L STRIP	680	213.57
*3100963-C00-1	PCB TST 290-0225-00 750 INTERFACE	5	151.98
*3100970-A00-1	PCB TST 290-0228-00 REAR CONTROL PANEL	3	58.69
*3100976-A00	PCB TST 290-5309-A00 9 POS SMT B/L STRIP	140	160.02
*3100979-A00	PCB TST 290-0340-00 JOYSTICK CONTROL PAN	3	15.45
*3100979-A00	PCB TST 290-0340-00 JOYSTICK CONTROL PAN	3	15.00
*3100991-B00	PCB TST 290-3030-00 MUNCIE PWR/ELECT	17	49.01
*3101200NR	PCB STACO 213-0154 INTERFACE	4	46.34
*3101201NR	PCB STACO 213-0152 DC BUSPLATE	3	30.74
*3101202NR	PCB STACO 213-0151 20 KVA NEUTRAL	1	49.94
*3101205NR	PCB STACO 213-0144 INVERTER CONTROL	1	48.70
*3101208NR	PCB STACO 213-0141 RECTIFIER BD	1	7.47
*3101831B	PCB NEMATRON 300A0141 IWS-30	1	14.72
*3101851B	PCB NEMATRON 300A0203 CONN BD D/S SUP	90	273.39
*3101853B	PCB NEMATRON 300A0221 DELTA K/MUX	8	205.95
*3101853B	PCB NEMATRON 300A0221 DELTA K/MUX	5	-
*3101858A	PCB NEMATRON 300A0142 VGA MONO TRANSITIO	5	20.59
*3101858A	PCB NEMATRON 300A0142 VGA MONO TRANSITIO	1	4.12
*3102479C1	PCB ITW 440836 SENSOR	321	264.43
*3102482B	PCB ITW 049483 LABEL APPLIER CONTROL	68	1,050.31

*3102486B	PCB ITW 478073 RELAY ADAPTER	8	29.66
*3102488F1	PCB ITW 046861 2MD PSRAM	1850	2,476.48
*3102510D	PCB ITW 259652 RS232 R422/485	2	27.72
*3102513B	PCB ITW 042373 SERIAL/PARALLEL	64	576.64
*3102517C	PCB ITW 042394 CLA POWER CONTROL	55	745.31
*3102518C	PCB ITW 042398 BRHLESS DC MTR CONTRL	18	78.77
*3102531D	PCB ITW 042347 SCALE CONTROL	52	1,080.01
*3102533F1	PCB ITW 042319 LARGER POWER SUPPLY	2	81.76
*3102534B	PCB ITW 042346 CONSOLE MOD NET ADPTR	8	41.19
*3102535F	PCB ITW 042309 CONSOLE CONTROL	4	86.50
*3102536C	PCB ITW 042455 SYSTEM CONTROLLER	28	778.76
*3102545B	PCB ITW 329966 CONTROL	2	24.12
*3102546D	PCB ITW 355890 EOC MAIN CONTROL	4	257.43
*3102554B	PCB ITW 477224 DISPLAY	78	525.21
*3102554B	PCB ITW 477224 DISPLAY	16	107.82
*3102554B	PCB ITW 477224 DISPLAY	2	13.08
*3102554B	PCB ITW 477224 DISPLAY	2	13.08
*3102555B	PCB ITW 477226 SCALE	32	555.23
*3102557E	PCB ITW 475459 TEMPERATURE CONTROL	48	66.73
*3102569C1	PCB ITW 046968 POWER CONTROL	9	94.53
*3102573F	PCB ITW 478330 2712	5	6.95
*3102574D	PCB ITW 048406 NEEP	80	382.23
*3102588E	PCB ITW 475503 TEMP CONTROL	16	45.80
*3102594C1	PCB ITW 479253 2912PS & 2912SC	34	383.36
*3102598B	PCB ITW 748824 RELAY FT900/W	3	53.01
*3102603B	PCB 047478 ULTIMA/SLA I/F-D/S 56 UP	48	275.31
*3102610C	PCB ITW 048860 PRINTER 4UP 4LAYER	48	602.51
*3102616B	PCB ITW 749476 RELAY FT900/W	9	208.52
*3102617C	PCB ITW 046484 ETHERNET	262	717.63
*3102617C	PCB ITW 046484 ETHERNET	200	532.00
*3102624C	PCB ITW 046513 CONSOLE	12	43.37
*3102625E	PCB ITW 749824 AM14	6	84.03
*31026260	PCB ITW 043537 SENSOR	282	130.67
*3102629C	PCB ITW 434312 BLAST CHILLER	2	48.31
*3102632C	PCB ITW 046547 ETHERNET ULTIMA	2	41.75
*3102632C	PCB ITW 046547 ETHERNET ULTIMA	8	-
*3102640D	PCB ITW 873632 SLICER CONTROL	10	141.17
*3102641B	PCB ITW 873634 KNIFE MOTOR CONTROL	8	70.10
*3102647C	PCB ITW 892716 CHEMICAL LXI	93	124.49
*3102647C	PCB ITW 892716 CHEMICAL LXI	123	164.65
*3102647C	PCB ITW 892716 CHEMICAL LXI	1	1.30
*3102647C	PCB ITW 892716 CHEMICAL LXI	4	5.20
*3102653B	PCB ITW 855222 RELAY (VHX ELECTRIC)	32	115.99
*3102658B	PCB ITW/HOBART 442357 CONSOLE TS QUANTUM	2	13.39
*3102660B	PCB ITW/HOBART 441251 PRINTER CONTROLLER	23	191.60
*3102660C	PCB ITW/HOBART 441251 PRINTER CONTROLLER	15	168.67
*3102661D	PCB 892933 LXI/AM RELAY	692	1,018.97
*3102663C	PCB ITW/HOBART 441279 LSMN EVOLUTION	1	3.92
*3102665B	PCB ITW/HOBART 875605 LEGACY MIXER	32	115.33
*3102672B	PCB ITW/HOBART 442908 SERGE PROTECTOR	20	43.25
*3102673B	PCB ITW/HOBART 441967 USB WEIGHER	8	56.35
*3102675C	PCB ITW/HOBART 893765 CHEMICAL MODULE	20	37.48
*3102681B	PCB ITW/HOBART 442132 NODE CPU WRAPPER	170	1,209.61
*3102681B	PCB ITW/HOBART 442132 NODE CPU WRAPPER	150	1,067.30
*3102681B	PCB ITW/HOBART 442132 NODE CPU WRAPPER	20	142.31
*3102690B	PCB ITW/HOBART 443274 USB INTERFACE	114	346.30
*3102690B	PCB ITW/HOBART 443274 USB INTERFACE	6	-
*3102690B	PCB ITW/HOBART 443274 USB INTERFACE	36	106.20
*3102691B	PCB ITW 442323 DUAL STEPPER DRIVER WRAPP	30	237.86
*3102691B	PCB ITW 442323 DUAL STEPPER DRIVER WRAPP	124	983.18
*3102691B	PCB ITW 442323 DUAL STEPPER DRIVER WRAPP	2	15.40

*3102699E-LF	PCB ITW/HOBART 442142 SENSOR ARRAY CAMER	50	197.70
*3102701B	PCB ITW/HOBART 443749 EPP CONSOLE	6	72.41
*3102702B	PCB ITW/HOBART 443785 QUANTUM WIRELESS L	300	657.99
*3102702B	PCB ITW/HOBART 443785 QUANTUM WIRELESS L	5	10.96
*3102702B	PCB ITW/HOBART 443785 QUANTUM WIRELESS L	43	92.97
*3102702B	PCB ITW/HOBART 443785 QUANTUM WIRELESS L	4	8.65
*3102703B	PCB ITW/HOBART 444249 LV WIRELESS ADTR	160	993.60
*3102703B	PCB ITW/HOBART 444249 LV WIRELESS ADTR	500	2,430.14
*3102704D	PCB ITW/HOBART 444634 LX MAIN	226	2,927.52
*3102704D	PCB ITW/HOBART 444634 LX MAIN	1	12.58
*3102704D	PCB ITW/HOBART 444634 LX MAIN	430	4,454.28
*3102704D	PCB ITW/HOBART 444634 LX MAIN	500	5,179.39
*3102704D	PCB ITW/HOBART 444634 LX MAIN	11	110.66
*3102704D	PCB ITW/HOBART 444634 LX MAIN	1	10.06
*3102705C	PCB ITW 444707 WIRELESS ETHERNET CARDBUS	85	447.25
*3102705C	PCB ITW 444707 WIRELESS ETHERNET CARDBUS	294	1,546.96
*3102707D	PCB ITW/HOBART 444704 ETHERNET SCALE	10	19.05
*3102710B	PCB ITW/HOBART 444533 STEPPER DRIVER	12	9.50
*3102726D-LF	PCB ITW/HOBART 914456 MANUAL SLICER RoHS	370	1,950.67
*3102726D-LF	PCB ITW/HOBART 914456 MANUAL SLICER RoHS	1	5.12
*3102727B	PCB ITW/HOBART 919473 NIAGARA CONTROL	31	184.82
*3102728B	PCB ITW/HOBART 919474 NIAGARA RELAY	40	235.18
*3102730A-LF	PCB ITW/HOBART 914699 MANUAL SLICER RoHS	3	6.18
*3102734B	PCB ITW/HOBART 913084-2	16	201.00
*3102735B	PCB ITW 445811 BRAKE VALVE FUSE	368	325.88
*3102926A	PCB HEXAGON 30005770 BEEPER/Z AXIS FAIL	2	102.97
*3103201AE-LF	PCB PAXAR 126483 9860 KNIFE DVR RoHS	1	5.30
*3103209AB-LF	PCB PAXAR 126474 BATTERY STATUS RoHS	3	6.83
*3103209AB-LF	PCB PAXAR 126474 BATTERY STATUS RoHS	1	2.28
*3103302A	PCB IN-SOURCE CONTROL BOARD	5	16.47
*3103305C1	PCB SPX 0340401-C CONTROL PANEL	558	982.54
*3106350B-LF	PCB KABA MAS 99 USER SMPT/SMLK II RoHS	39	28.51
*3106354A-LF	PCB KABA MAS 623079 ANTENNA ROHS	2	2.64
*3107100-4	PCB STANDARD CHANGE 1P00166 MODULAR	14	129.75
*3107101-11	PCB STANDARD CHANGE 1P00163	7	11.31
*3107102-5	PCB STANDARD CHANGE 1P00169 DMS CPU	56	219.12
*3107103-2	PCB STANDARD CHANGE 1P00170	24	222.42
*3107251NR	PCB INVACARE 9611438	106	67.67
*3107251NR	PCB INVACARE 9611438	1	0.64
*3107253A	PCB INVACARE 9611440 POWER TQ BD	52	307.89
*3107300-01	PCB WINCHESTER 151023 CABLE W/ ESD	36	463.37
*3107301-01	PCB WINCHESTER 150719 16CH CABLE CONN	34	437.62
*3107301-01	PCB WINCHESTER 150719 16CH CABLE CONN	1	7.25
*3107500-1	PCB HIGH END(SIMCLAR) 99030095 DISPLAY S	6	42.00
*3107502-1.4	PCB HIGH END(SIMCLAR) 99030111 LOGIC ME5	3	60.36
*3107508-1.2LF	PCB HIGH END 99030188EF BUTTON TOP RoHS	4	171.06
*3107510-1.1LF	PCB HES 99030184EF DESKLIGHT LED RoHS	15	17.85
*3107517-1.1LF	PCB HES 99030199EF USB TIMECODE 3 RoHS	6	27.18
*3107905-02	PCB SAFTRONICS B1022-2 EZ6 HIGH VOLT	4	51.07
*3108042D	PCB LENCO MARINE 40018 URI TRIM TAB CNTL	64	90.94
*3108060E	PCB ETS 460190 UNIV MOTORBASE	6	83.41
*3108090E	PCB ETS 460140 REAR PANEL 2090 CONTROLL	12	160.64
*3120009	CRYSTAL 10MHZ	88	17.03
*3120012	OSCILLATOR 12.0 MHZ	17	41.31
*3120012	OSCILLATOR 12.0 MHZ	1	1.75
*3120041	OSCILLATOR 8.0MHZ	388	447.47
*3120062	CRYSTAL 11.0592MHZ HC-18/49	22	5.21
*3120066LF	CRYSTAL 11.0592MHz HC49 RoHS	30	6.80
*3120066LF	CRYSTAL 11.0592MHz HC49 RoHS	9	1.89
*3120070LF	CRYSTAL 22.1184MHZ 20PF HC-49U RoHS	115	42.63
*3120084	OSCILLATOR 20MHZ	16	113.68

*3120089	CRYSTAL 20MHZ LW PROFILE HC49S	64	13.84
*3120090	CRYSTAL 24MHZ	21	4.76
*3120091	OSCILLATOR 2.4576MHZ	11	12.80
*3120096	CRYSTAL 16 MHZ	6	1.05
*3120102	CRYSTAL 2.4576MHZ	7	3.62
*3120103	CRYSTAL 4mhz HC49U	86	26.57
*3120109	CRYSTAL 4.0 MHZ	2	0.64
*3120111	CRYSTAL 4.000MHz HC-49S	81	16.01
*3120111	CRYSTAL 4.000MHz HC-49S	1	0.19
*3120118	CRYSTAL 16.0mhz	56	17.94
*3120135	CRYSTAL 29.49 MHZ 3 LEADED FUNDAMENTAL	1	0.33
*3120140	CRYSTAL 32.768KHZ	38	4.70
*3120141	CRYSTAL 32.768KHz +/-20PPM 9PF	3	0.67
*3120152	CRYSTAL 3.6846 MHZ	41	9.71
*3120158	CRYSTAL 8MHZ	20	7.69
*3120160	CRYSTAL 8MHZ LOW PROFILE	42	13.41
*3120162	CRYSTAL 7.372 MHZ W/ MYLAR SPACER	144	49.60
*3120178	OSCILLATOR 14.318MHZ	308	261.80
*3120178	OSCILLATOR 14.318MHZ	2	1.70
*3120178	OSCILLATOR 14.318MHZ	5	14.67
*3120178	OSCILLATOR 14.318MHZ	6	5.10
*3120178	OSCILLATOR 14.318MHZ	2	1.70
*3120231	CRYSTAL 4 MHZ	2	10.30
*3120266	CLOCK OSC MXO45T-16.000MHZ DIP14	40	58.49
*3120341	CRYSTAL 8.0MHZ	205	42.22
*3120341	CRYSTAL 8.0MHZ	28	5.77
*3120341	CRYSTAL 8.0MHZ	46	9.47
*3120341	CRYSTAL 8.0MHZ	196	39.20
*3120341	CRYSTAL 8.0MHZ	433	86.60
*3122042	RESONATOR 4.00	1502	290.77
*3122044LF	CERAMIC RESONATOR 4MHZ .5% RoHS	2	0.74
*3122044LF	CERAMIC RESONATOR 4MHZ .5% RoHS	1	0.18
*3130016	POWER SUPPLY WALLMOUNT 800mA 120VAC	1	6.56
*3130016	POWER SUPPLY WALLMOUNT 800mA 120VAC	1	6.55
*3130026	POWER SUPPLY #5V & +/-12V	-1	(25.00)
*3130026	POWER SUPPLY #5V & +/-12V	1	26.79
*3130051	POWER SUPPLY +24 VOLT	1	78.00
*3130300	INVERTER DC/AC	6	92.68
*3160002	CAP CER 0.1UF AXIAL	13	1.51
*3160011	CAP CER 1UF 50V 20% Z5U .200 IN	182	28.11
*3160102	CAP CER .01UF 50V 5% NPO .215/.185LS	27	5.13
*3160104	CAP .01MFD 250VAC .375 IN	6	5.14
*3160104	CAP .01MFD 250VAC .375 IN	2	1.34
*3160108	CAP CER .01UF 10% 100V X7R	3306.28	78.30
*3160108	CAP CER .01UF 10% 100V X7R	251.72	5.79
*3160280	CAP CER .033UF 100V AXIAL MONO	4389	369.11
*3160502	CAP CER 18PF 50V 20% .100LS .024 MAX LD	96	8.70
*3160595	CAP CER 20PF 10% 1000V S2L .250/.200 T/R	4	0.98
*3160596	CAP MONO CER 22PF 200V 5% COG .100 IN	1383	99.69
*3160601	CAP CER 22PF 100V 10% AXIAL	3548	252.08
*3160601	CAP CER 22PF 100V 10% AXIAL	4	0.30
*3160602LF	CAP CER 22PF 100V 5% NPO AXIAL RoHS	404	26.63
*3160608	CAP MONO CER 33PF 5% 200V COG AXIAL	15	3.17
*3160900	CAP .022UF 5% 50V POLY .197 IN	4	0.62
*3161151	CAP CER 100PF 5% 50V NPO .195 IN	674.92	75.76
*3161151	CAP CER 100PF 5% 50V NPO .195 IN	4.64	0.36
*3161151	CAP CER 100PF 5% 50V NPO .195 IN	93.44	10.18
*3161151	CAP CER 100PF 5% 50V NPO .195 IN	3	0.33
*3161153	CAP CER 100PF 5% 100V COG .100LS T/R	23	2.23
*3161268	CAP MONO 220PF 200V X7R 10% AXIAL	4.8	-
*3161268	CAP MONO 220PF 200V X7R 10% AXIAL	10	1.03

*3161268	CAP MONO 220PF 200V X7R 10% AXIAL	0.2	0.02
*3161286	CAP CER 470PF 10% X7R 100V AXIAL	997	57.49
*3161286	CAP CER 470PF 10% X7R 100V AXIAL	20	1.12
*3161332	CAP MONO 470PF 20% 50V COG T/R AXIAL	4882	301.63
*3161332	CAP MONO 470PF 20% 50V COG T/R AXIAL	8	0.48
*3161359	CAP CER 1000PF (.001MF) 5% 100V .100LS	108	5.14
*3161360	CAP CER .001UF .100 IN	309	26.41
*3161363	CAP .001 UF 100V 10% X7R .100LS .022LD	1285	39.70
*3161388	CAP CER .002UF 20% 50V Z5U .250 T/R	776.26	81.53
*3161388	CAP CER .002UF 20% 50V Z5U .250 T/R	135	14.18
*3161388	CAP CER .002UF 20% 50V Z5U .250 T/R	1.74	0.18
*3161392	CAP CER 2200PF 10% 100V X7R .100LS T/R	94	6.24
*3161392	CAP CER 2200PF 10% 100V X7R .100LS T/R	3	0.19
*3161403	CAP CER .01UF 50V 20% 5mmLS T/R	1748	75.60
*3161407	CAP CER .1UF 100V X7R RAD .100LS T/R	676	56.39
*3161412	CAP CER 1UF 50V 20% .200LS T/R	556	65.84
*3161412	CAP CER 1UF 50V 20% .200LS T/R	6	0.69
*3161418	CAP CER .01UF 20% 100V Z5U T/R AXIAL	25	5.15
*3161424LF	CAP CER 1UF 20% 50V AXIAL RoHS	95.76	11.83
*3161424LF	CAP CER 1UF 20% 50V AXIAL RoHS	1.24	0.15
*3161427	CAP CER .01UF 1KV GP20% .375	50.72	14.94
*3161427	CAP CER .01UF 1KV GP20% .375	2.28	0.65
*3161438	CAP CER 1.0UF 50V 10% .20 IN	0.4	0.14
*3161438	CAP CER 1.0UF 50V 10% .20 IN	0.6	0.21
*3161461	CAP CER .022UF 50V 20% AXIAL	4379	291.74
*3161461	CAP CER .022UF 50V 20% AXIAL	4	0.26
*3161488	CAP CER .022UF +80%-20% 50V Y5V .200 T/R	96.96	2.50
*3161488	CAP CER .022UF +80%-20% 50V Y5V .200 T/R	7.58	0.19
*3161488	CAP CER .022UF +80%-20% 50V Y5V .200 T/R	1.46	0.04
*3161495	CAP CER .047UF 100V 10% X7R .100 T/R	179.16	8.86
*3161495	CAP CER .047UF 100V 10% X7R .100 T/R	3.84	0.18
*3161497	CAP .047UF 20% 50V CER .200LS	239	30.52
*3161632	CAP .1UF 50V X7R 10% .200LS .022LD	356	10.27
*3161633	CAP .1 UF 400V 10% .591LS .031LD	59	12.58
*3161644-1	CAP CER .1UF 50V AXIAL 20%	48	1.87
*3161644-1	CAP CER .1UF 50V AXIAL 20%	12	0.24
*3161644-2	CAP MONO .1UF 20% 50V AXIAL	5159	138.12
*3161645	CAP CER .1UF 20% 50V Z5U .250 IN	1185	46.37
*3161649	CAP MONO .1UF 10% 50V X7R	4948	163.05
*3161650	CAP MONO .1UF 63V 10% X7R .200LS T/R	63	2.59
*3161650	CAP MONO .1UF 63V 10% X7R .200LS T/R	124	4.96
*3161651	CAP CER .1UF 10% 50V X7R .100 T/R	1757	57.98
*3161656	CAP CER .1UF 20% 100V Z5U .200 T/R	2382.8	98.14
*3161656	CAP CER .1UF 20% 100V Z5U .200 T/R	8.16	0.34
*3161656	CAP CER .1UF 20% 100V Z5U .200 T/R	149.48	6.13
*3161656	CAP CER .1UF 20% 100V Z5U .200 T/R	149.48	6.13
*3161656	CAP CER .1UF 20% 100V Z5U .200 T/R	49.08	2.01
*3161656-1	CAP CER .1UF 10% 100V X7R .200 IN	29	8.96
*3161656-1	CAP CER .1UF 10% 100V X7R .200 IN	2	0.61
*3161656-2	CAP .1UF 100V Z5U .200 IN LS R/L	1776	89.61
*3161659	CAP MONO .1UF 20% 50V Z5U .200 T/R	37	0.96
*3161801	CAP TANT 10UF 20% .100 IN	402	113.83
*3165087	CAP .001UF AC RATED	5.8	1.37
*3165087	CAP .001UF AC RATED	11.2	2.58
*3165185	CAP MONO .22UF 20% 50V Z5U .200 T/R	557	44.56
*3170005	CAP 47PF 3000V 20% .250 IN	46	13.17
*3170014	CAP MICA 18PF 5% 300V .120 IN +/- .030	7	9.44
*3170050	CAP MICA 47PF 5% 500V .234LS	3.4	0.88
*3170050	CAP MICA 47PF 5% 500V .234LS	0.6	0.15
*3180009	CAP ELECT 1UF 20% 50V 85C	102	1.45
*3180013	CAP ELECT 1UF 50V 20% .079 IN	9	0.34

*3180014	CAP TANT 2.2UF 16V .100LS .020LD	260.12	42.86
*3180014	CAP TANT 2.2UF 16V .100LS .020LD	2.88	0.46
*3180014	CAP TANT 2.2UF 16V .100LS .020LD	1	0.16
*3180032	CAP ELEC 4.7UF 20% 50V .078LS NON-POLAR	342	20.78
*3180040	CAP TANT 4.7UF 10% 25V .200 T/R	106	32.75
*3180042	CAP ELECT 4.7UF 50V .100 IN	22	0.86
*3180051LF	CAP ELECT 10UF 450V 20% .200LS RoHS	98.96	24.97
*3180051LF	CAP ELECT 10UF 450V 20% .200LS RoHS	44.96	11.02
*3180051LF	CAP ELECT 10UF 450V 20% .200LS RoHS	1.08	0.26
*3180060	CAP ELEC 10UF 20% 35V .100 T/R	1584	32.62
*3180062	CAP ELECT 10UF -20%+50% 35V .100LS	4	0.36
*3180068	CAP ELECT 10UF 35V R/L	78	1.61
*3180068	CAP ELECT 10UF 35V R/L	5	0.10
*3180069	CAP TANT 10UF 10% 35V .100 T/R	4	5.15
*3180075	CAP ELECT 22UF 35V 20% .177/.217	393.06	60.71
*3180075	CAP ELECT 22UF 35V 20% .177/.217	0.94	0.14
*3180076	CAP ELEC 22UF 20% 25V .100 T/R	53.68	4.42
*3180076	CAP ELEC 22UF 20% 25V .100 T/R	10.02	0.80
*3180076	CAP ELEC 22UF 20% 25V .100 T/R	0.3	0.02
*3180080	CAP 22UF 35V ELECT MINI R/L	24	1.16
*3180086	CAP ELECT 22UF 50V .100 IN	16	0.72
*3180089	CAP ALUM ELECT 22UF 20% 25V .058/.099	822.2	16.08
*3180089	CAP ALUM ELECT 22UF 20% 25V .058/.099	11.8	0.35
*3180091	CAP ELECT 22uF +/-20% RADIAL .200 IN	662.68	51.18
*3180091	CAP ELECT 22uF +/-20% RADIAL .200 IN	8.32	0.62
*3180091	CAP ELECT 22uF +/-20% RADIAL .200 IN	40	3.00
*3180095	CAP ELECT 47UF 16V 20% .079 IN	92.98	4.31
*3180101	CAP ELECT 47UF 25V 5X11	193	2.29
*3180111	CAP ALUM ELECT 47UF 100V 20% RAD	174	32.61
*3180125	CAP ELECT LOW ESR 100UF 35V .137 INLS	3064	220.85
*3180125	CAP ELECT LOW ESR 100UF 35V .137 INLS	1000	90.62
*3180125	CAP ELECT LOW ESR 100UF 35V .137 INLS	2	0.14
*3180126	CAP AL ELECT 100UF 16V RAD	1368	39.44
*3180129	CAP ALUM ELECT 100UF 25V 20%	73.36	4.60
*3180129	CAP ALUM ELECT 100UF 25V 20%	20.64	1.26
*3180130	CAP ELEC 100UF 25V +/-20% .200 IN RAD	182.92	23.78
*3180130	CAP ELEC 100UF 25V +/-20% .200 IN RAD	2.08	0.27
*3180131	CAP ELECT 100UF 63V .197 LS .024 LD	155	8.79
*3180135	CAP ELECT 100UF 20% 25V .100 -40+85	451	15.79
*3180162	CAP ELECT 100UF 50V 20% .138	184.2	18.97
*3180162	CAP ELECT 100UF 50V 20% .138	13.72	0.69
*3180162	CAP ELECT 100UF 50V 20% .138	0.08	0.01
*3180169	CAP ALUM 100UF 50V 20% RAD	738.36	33.45
*3180169	CAP ALUM 100UF 50V 20% RAD	102	4.49
*3180169	CAP ALUM 100UF 50V 20% RAD	137.64	6.06
*3180171LF	CAP ELECT 100UF 10V 20% .079LF RoHS	434.48	23.71
*3180171LF	CAP ELECT 100UF 10V 20% .079LF RoHS	456.52	24.20
*3180173	CAP ELECT 100UF 20% 35V .138 IN	80	7.89
*3180175	CAP ELEC 150UF +100%-10% 35V T/R AXIAL	8	4.20
*3180189LF	CAP ELECT ALUM 47UF 35V 20% RAD RoHS	34	1.94
*3180192	CAP ELECT 47UF 50V .100 IN	824.2	63.66
*3180192	CAP ELECT 47UF 50V .100 IN	405.92	30.44
*3180192	CAP ELECT 47UF 50V .100 IN	2.88	0.22
*3180192	CAP ELECT 47UF 50V .100 IN	1	0.08
*3180205	CAP ELECT 220UF 25V R/L	404	16.64
*3180205	CAP ELECT 220UF 25V R/L	2	0.08
*3180207	CAP ALUM ELECT 220MFD 20% 16V .138LS	18.4	1.40
*3180207	CAP ALUM ELECT 220MFD 20% 16V .138LS	1.6	0.12
*3180214	CAP ELECT 220UF 50V 20% .197 IN	24	6.99
*3180221	CAP ELEC 220UF 20% 50V .200 T/R	96	8.11
*3180227	CAP ELECT 220UF 25V .197LS .024LD	819.2	118.10



*3180227	CAP ELECT 220UF 25V .197LS .024LD	0.8	0.11
*3180228	CAP ELECT 220UF 100V .300LS .031LD	7	2.35
*3180243	CAP ALUM ELECT 1500UF 50V 20% RAD	101	61.36
*3180316	CAP AL EL 330UF 50V 20%	29	12.33
*3180323	CAP ELECT 330UF 20% 16V .138 IN +/- .020	314.76	44.73
*3180323	CAP ELECT 330UF 20% 16V .138 IN +/- .020	2.16	0.30
*3180323	CAP ELECT 330UF 20% 16V .138 IN +/- .020	7.08	0.98
*3180335	CAP ALUM ELECT 330UF 16V 20% .177/.217LS	175	30.46
*3180348	CAP ELECT 470UF 6.3V 20% .138 IN	180	18.53
*3180351	CAP ALUM ELECT 470UF 16V 20% .138LS RAD	246.98	18.82
*3180351	CAP ALUM ELECT 470UF 16V 20% .138LS RAD	1.02	0.10
*3180355	CAP ELEC 470UF 20% 16V .197	4	0.31
*3180355	CAP ELEC 470UF 20% 16V .197	200	15.65
*3180358	CAP ELECT 470UF 20% 35V .197LS	114.4	22.32
*3180358	CAP ELECT 470UF 20% 35V .197LS	1.6	0.30
*3180361LF	CAP ELECT 470UF 50V 105C RoHS	4	0.78
*3180363	CAP ELECT 470UF 35V .200 IN	18	4.63
*3180431	CAP ELECT 680UF 25V 20% .200 IN	8.88	1.51
*3180431	CAP ELECT 680UF 25V 20% .200 IN	0.12	0.02
*3180432	CAP ELECT 820 UF 25V .024LD .138 LS	1690.92	470.12
*3180432	CAP ELECT 820 UF 25V .024LD .138 LS	0.12	0.03
*3180432	CAP ELECT 820 UF 25V .024LD .138 LS	0.16	0.04
*3180432	CAP ELECT 820 UF 25V .024LD .138 LS	0.8	0.22
*3180436	CAP ELECT 1000UF 16V LOW ESR .197 IN	30	6.21
*3180442	CAP ELECT LOW IMP 1000UF 20% 25V .197 IN	55.2	13.19
*3180442	CAP ELECT LOW IMP 1000UF 20% 25V .197 IN	0.8	0.19
*3180444	CAP ELECT 1000UF 50V 20% .295LS .032LD	3	1.14
*3180447	CAP ELEC 1000UF 20% 25V T/R AXIAL	80.08	21.44
*3180447	CAP ELEC 1000UF 20% 25V T/R AXIAL	9	2.41
*3180447	CAP ELEC 1000UF 20% 25V T/R AXIAL	0.92	0.24
*3180451	CAP ELECT 1000UF 25V VDC .200LS .023LD	87	23.38
*3180455	CAP ELECT 1000UF 16V 20% .200 IN	142.52	38.16
*3180455	CAP ELECT 1000UF 16V 20% .200 IN	0.48	0.12
*3180472	CAP AL ELECT 1000UF 20% 25V	81	42.54
*3180482	CAP AL EL 1200UF 35V 20% LOW ESR	70	43.11
*3180487	CAP ELECT 1500UF 16V RAD 5mmLS	23	11.30
*3180487	CAP ELECT 1500UF 16V RAD 5mmLS	100	49.12
*3180488	CAP AL. ELECT 1500UF 250V 20% SNAP-IN	46	-
*3180498	CAP ELECT 2200UF 35V 20% .295 IN	1	1.75
*3180500	CAP AL EL 18000UF 50V	63	253.65
*3180501	CAP ELECT 2200 UF 35V .295LS .031LD	46	12.79
*3180507	CAP ELECT 2200UF +35V 20% AXIAL	3	16.40
*3180511	CAP ELECT 2700uF +/-20% .300 IN RADIAL	6	12.05
*3180519LF	CAP ELECT 3300UF 50V 20% RAD RoHS	72	57.02
*3180520	CAP AL ELECT 3300UF 25V 20% .295 IN	776.72	207.95
*3180520	CAP AL ELECT 3300UF 25V 20% .295 IN	1	0.31
*3180520	CAP AL ELECT 3300UF 25V 20% .295 IN	1.36	0.40
*3180520	CAP AL ELECT 3300UF 25V 20% .295 IN	2.92	1.46
*3180523	CAP AL ELECT 3300UF 35V RAD	9.4	5.23
*3180524	CAP ELECT 3300UF 35V 20% .295 INLS	5	3.72
*3180594	CAP ELECT 4700UF 35V	48	28.67
*3180598	CAP ELECT 4700UF 25V 20% 16X31.5 RAD	26	12.05
*3180602	CAP ELECT 4700UF 50V .400LS .031LD	142	191.55
*3180602	CAP ELECT 4700UF 50V .400LS .031LD	1	1.31
*3180612	CAP ELECT 8200UF 35V 20% .400 IN	36.56	47.44
*3180612	CAP ELECT 8200UF 35V 20% .400 IN	1.44	1.81
*3180612	CAP ELECT 8200UF 35V 20% .400 IN	1	1.26
*3180617	CAP ELECT 6800UF 25V .295 IN	24	20.88
*3180670	CAP AL EL 18000UF 50V 20%	68	263.98
*3180670	CAP AL EL 18000UF 50V 20%	1	4.03
*3180677LF	CAP ELECT ALUM 22000UF 35V 20% RoHS	2	4.32

*3180850	CAP AL EL 1UF 100V 20% .079 IN	145	1.86
*3180930	CAP AL EL 4.7UF 25V 20% .100 IN	2	0.04
*3180970	CAP ELECT 6.8UF 50V .1 IN	739	29.56
*3181069	CAP ALUM ELECT 10UF 25V 20%	125.4	4.91
*3181069	CAP ALUM ELECT 10UF 25V 20%	7.6	0.29
*3181069	CAP ALUM ELECT 10UF 25V 20%	1	0.04
*3181074	CAP TANT 22UF 20% 35V .200LS	14	14.38
*3181095	CAP ALUM ELECT 68UF 20% 6.3V .059LS	791	58.64
*3181102	CAP ELECT 100UF 25V 20% .098 INLS	70	3.24
*3181103	CAP AL ELECT LOW Z 120UF 50V RAD	298	33.88
*3181134LF	CAP ELECT 180UF 35V 20% .200LS RoHS	1108.68	111.87
*3181134LF	CAP ELECT 180UF 35V 20% .200LS RoHS	81.32	7.97
*3182003	CAP TANT 4.7UF 20% 25V .200 IN	720	297.30
*3182013	CAP 10UF 16V DIPPED TANT R/L	2627	380.92
*3182013	CAP 10UF 16V DIPPED TANT R/L	14	2.03
*3182013	CAP 10UF 16V DIPPED TANT R/L	92	13.34
*3182013	CAP 10UF 16V DIPPED TANT R/L	2999	434.86
*3182014	CAP ELECT 100UF 35V .100LS T/R	574	18.32
*3182014	CAP ELECT 100UF 35V .100LS T/R	3	0.09
*3182017	CAP 10UF 25V TANT 20% RAD .100 T/R	539	122.11
*3182017	CAP 10UF 25V TANT 20% RAD .100 T/R	3.06	0.69
*3182017	CAP 10UF 25V TANT 20% RAD .100 T/R	0.92	0.20
*3182017	CAP 10UF 25V TANT 20% RAD .100 T/R	306	68.53
*3182017	CAP 10UF 25V TANT 20% RAD .100 T/R	49.02	10.78
*3182020	CAP TANT 10UF 35V .100 IN	434	210.04
*3183001	CAP TANT 2.2UF 20% 35V .250 T/R 225	153.06	23.17
*3183001	CAP TANT 2.2UF 20% 35V .250 T/R 225	35.44	5.21
*3183001	CAP TANT 2.2UF 20% 35V .250 T/R 225	0.5	0.07
*3183006	CAP TANT 1UF 20% 50V .100 T/R	417.68	98.92
*3183006	CAP TANT 1UF 20% 50V .100 T/R	17.32	3.98
*3183008-1	CAP TANT 1UF 10% 35V .200 IN	46	11.75
*3183010	CAP TANT 1UF 20% 25V .100 T/R	6	4.67
*3183017	CAP TANT 3.3UF 25V 20%	103.98	18.31
*3183017	CAP TANT 3.3UF 25V 20%	76.02	13.00
*3183027	CAP TANT 10UF 10% 35V .100 T/R	599	191.68
*3183030	CAP TANT 10UF 20% 25V .200 T/R	3	5.25
*3183046	CAP TANT 22UF 20% 20V .250 T/R	416.56	368.89
*3183046	CAP TANT 22UF 20% 20V .250 T/R	0.44	0.38
*3183046	CAP TANT 22UF 20% 20V .250 T/R	14	12.04
*3183066	CAP TANT 68UF 15V 20% AXIAL	12	25.95
*3183073	CAP TANT 100UF 10V 10% .200 IN	21.5	25.46
*3183073	CAP TANT 100UF 10V 10% .200 IN	0.5	0.58
*3183077	CAP TANT 150UF 10% 10V .200 IN	61	150.75
*3183077	CAP TANT 150UF 10% 10V .200 IN	2	6.18
*3183077	CAP TANT 150UF 10% 10V .200 IN	1	2.40
*3183105	CAP TANT .47UF 20% 50V .100 T/R	7	3.53
*318403028MHGR	CAP .022UF 10V SUPERCAP	102.84	330.40
*318403028MHGR	CAP .022UF 10V SUPERCAP	2	14.41
*318403028MHGR	CAP .022UF 10V SUPERCAP	7.14	22.43
*318403028MHGR	CAP .022UF 10V SUPERCAP	5.02	15.66
*3184203	CAP METAL FILM .01UF 50V 5% .196 T/R	1305.92	63.20
*3184203	CAP METAL FILM .01UF 50V 5% .196 T/R	918.64	41.34
*3184203	CAP METAL FILM .01UF 50V 5% .196 T/R	0.44	0.02
*3184210	CAP POLY .01UF 650V AXIAL	7.46	1.57
*3184210	CAP POLY .01UF 650V AXIAL	0.54	0.10
*3184213	CAP POLY .01UF 5%-10% 1000VDC .886LS	92	65.37
*3184214	CAP POLY .01 400V 10% .394 IN	32	8.24
*3184225	CAP POLY .022UF 5% 630V T/R .591	7	2.03
*3184250	CAP POLY .022UF 400V 10% T/R .400	60	11.00
*3184257	CAP POLY .22UF 10% 250V .600	857.2	397.20
*3184257	CAP POLY .22UF 10% 250V .600	4.8	2.16

*3184261	CAP POLY 1UF 50V MIN .197/.212LS	172	89.98
*3184290	CAP POLY .22UF 400V 10% .886 IN	19	24.46
*3185105LF	CAP POLY .0022UF 250V-275V 20% .5LS RoHS	74.48	10.28
*3185105LF	CAP POLY .0022UF 250V-275V 20% .5LS RoHS	66.52	8.91
*3185131	CAP ELECT 3900UF 20% 35V .300 IN	236.8	136.79
*3185131	CAP ELECT 3900UF 20% 35V .300 IN	7.1	3.98
*3185131	CAP ELECT 3900UF 20% 35V .300 IN	800	462.14
*3185131	CAP ELECT 3900UF 20% 35V .300 IN	0.1	0.06
*3186027	CAP METAL POLY .1UF 400V MIN 5% .590 IN	40	22.70
*3187201	CAP EMI SUPR FLT .01UF 100V	476.98	53.04
*3187201	CAP EMI SUPR FLT .01UF 100V	4	0.58
*3187201	CAP EMI SUPR FLT .01UF 100V	2.02	0.22
*3187240	CAP EMI SUPR .01UF 50V 3 LEADS .100	2	0.35
*3190006LF	CAP POLY .1UF 100V 10% .295 IN RoHS	6.68	-
*3190006LF	CAP POLY .1UF 100V 10% .295 IN RoHS	9.32	1.48
*3190010	CAP .1UF 10% POLYESTER	123.56	47.08
*3190010	CAP .1UF 10% POLYESTER	0.44	0.16
*3190012	CAP .1UF 63V POLY R/L	401	34.09
*3190016	CAP MET POLY 1UF 650V/250V 1.082 IN	81	39.53
*3190024	CAP METAL FILM .22UF 50V 5% .197 IN	150	7.72
*3190025	CAP POLY .22UF 10% 63V .200 IN T/R	732	90.45
*3190040	CAP POLY .047UF 50V 5% .200LP .024LD	1737	178.86
*3190040	CAP POLY .047UF 50V 5% .200LP .024LD	440	44.00
*3190043	CAP POLY FILM .047UF 2% 100V .197LS	76.6	44.18
*3190043	CAP POLY FILM .047UF 2% 100V .197LS	4.4	2.46
*3190300	CAP POLY .47MF 10% 50V .200 IN	23	4.74
*3190300	CAP POLY .47MF 10% 50V .200 IN	220	33.98
*3190303LF	CAP POLY .47UF 100V 10% .295 IN RoHS	12.68	-
*3190303LF	CAP POLY .47UF 100V 10% .295 IN RoHS	4.32	1.00
*3192067	CAP POLY FILM .015UF 2% 100V .158LS	18.4	7.76
*3192067	CAP POLY FILM .015UF 2% 100V .158LS	1.6	0.66
*3192068	CAP POLY .015UF 300VAC X2 .590 IN	15	5.10
*3192074	CAP POLY PROPYLENE .022UF 400V 20%	598.52	43.15
*3192074	CAP POLY PROPYLENE .022UF 400V 20%	2.04	0.20
*3192074	CAP POLY PROPYLENE .022UF 400V 20%	230.44	16.13
*3192074	CAP POLY PROPYLENE .022UF 400V 20%	8014	560.98
*3192074	CAP POLY PROPYLENE .022UF 400V 20%	485	33.95
*3192074	CAP POLY PROPYLENE .022UF 400V 20%	4	0.28
*3200025	CAP TRIMMER 5.1-40PF	26	24.10
*3211080	RES CF 30K 1/8W 5%	39	-
*3219997	RES 0 OHM 1/4W 5%	1311.2	18.91
*3219997	RES 0 OHM 1/4W 5%	1	0.01
*3220002	RES CF 4.3 OHM 5% 1/4W	4166	42.90
*3220007-1	RES CF 12 OHM 1/4W 5% .027/.021LD	16140.54	43.21
*3220007-1	RES CF 12 OHM 1/4W 5% .027/.021LD	581.82	1.55
*3220007-1	RES CF 12 OHM 1/4W 5% .027/.021LD	297.62	0.77
*3220009	RES CF 10K 5% 1/4W T/R	583	3.54
*3220010	RES CF 15 OHM 5% 1/4W T/R	3263	18.48
*3220010	RES CF 15 OHM 5% 1/4W T/R	34	0.19
*3220011	RES CF 18 OHM 5% 1/4W T/R	30373	125.10
*3220014	RES CF 20 OHM 1/4W 5%	758.76	2.11
*3220014	RES CF 20 OHM 1/4W 5%	0.24	-
*3220056	RES CF 100 OHM 1/4W 5%	1191	5.77
*3220070	RES CF 180 OHM 5% 1/4W T/R	4226.12	13.93
*3220070	RES CF 180 OHM 5% 1/4W T/R	2.44	0.01
*3220070	RES CF 180 OHM 5% 1/4W T/R	2.44	0.01
*3220073	RES CF 200 OHM 5% 1/4W	4166	12.44
*3220075	RES CF 220 OHM 5% 1/4W T/R	3994.14	12.34
*3220075	RES CF 220 OHM 5% 1/4W T/R	122.64	0.37
*3220090	RES CF 330 OHM 5% 1/4W T/R	3740	15.40
*3220110	RES CF 470 OHM 5% 1/4W T/R	4614	18.53

*3220120	RES CF 560 OHM 5% 1/4W T/R	3220	12.93
*3220150	RES CF 910 OHM 5% 1/4W T/R	4375	21.40
*3220170	RES CF 1.2K 5% 1/4W T/R	1793.56	8.12
*3220170	RES CF 1.2K 5% 1/4W T/R	830.44	3.65
*3220180	RES CF 1.8K 5% 1/4W T/R	1734	6.42
*3220185	RES CF 2K 5% 1/4W T/R	3690	12.16
*3220190	RES CF 2.2K 5% 1/4W T/R	2351.8	8.47
*3220190	RES CF 2.2K 5% 1/4W T/R	0.2	-
*3220198	RES CF 3K 5% 1/4W T/R	4798	24.70
*3220198	RES CF 3K 5% 1/4W T/R	1	-
*3220200	RES CF 3.3K 5% 1/4W T/R	1138	7.03
*3220208	RES CF 4.3K 5% 1/4W T/R	10	1.55
*3220215	RES CF 5.6K 5% 1/4W T/R	2921	9.63
*3220220	RES CF 6.8K 1/4W 5%	253.5	0.81
*3220220	RES CF 6.8K 1/4W 5%	161.5	0.52
*3220220LF	RES CF 6.8K 1/4W 5% RoHS	1675.98	4.83
*3220220LF	RES CF 6.8K 1/4W 5% RoHS	23	0.06
*3220230	RES CF 8.2K 5% 1/4W T/R	2562.5	11.61
*3220230	RES CF 8.2K 5% 1/4W T/R	0.5	-
*3220240	RES CF 12K 5% 1/4W T/R	547	1.80
*3220245	RES CF 15K 5% 1/4W T/R	4683	16.88
*3220258	RES CF 20K 5% 1/4W T/R	4868	19.55
*3220260	RES CF 22K 5% 1/4W T/R	1535.8	15.82
*3220260	RES CF 22K 5% 1/4W T/R	2.2	0.01
*3220264	RES CF 24K 5% 1/4W T/R	4564	19.74
*3220270	RES CF 27K 5% 1/4W T/R	4608.16	18.97
*3220270	RES CF 27K 5% 1/4W T/R	67.84	0.27
*3220282	RES CF 39K 5% 1/4W T/R	3400	11.22
*3220285	RES CF 47K 5% 1/4W T/R	200	15.86
*3220321	RES CF 150K 5% 1/4W T/R	4734	15.60
*3220330	RES CF 220K 5% 1/4W T/R	4745	17.58
*3220335	RES CF 270K 5% 1/4W T/R	2763	8.29
*3220343	RES CF 390K 5% 1/4W T/R	60	1.00
*3220349	RES CF 620K 1/4W 5%	4613.92	28.50
*3220349	RES CF 620K 1/4W 5%	5000	-
*3220349	RES CF 620K 1/4W 5%	49.08	0.22
*3220355	RES CF 1M 5% 1/4W T/R	3117	12.52
*3220357	RES CF 1.5M 5% 1/4W T/R	1975.84	12.21
*3220357	RES CF 1.5M 5% 1/4W T/R	17.16	0.10
*3220360	RES CF 2.2M 5% 1/4W T/R	4596	17.52
*3220360	RES CF 2.2M 5% 1/4W T/R	2	0.01
*3220370	RES CF 4.7M 5% 1/4W T/R	999.48	3.30
*3220370	RES CF 4.7M 5% 1/4W T/R	372.52	1.19
*3220381	RES CF 10M 10% 1/4W T/R	1698	6.79
*3220387	RES CF 20M 1/4W 5%	4776	21.63
*3220390	RES CF 22M 5% 1/4W T/R	4984	25.66
*3220425	RES CF 5.6M 5% 1/4W T/R	4408.08	21.57
*3220425	RES CF 5.6M 5% 1/4W T/R	20.92	-
*3230003	RES METAL STC 1 OHM 1/2W 1%	525	18.93
*3230115	RES CF 100 OHM 5% 1/2W T/R	3986	19.70
*3230120	RES CF 120 OHM 5% 1/2W T/R	258	1.68
*3230120	RES CF 120 OHM 5% 1/2W T/R	29	0.19
*3230134	RES CF 220 OHM 1/2W 5%	3017	18.64
*3230152	RES CF 430 OHM 1/2W 5%	389	3.88
*3230165	RES CF 560 OHM 5% 1/2W T/R	1973	15.03
*3230165	RES CF 560 OHM 5% 1/2W T/R	2317	14.55
*3230199	RES CF 1.8K 1/2W 5%	2512.46	15.52
*3230199	RES CF 1.8K 1/2W 5%	382.54	2.37
*3230203	RES CF 2.7K 5% 1/2W T/R	2591.68	14.15
*3230203	RES CF 2.7K 5% 1/2W T/R	7.32	0.04
*3230207	RES MF 3.3K 1/2W 5% 100PPM	3746	50.15

*3230211	RES MF 3.9K 5% 1/2W	2797.5	72.02
*3230276	RES MF 27.4K 1% 1/2W	78	25.06
*3230290	RES 39K 5% 1/2W CF	4225.5	30.03
*3230335	RES CF 75K 1/2W 5%	2818	19.15
*3230353	RES CF 180K 1/2W 5%	2983	16.28
*3230353	RES CF 180K 1/2W 5%	247.5	1.31
*3230353	RES CF 180K 1/2W 5%	247.5	1.31
*3230390	RES CF 1M 1/2W 5%	23	-
*3230390	RES CF 1M 1/2W 5%	14	-
*3230390	RES CF 1M 1/2W 5%	1	-
*3240001	RES CURRENT SENSING .0392 OHM .1% 2W	2.56	4.11
*3240001	RES CURRENT SENSING .0392 OHM .1% 2W	0.44	0.69
*3240001	RES CURRENT SENSING .0392 OHM .1% 2W	0.52	0.81
*3240001	RES CURRENT SENSING .0392 OHM .1% 2W	0.48	0.75
*3240002	RES WW .025 3W 3% .032LD	27	11.15
*3240015	RES METAL OXIDE .5 OHM 1W 1%	126	8.04
*3240016LF	RES METAL OXIDE .51 OHM 2W 5% RoHS	80	2.55
*3240021	RES WW 0.5 OHM 3W 1% TYPE NS	31.24	30.56
*3240021	RES WW 0.5 OHM 3W 1% TYPE NS	50	48.91
*3240021	RES WW 0.5 OHM 3W 1% TYPE NS	100	97.82
*3240021	RES WW 0.5 OHM 3W 1% TYPE NS	22.76	21.62
*3240031	RES CF 39 OHM 1W 5%	982.96	308.36
*3240031	RES CF 39 OHM 1W 5%	100	175.00
*3240031	RES CF 39 OHM 1W 5%	6.04	10.88
*3240031	RES CF 39 OHM 1W 5%	4	1.22
*3240036	RES 220 OHM 1W 5%	75	3.86
*3240040	RES CF 100 OHM 5% 1W	303	9.70
*3240045	RES CC 330 OHM 5% 2W BULK	238.14	9.54
*3240045	RES CC 330 OHM 5% 2W BULK	4.72	0.18
*3240045	RES CC 330 OHM 5% 2W BULK	3.14	0.12
*3240048	RES CARBON 47 OHM 1W 5%	405	30.03
*3240058	RES CC 560 OHM 5% 1W BULK	1648.5	142.59
*3240058	RES CC 560 OHM 5% 1W BULK	24	0.89
*3240058	RES CC 560 OHM 5% 1W BULK	107.5	9.03
*3240065	RES METAL OXIDE 680 OHM 2W 5%	1171.6	36.19
*3240065	RES METAL OXIDE 680 OHM 2W 5%	421.26	13.01
*3240065	RES METAL OXIDE 680 OHM 2W 5%	463.66	13.91
*3240065	RES METAL OXIDE 680 OHM 2W 5%	6.12	0.18
*3240065	RES METAL OXIDE 680 OHM 2W 5%	1.3	0.04
*3240065	RES METAL OXIDE 680 OHM 2W 5%	0.06	-
*3240077	RES WW 820 OHM 5W 10%	150.56	58.14
*3240077	RES WW 820 OHM 5W 10%	99.44	37.29
*3240077	RES WW 820 OHM 5W 10%	1	0.38
*3240083	RES CF&MF 1.5K 5% 1W	1023	368.69
*3240084	RES 1.5K 1W 5% REDUCED	1510	34.21
*3240088	RES 2.2K 3W	96	12.36
*3240088	RES 2.2K 3W	2	-
*3240110	RES METAL OXIDE 12K 1W 5%	7	2.45
*3240116	RES METAL OXIDE 15K 2W 5%	330.36	11.56
*3240116	RES METAL OXIDE 15K 2W 5%	18.64	0.63
*3240117	RES WW 15K 5W 5%	93	36.39
*3240123LF	RES MF 17.5K 5% 5W 70C RoHS	63	38.92
*3240126	RES MO 18K 5% 2W	45	1.44
*3240127	RES WW 18K 5W	4	4.94
*3240145	RES CC 33K 5% 1W T/R	6	8.34
*3240164	RES 33 OHM 5% 1W	1697	62.90
*3240170	RES METAL OXIDE 2 OHM 1W 5%	50	5.04
*3240196	RES 68K 1W 5% MF	1536.32	60.12
*3240196	RES 68K 1W 5% MF	0.68	0.03
*3240227	RES WW .24 OHM 3W 2% 200PPM	78	17.75
*3240227	RES WW .24 OHM 3W 2% 200PPM	13	12.96

*3240238	RES CF/MO .47 OHM 1W 5%	966.68	21.90
*3240238	RES CF/MO .47 OHM 1W 5%	3.32	0.07
*3240240	RES WW .49 OHM 2W 2% 200PPM	2	5.91
*3240248	RES 1.0 OHM 3W 1% WW/NI	137.68	92.72
*3240248	RES 1.0 OHM 3W 1% WW/NI	11.32	7.40
*3240248	RES 1.0 OHM 3W 1% WW/NI	100	67.34
*3240248	RES 1.0 OHM 3W 1% WW/NI	100	67.34
*3240348	RES METAL OXIDE 100 OHM 5% 2W 500V	80	3.30
*3240486	RES 200K 5% 2W	60	3.71
*3240490	RES 300K 1W 5% AXIAL	1788.92	38.69
*3240490	RES 300K 1W 5% AXIAL	0.08	-
*3240525	RES WW 47 OHM 5W 5%	1706	122.97
*3240525	RES WW 47 OHM 5W 5%	3000	216.24
*3244302	RES MF 1K 1W 5%	1589	36.00
*3244390	RES MF 1K 1/8W 0.1%	449.92	53.28
*3244390	RES MF 1K 1/8W 0.1%	104.08	11.97
*3244391	RES MF 1.1K 1/8W 0.1%	4	0.78
*3244710	RES MF 158K 1/8W 0.1%	2490.6	143.62
*3244710	RES MF 158K 1/8W 0.1%	9.24	2.67
*3244710	RES MF 158K 1/8W 0.1%	47.16	2.64
*3245080	RES 75.9K 1/4W .1%	5000	350.00
*3250001	RES .03 OHM 5W 1%	48	27.68
*3250005	RES MF 0 OHM 1/8W 1%	2122	18.13
*3250005	RES MF 0 OHM 1/8W 1%	5	0.04
*3250028	RES MF 10.5K 1/4 1%	15.84	3.72
*3250028	RES MF 10.5K 1/4 1%	0.16	0.04
*3250109	RES 10 OHM 1/4W 1%	835	4.73
*3250115	RES MF 24.9 OHM 1% 1/4W 70C	2791.2	53.35
*3250115	RES MF 24.9 OHM 1% 1/4W 70C	126.8	1.60
*3250129	RES MF 39 OHM .5W 5%	701.34	10.83
*3250129	RES MF 39 OHM .5W 5%	3.66	0.05
*3250130	RES MF 39 OHM 1/4 5%	7	0.07
*3250159	RES MF 53.6 OHM 1/4W 1%	3530	21.45
*3250159	RES MF 53.6 OHM 1/4W 1%	881	5.20
*3250162	RES MF 47 OHM 1/4W 5%	1778.34	15.57
*3250162	RES MF 47 OHM 1/4W 5%	955.42	8.12
*3250162	RES MF 47 OHM 1/4W 5%	0.24	-
*3250166	RES MF 75 OHM 1% 1/4W T/R	1013.7	6.16
*3250166	RES MF 75 OHM 1% 1/4W T/R	372.3	2.49
*3250175	RES METAL OXIDE 100 OHM 2W 5% .031LD	457.26	15.54
*3250175	RES METAL OXIDE 100 OHM 2W 5% .031LD	14.44	0.48
*3250175	RES METAL OXIDE 100 OHM 2W 5% .031LD	125.3	4.13
*3250175	RES METAL OXIDE 100 OHM 2W 5% .031LD	3	0.10
*3250186	RES WW 1K 20W 5%	41.86	48.27
*3250186	RES WW 1K 20W 5%	28.14	31.80
*3250200	RES MF 150 OHM 1% 1/8W T/R	551	9.37
*3250200	RES MF 150 OHM 1% 1/8W T/R	1973	33.54
*3250201	RES MF 100 OHM 1/2W 5% 200PPM	1123	16.19
*3250204	RES MF 100 OHM 1% 1/2W T/R	1271	11.44
*3250205	RES MF 100 OHM 1% 1/8W	796	37.71
*3250205	RES MF 100 OHM 1% 1/8W	122.4	5.80
*3250205	RES MF 100 OHM 1% 1/8W	0.6	0.03
*3250206	RES MF 243 OHM 1/4W 1%	1230.68	67.17
*3250206	RES MF 243 OHM 1/4W 1%	513.32	27.21
*3250227	RES MF 309 OHM 1/4W 1%	29.46	0.45
*3250227	RES MF 309 OHM 1/4W 1%	0.54	0.01
*3250244	RES MF 604 OHM 1% 1/4W T/R	386	15.90
*3250265	RES MF 1K 5% 1/4W T/R	2844	87.86
*3250268-1	RES MF 1K 1/4W 1%	786.28	4.86
*3250268-1	RES MF 1K 1/4W 1%	293.72	1.76
*3250270	RES MF 1K 1/8W 1%	1075	11.07

*3250303	RES MF 2K 1/4W 1% 100PPM	4742	28.81
*3250320	RES MF 2.21K 1% 1/18W	4646	45.45
*3250323	RES MF 2.8K 1/4W 1%	4959.2	39.32
*3250323	RES MF 2.8K 1/4W 1%	3.8	0.03
*3250369	RES MF 5.11K 1/4W 1%	5000	36.05
*3250398	RES MF 6.81K 1/2W 1% (1/4W PACKAGE)	3800.24	58.69
*3250398	RES MF 6.81K 1/2W 1% (1/4W PACKAGE)	3.76	0.14
*3250400	RES MF 6.34K 1% 1/8W T/R	4538	79.45
*3250409	RES MF 7.15K 1/4W 1% T/R	3656	32.91
*3250411	RES MF 7.5K 1% 1/8W T/R	842	5.72
*3250411	RES MF 7.5K 1% 1/8W T/R	1000	142.10
*3250417	RES MF 9.76K 1/4W 1%	1504.88	13.02
*3250417	RES MF 9.76K 1/4W 1%	4961.2	41.67
*3250417	RES MF 9.76K 1/4W 1%	1.92	0.02
*3250420	RES MF 8.25K 1% 1/8W T/R	2757	24.81
*3250425-1	RES MF 10K 1% 1/4W T/R	2595.4	16.03
*3250425-1	RES MF 10K 1% 1/4W T/R	1674.6	10.05
*3250427	RES MF 10M 5% 1/4W T/R	1923.12	31.69
*3250427	RES MF 10M 5% 1/4W T/R	15.88	0.25
*3250440	RES MF 22.1K 1% 1/8W T/R	14	1.51
*3250441	RES MF 29.4K 1/4W 1%	826.28	13.61
*3250441	RES MF 29.4K 1/4W 1%	281.72	4.51
*3250444	RES MF 29.4K 1% 1/8W T/R	251.14	7.75
*3250444	RES MF 29.4K 1% 1/8W T/R	162.36	4.87
*3250444	RES MF 29.4K 1% 1/8W T/R	2.5	0.08
*3250453	RES MF 39.2K 1% 1/8W T/R	3210.8	99.19
*3250453	RES MF 39.2K 1% 1/8W T/R	108.2	3.25
*3250457	RES MF 30.1K 1/4W 1% T/R	4465	27.58
*3250458LF	RES MF 33K 1/4W 1% RoHS	10	0.99
*3250460	RES 34.8K 1/4W 1%	4565.52	28.20
*3250460	RES 34.8K 1/4W 1%	4.74	0.03
*3250460	RES 34.8K 1/4W 1%	4.74	0.03
*3250464	RES MF 49.9K 1% 1/8W T/R	3874	39.89
*3250469	RES MF 200K 1% 1/8W T/R	135	4.17
*3250471	RES MF 75K 1% 1/8W T/R	964	29.78
*3250476	RES MF 249K 1% 1/8W	4855	47.49
*3250477	RES MF 402K 1% 1/8W	685	6.70
*3250478	RES MF 30.1K 1% 1/8W T/R	854	14.95
*3250518-1	RES MF 1M 1% 1/4W	817.28	25.25
*3250518-1	RES MF 1M 1% 1/4W	286.72	2.01
*3250519	RES MF 1M 1% 1.8W 70C	4534	44.35
*3250553-1	RES MF 100K 1% 1/4W T/R	1672.56	10.34
*3250553-1	RES MF 100K 1% 1/4W T/R	664.44	3.99
*3250571	RES MF 15K 1% 1/8W T/R	4846	49.90
*3250572	RES MF 24.9K 1% 1/8W T/R	200	28.42
*3250573	RES MF 4.99K 1% 1/8W T/R	4657	47.96
*3250574	RES MF 20K 1% 1/8W T/R	4143	51.19
*3250590	RES MF 232K 1/4W 1%	838.28	5.52
*3250590	RES MF 232K 1/4W 1%	419.72	2.69
*3250630	RES MF 511K 1/4W 1%	818.28	5.40
*3250630	RES MF 511K 1/4W 1%	260.72	1.67
*3250631	RES MF 511K 1% 1/8W	4825	47.20
*3250680	RES MF 619K 1/4W 1%	618.56	4.08
*3250680	RES MF 619K 1/4W 1%	198.72	1.27
*3250680	RES MF 619K 1/4W 1%	198.72	1.27
*3250750	RES MF 7.5M 1% 1/4W	4367.4	539.66
*3250750	RES MF 7.5M 1% 1/4W	5000	617.82
*3250750	RES MF 7.5M 1% 1/4W	54.6	6.55
*3250840	RES MF 30.1K 1% 1/4W	60	0.34
*3250905	RES MF 43.2K 1/4W 1%	349	3.02
*3250905	RES MF 43.2K 1/4W 1%	27	0.27

*3250921	RES MF 46.4K 1% 1/4W	56.2	5.67
*3250921	RES MF 46.4K 1% 1/4W	0.8	0.08
*3251040	RES MF 9.09K 1/4W 1%	4621	26.65
*3251043	RES MF 12.1K 1/4W 1%	812.28	5.35
*3251043	RES MF 12.1K 1/4W 1%	272.72	1.75
*3251062	RES MF 13K 1% 1/8W	1820	17.80
*3251073	RES MF 121 OHM 1% 1/8W	4000	34.18
*3251184	RES MF 402 OHM 1% 1/8W T/R	4383.64	40.17
*3251184	RES MF 402 OHM 1% 1/8W T/R	11.36	0.10
*3251503	RES MF 15K 1/2W 5% 200PPM	34	0.45
*3251507	RES MF 16.5K 1% 1/8W	66	3.40
*3251600	RES MF 19.6K 1/4W 1%	1127.88	9.75
*3251600	RES MF 19.6K 1/4W 1%	373.2	3.13
*3251600	RES MF 19.6K 1/4W 1%	0.92	0.01
*3251845-1	RES MF 20K 1/4W 1% T/R	800.28	4.94
*3251845-1	RES MF 20K 1/4W 1% T/R	187.72	1.13
*3251845-1	RES MF 20K 1/4W 1% T/R	86	0.52
*3251870	RES MF 60.4K 1/8W 1%	4848	44.43
*3251881	RES MF 100K 1% 1/8W	2562	21.89
*3251948	RES MF 499K 1/4W 1%	3109.2	18.89
*3251948	RES MF 499K 1/4W 1%	153.8	0.91
*3252980	RES NETWORK 100 OHM 2% 1/4W 14 PIN	14	2.81
*3252999-1	RES NETWORK BUSSED 8PIN 4.7K	275.4	13.33
*3252999-1	RES NETWORK BUSSED 8PIN 4.7K	0.6	0.02
*3253000-1	RES NETWORK 4.7K SIP 2% 10 PIN	432	30.70
*3253016	RES NETWORK 10K SIP6	85	13.92
*3253017	RES NETWORK 10K 8 PIN 4 RES 2%	9.4	0.45
*3253017	RES NETWORK 10K 8 PIN 4 RES 2%	100	4.84
*3253017	RES NETWORK 10K 8 PIN 4 RES 2%	400	19.36
*3253017	RES NETWORK 10K 8 PIN 4 RES 2%	2.6	0.10
*3253025	RES NET SIP H09-1-0028	37.04	366.91
*3253025	RES NET SIP H09-1-0028	7	69.34
*3253025	RES NET SIP H09-1-0028	8	79.25
*3253025	RES NET SIP H09-1-0028	11.44	110.05
*3253025	RES NET SIP H09-1-0028	1.52	14.62
*3253025	RES NET SIP H09-1-0028	2	19.24
*3253093	RES NETWORK 20K 10 PIN	57	3.82
*3254849	RES NET SIP 47K 10 PIN	538	28.51
*3254890	RES NET 5K 10 PIN	1	6.74
*3254997	RES PACK 4.7K OHM	48	5.93
*3255019	RES-NETWORK DIP 100 OHM X 7 8PIN	24	9.89
*3255021	RES PACK 10KX7 1/10W 2.5% 8 PIN	86	4.60
*3255025LF	RES NET 10K 2.7W 2% 10 PIN	44	2.95
*3255026	RES NET 10K 2% 10 PIN	70	3.82
*3255042	RES NET 100K DIP 2% 8 RES 16 PIN	80.5	16.57
*3255042	RES NET 100K DIP 2% 8 RES 16 PIN	0.2	0.04
*3255042	RES NET 100K DIP 2% 8 RES 16 PIN	0.3	0.06
*3255057	RES NET 3.3K 2% 10 PIN	19	1.28
*3255062	RES NETWORK MULTIVALUE 16 P 1% 1698-177	10	39.03
*3255062	RES NETWORK MULTIVALUE 16 P 1% 1698-177	2	7.58
*3255077	RES NET 3.3K 2% 10P	25	12.87
*3255080-1	RES NETWORK 330 OHM 2% 16 PIN	42	9.82
*3255098	RES-NETWORK SIP 560 OHM X 9 10 PIN	22	1.92
*3255280	RES NET 68K 2% 10 PIN	13	0.71
*3256020	RES PACK 5 X 4.7K	52	2.57
*3256081	RES NETWORK 680 X 4 8 PIN SIP	5	0.72
*3256301	CUSTOM RESISTOR DIP 8	31.48	131.61
*3256301	CUSTOM RESISTOR DIP 8	1.64	5.53
*3256301	CUSTOM RESISTOR DIP 8	1.88	7.63
*3256805	RES THERMISTOR 5K 5%	2	7.21
*3256920	THERMISTOR 10K 5%	79	169.06



*3257010	CURRENT LIMITER INRUSH 120 OHM	17	15.93
*3257020	LIMITER CURRENT RXE040	7	1.23
*3260015	RES VARIABLE 20K	41	10.98
*3260015	RES VARIABLE 20K	50	14.93
*3260049LF	TRIM POT 50K 20% SINGLE TURN RoHS	85	-
*3260051	POT 50K TOP ADJUST	9	9.64
*3260123	POT 1K .05W WITH KNOB	422	239.00
*3260123	POT 1K .05W WITH KNOB	1	0.55
*3260123	POT 1K .05W WITH KNOB	2	1.10
*3260123	POT 1K .05W WITH KNOB	1	0.55
*3260124	POT TRIM 1K 12 TURN	2	3.60
*3260133	TRIMPOT 1K MULTI-TURN TOP ADJ	36	24.28
*3260154	POT 1K 1/2W 10% 20 TURNS	71	33.63
*3260157	TRIM POT 2K HORIZ MNT PCB	19	2.85
*3260161-1	POT 10K TRIM	19	10.93
*3260164	POT 10K 20% 1/2W	7	1.87
*3260164	POT 10K 20% 1/2W	2	0.52
*3260185	POT 10K 3% 3 TURN	6	58.26
*3260198	POT 100K 10%	1162	1,017.05
*3260198	POT 100K 10%	6	4.82
*3260217	POT 20K 20% 1/2W	36	20.76
*3260234	POT 10K 12 TURN	24	19.77
*3260401	POT TRIM 500K 20% CERMET 18-25 TURNS	438	243.55
*3260402	POT SIDE ADJUST MULTI TURN 500K	5	2.83
*3280018	HDR 15-PIN MATRIX MATE-N-LOCK	18	13.94
*3280022	3 PIN HEADER 2mm	850	962.77
*3280022	3 PIN HEADER 2mm	5	0.34
*3280025LF	HEADER,2P,VERT .100IN PITCH, ROHS	2	-
*3280028	HDR 2-PIN MINI-FIT GOLD PLATED	32	9.56
*3280030	HEADER 8 POS	6	6.86
*3280034	HEADER 4 POS PCB MR SERIES	6	5.25
*3280035	CONN 4 POS SIDE ENTRY JST VH SERIES	295	32.20
*3280037	HDR PCM SHRD 4M SI 2.0MM CTR	21	1.81
*3280038	CONN 4 POS VERT 1.25MM	78	8.43
*3280039	CONN HEADER 4 POS SL90	10	4.33
*3280041	CONN DIN TYPE-C 48 PIN	59	159.78
*3280041	CONN DIN TYPE-C 48 PIN	1	2.71
*3280042	CONN DIN TYPE-R	1	1.30
*3280044	CON 20POS DBLROW STR .100X.100 L&E	10	14.93
*3280045	RECPT DOUBLE ROW 20 PIN	24	24.47
*3280056	CONN 26POS STR DBL ROW .100 X .100 CTN	6	3.50
*3280058	HDR 6POS SHRD POL/LTCH .100CNT	24	5.93
*3280059LF	CONN 6 POS VERT 2MM STR RoHS	4	-
*3280059LF	CONN 6 POS VERT 2MM STR RoHS	9	0.89
*3280061	HDR 2X7 STR DBLROW .100X.100CNT	4	3.05
*3280062	CON 15POS STR NO MNTNG FLANGE	4	35.13
*3280063	CON 12POS STR NO MNTNG FLANGE	9	74.14
*3280063	CON 12POS STR NO MNTNG FLANGE	1	3.55
*3280064	CON 6POS STR NO MNTNG FLANGE	72	432.24
*3280073	HEADER 12 PIN SIP .100 IN	2	1.40
*3280080	HEADER FRICTION 6 PIN	1	0.34
*3280084	HEADER SHROUDED 20 PIN STRAIGHT .100 IN	6	8.96
*3280085	CONN PCB 10-PIN DUAL ROW	7	4.91
*3280090	CONN 4 PIN BREAK AWAT .156 IN GOLD	73	23.13
*3280093	HEADER SHD 2M 2MM	621	23.66
*3280093	HEADER SHD 2M 2MM	4	0.15
*3280097	HEADER FRICTION LOCK 2 POS .100 IN	43	3.14
*3280099	HEADER 2 PIN	15	4.58
*3280105LF	HEADER 2 PIN STR FRICTION LOCK RoHS	318	11.42
*3280111	CONN POST HDR .10 X 2 PIN	12949	310.77
*3280111	CONN POST HDR .10 X 2 PIN	651	15.62

*3280112LF	HEADER 4 POS .1 IN RoHS	28	12.40
*3280113LF	HEADER CRIMP STYLE 4 PIN 2.5MM RoHS	216	10.24
*3280113LF	HEADER CRIMP STYLE 4 PIN 2.5MM RoHS	11	0.46
*3280115	HEADER 4 POS R/A SINGLE ROW	29	6.78
*3280115	HEADER 4 POS R/A SINGLE ROW	23	5.38
*3280117	CONN FRICTION LOCK 8 PIN .100 GOLD	5	7.00
*3280119LF	CONN 4 PIN ELEVATED SOCKET RoHS	2	1.04
*3280122	CONN MINI-UNIV 4 PIN HDR	67	25.26
*3280138	HEADER 4 POS SHROUDED	26	1.61
*3280141	HEADER LOCK 4 PIN R/A	3	1.11
*3280143	CONN 4 PIN MALE W/ LOCKING RAMP .156 IN	96	16.42
*3280145	HEADER 4 POS LOW PROFILE W/ LOCK	3	0.42
*3280146	CONN 2X2	68	17.16
*3280148	HEADER 4 POS .156 GOLD	10	4.84
*3280150	CONN 4 PIN VERT LOCK .100 IN	13	4.93
*3280159	CONN HEADER 5POS SNGL 2MM T/H	1	-
*3280159	CONN HEADER 5POS SNGL 2MM T/H	15	-
*3280162	HEADER 7 POS .156	58	7.46
*3280162	HEADER 7 POS .156	2	0.25
*3280163	CONN 7 PIN	113	31.77
*3280165	CONN HDR 7 POS 1 ROW	49	8.33
*3280174LF	HEADER SHROUDED 8 POS R/A 2MM RoHS	792	92.97
*3280175	RCPT CLSD BTM LD SZ .018-.04	34	7.35
*3280180LF	CONN 8 POS 2MM R/A GOLD RoHS	110	66.60
*3280181	CONN R/A DUAL ROUW 8 PIN 3MM GOLD	10	6.90
*3280182	HEADER 8 POS 3100 CTR COLD	20	5.07
*3280184	CONN 8 POS DUAL ROW W/O PEGS	26	6.83
*3280187	CONN 8 PIN SHROUDED VERT .100	2	-
*3280187	CONN 8 PIN SHROUDED VERT .100	5	-
*3280188	HEADER FRICTION LOCK 8 PIN	15	7.66
*3280190	HDR 8POS .100 IN	91	12.18
*3280192	HEADER FRICTION LOCK 9 PIN	2	1.17
*3280213LF	HEADER, 10P, RIGHT ANGLE, 2mm PITCH, PTH	1	0.19
*3280214	HEADER FRICTION LOCK 11 PIN	3	2.05
*3280215LF	HDR 3POS STR .100CTS BRKWAY RoHS	671	40.08
*3280215LF	HDR 3POS STR .100CTS BRKWAY RoHS	150	8.67
*3280221	CONN FRICTION LOCK 10 PIN GOLD	13	10.14
*3280222	CONN 10 PIN	5	9.83
*3280223	CONN 2X5	7	3.25
*3280223	CONN 2X5	8	5.65
*3280224	HEADER 10 POS .156	15	2.78
*3280225	CONN 10 PIN IDC SHROUDED	49	33.81
*3280227	HEADER SHORTING 1 PN SIP (40 PIN PCS)	45.175	20.94
*3280227	HEADER SHORTING 1 PN SIP (40 PIN PCS)	1.825	0.82
*3280230	LCD FLEX-1 32 PIN STRAIGHT	2	6.43
*3280231	LCD FLEX-2 20 PIN STRAIGHT	62	41.50
*3280234	CONN 32 POS SHRD HEADER TOP ENTRY	102	40.86
*3280248	HEADER LOCK 2 POS 103634-1	66	17.67
*3280259	HEADER 12 POS INLINE FCC	145	20.90
*3280272	CONN 2X6 PIN RA .118	909	1,154.43
*3280272	CONN 2X6 PIN RA .118	1	1.27
*3280275	HEADER 2 POS 102943-2	393	13.52
*3280278LF	CONN 2 POS W/ FRICTION LOCK STR RoHS	7	0.31
*3280279	HDR 2POS STR .100CTS BRKWAY	7	0.56
*3280279LF	HDR 2POS STR .100CTS BRKWAY RoHS	3162	94.86
*3280284	CONN 9 PIN SUB-D FEMALE	50	108.12
*3280285	HEADER 9 POSITION PCB MR SERIES	176.96	222.30
*3280285	HEADER 9 POSITION PCB MR SERIES	1	1.45
*3280285	HEADER 9 POSITION PCB MR SERIES	1.04	1.51
*3280292	CONNECTOR 9 PIN	1	0.49
*3280296	CONN FEMALE 9 PIN .156 IN	619	239.66

*3280296	CONN FEMALE 9 PIN .156 IN	2	0.77
*3280298	STRIP 3 POS S-ROW PIN CONNECTOR	67	2.68
*3280310	CONN FEMALE 9 POS STRAIGHT .100	9	13.90
*3280310	CONN FEMALE 9 POS STRAIGHT .100	2	0.62
*3280310	CONN FEMALE 9 POS STRAIGHT .100	37	55.50
*3280315	CONN 9 PIN STRAIGHT SINGLE ROW	1	3.24
*3280317LF	CONN SUB-D BD9 MALE SHIELDED RoHS	30	48.28
*3280317LF	CONN SUB-D BD9 MALE SHIELDED RoHS	2	3.84
*3280318LF	CONN DB9 R/A PCB MNT 4-40 INSERTS RoHS	6	5.44
*3280319	HEADER MODULAR RT ANG 22 PIN (GRAY)	1	9.69
*3280319	HEADER MODULAR RT ANG 22 PIN (GRAY)	1	9.69
*3280320	DB9_RA_MALE	7	8.12
*3280324	HEADER 2 PIN 2.5MM BLACK	137	4.09
*3280324	HEADER 2 PIN 2.5MM BLACK	8	0.23
*3280324	HEADER 2 PIN 2.5MM BLACK	1	0.03
*3280324LF	HEADER 2 PIN 2.5MM BLACK RoHS	515	14.80
*3280324LF	HEADER 2 PIN 2.5MM BLACK RoHS	60	1.72
*3280327	HEADER 2 PIN 1 ROW	8	1.81
*3280328	CONNECTOR 2 POS WHITE	11	0.30
*3280328	CONNECTOR 2 POS WHITE	1	0.03
*3280329	HEADER 2 POS VERT MINI-FIT	261	37.36
*3280343	HEADER 3 POS (NATURAL)	5	0.27
*3280343	HEADER 3 POS (NATURAL)	4	0.51
*3280344LF	CONN 3 PIN XLR FEMALE NC3FBH2 RoHS	5	8.24
*3280345	HEADER 3 PIN	60	5.32
*3280346LF	CONN 3 PIN .156 IN RoHS	9	0.41
*3280348	HEADER 3 POS R/A MINI FIT	61	12.56
*3280353	HEADER 3 POS .156	110	6.23
*3280353	HEADER 3 POS .156	400	22.65
*3280353	HEADER 3 POS .156	9	0.50
*3280357	HDR SINGLE ROW VERT 3 POS 6/6 NYLON RED	91	8.91
*3280360	HEADER LOCK 3 PIN R/A .100 103634-2	27	8.51
*3280366	CONN HDR 3 POS 1 ROW	29	2.03
*3280366	CONN HDR 3 POS 1 ROW	43	2.92
*3280368	HEADER 3 POS MINI-FIT JR VERTICAL	89	14.66
*3280375LF	CONN 3 POS 2.0MM R/A RoHS	1	0.05
*3280382	HEADER RJ-11 6-6	33	10.56
*3280382	HEADER RJ-11 6-6	-33	(10.56)
*3280383	CONN 6 PIN	18	1.85
*3280390	CONN 6 PIN MODULAR R/A	83	34.96
*3280391	HDR 6 POS .165 CENTER R/A GOLD	13	7.09
*3280391	HDR 6 POS .165 CENTER R/A GOLD	52	27.56
*3280400	SKT HDR 6POS MTRX MATE-N-LOK .55X.8X.55	12	5.25
*3280402LF	CONN 6 PIN DUAL ROW 90 DEG MINIFIT RoHS	23	7.46
*3280408	CONN 6 PIN STR BREAK-AWAY GOLD	9	2.09
*3280408LF	CONN 6 PIN STR BREAK-AWAY GOLD RoHS	20	4.49
*3280408LF	CONN 6 PIN STR BREAK-AWAY GOLD RoHS	19	4.18
*3280409	CONN PC BD 6 POS	35	18.74
*3280409	CONN PC BD 6 POS	2	1.04
*3280414	HEADER 6 POS SHROUDED	93	100.55
*3280416LF	CONN 6 PIN R/A PCB MOUNT RoHS	71	59.22
*3280423LF	HEADER 6 PIN 2.5MM BLACK RoHS	385	26.83
*3280425	CONN ZH 6 POS	45	4.17
*3280425	CONN ZH 6 POS	21	1.89
*3280427	CONN ZH VERTICAL 6 POS	83	6.42
*3280427	CONN ZH VERTICAL 6 POS	2	0.14
*3280431	HEADER 6 PIN STRAIGHT OPEN .156 IN	11	4.29
*3280460	CONN 4 PIN 1MM VERT ZIF RECPT	19	9.31
*3280520LF	CONN 5 PIN DIN JACK PC MT RA FLUSH RoHS	2	3.50
*3280580	CONN HEADER 8POS BD STACKING	2	0.57
*3280750	CONN 2X9	9	12.88

*3280798	HEADER 5 POS 2MM	6	0.57
*3280802	HEADER RJ-45 VERTICAL 8 PIN	52	17.67
*3280803	CONN 8 PIN R/A LOCK .100	7	8.29
*3280811LF	HEADER 8 POS 3.96MM VH RoHS	5	1.49
*3280834LF	CONN 16 PIN STRIP RoHS	1	0.23
*3280837LF	HEADER 16 PIN IDC SHROUDED RoHS	7	7.35
*3280846	CONN 16 PIN R/A	3	2.16
*3280870	CONN 20 PIN SHROUDED IDC	30	33.98
*3280873	HEADER 20 POS SINGLE SHRD	9	19.55
*3280875	CONN LATCH 20 POS .100 IN BRASS	1	5.95
*3280879	HEADER 20 PIN DUAL SHRD	16	15.40
*3280886	HEADER 14 POS INLINE FFC	21	3.46
*3280936	CONN 14 POS (7X2) R/A .100 IN	4	6.67
*3280937	HEADER ASSY SHROUDED 14 POS R/A .100 IN	1	0.63
*3280940	HDR 14POS RTAN SHRD .100CNT .025 SQ POST	1	1.76
*3280943	HEADER 14 PIN GOLD	1	2.06
*3280971	HEADER 40 POS DUAL ROW STRAIGHT SHROUDED	23	22.15
*3280977	HEADER SIMM 72 PIN	25	87.27
*3280978	CONNECTOR 10 POS	14	1.61
*3280979	CONN ZH 10 POS	59	21.26
*3280979	CONN ZH 10 POS	8	2.80
*3280980	HDR MISC MOTHERBOARD 10 POS SHROUDED	16	4.61
*3280981	CONN HEADER 5 POS 2MM PH TOP	709	58.41
*3280981	CONN HEADER 5 POS 2MM PH TOP	6	0.48
*3280981LF	HEADER 5 POS 2.00MM RoHS	2	0.21
*3280982	HDR EXTERNAL BACKLIGHT CONTROL 5 POS 2MM	60	10.51
*3280983	CONN HDR 5 POS R/A	4	3.89
*3280984	CONN SOCKET 5 POS 1 ROW .1CTR	152	32.87
*3280984	CONN SOCKET 5 POS 1 ROW .1CTR	48	10.08
*3280993	CONN 5 PIN R/A .100 IN	2	-
*3280997LF	CONN RCPT USB MINI B 5 POS R/A RoHS	2	1.00
*3281016	HDR 6POS STR LKNG SHRD .100 CNT	50	78.77
*3281021	HDR 8POS SHRD POL/LATCH .100CNT W/HLDDWN	3	1.58
*3281024	HDR 8POS RTAN MINI FIT JR.	26	6.69
*3281024	HDR 8POS RTAN MINI FIT JR.	2	0.50
*3281035	HDR 3POS SGLROW STR MATE-N-LOK	49	19.94
*3281054	CONN 3 POS FRICTION LOCK	33	27.70
*3281061LF	HEADER 26 POS DUAL ROW 2.54MM VERT RoHS	5	13.95
*3281065	CONN DF25F PCB R/A	2	3.21
*3281072LF	CONN R/A SUBD DB25 25 POS RoHS	1	1.50
*3281079	RCPT 25POS RTAN W/ BRDLKS	10	25.23
*3281079	RCPT 25POS RTAN W/ BRDLKS	4	9.80
*3281089	HDR 15POS RTAN FRIC LK .1CNT .025SQPOST	30	6.80
*3281104	HDR PCM 24M SI ST UNSH .100C	5	5.14
*3281107	HDR 5 POS SHRD POL LTCH WO/HLDDWN .1CNT	12	4.43
*3281112	CONN 3 PIN R/A	8	6.34
*3281127	HDR 5POS SGLROW RTAN MINI-FIT	4	1.03
*3281128	HEADER 5 POS RT ANG MTA-100	537	103.96
*3281128	HEADER 5 POS RT ANG MTA-100	1600	309.74
*3281129	RECT 5 PIN DIN	1	0.91
*3281131	CONN DTP RCPT 2 PINS DEUTSCH	60	79.08
*3281135	CONN 5 POS SIDE ENTRY JST VH SERIES	222	29.72
*3281137	HEADER 5 POS .100 CENTER GOLD	6	2.66
*3281138LF	HEADER CRIMP STYLE 5 PIN 2.5MM RoHS	460	25.11
*3281138LF	HEADER CRIMP STYLE 5 PIN 2.5MM RoHS	1000	54.58
*3281138LF	HEADER CRIMP STYLE 5 PIN 2.5MM RoHS	23	1.22
*3281141	CONN DT PCPT 2 PINS DEUTSCH	34	5.95
*3281142	CONN 5 PIN DIN	11	12.69
*3281144	HEADER 5 POS	3	1.24
*3281145	CONN 5 POS .156 IN VERT	92	10.42
*3281150	HEADER 5 POS .100 R/A	3	0.39

*3281151	HEADER 5 POS .156	102	9.98
*3281151	HEADER 5 POS .156	2	0.19
*3281155	HEADER 4 PIN R/A FRICTION LOCK TIN	6	0.72
*3281156	HEADER 4 PIN	32	22.08
*3281205	HEADER 8 POS SDL SE	8	69.11
*3281211	HDR 3POS RTAN .100CNT .025 SQ PIN BRKWAY	332	21.54
*3281211	HDR 3POS RTAN .100CNT .025 SQ PIN BRKWAY	2	0.13
*3281213	HDR 4POS DBLROW RTAN MINI-FIT	27	10.93
*3281213	HDR 4POS DBLROW RTAN MINI-FIT	66	26.70
*3281219	HDR 34POS DBLROW SHRD POL .100 X .100CNT	12	12.04
*3281225	HDR FRICTION LOCK 641119-4	31	11.78
*3281236	PIN JUMPER POST GOLD .025 IN SQ. (20 PI	9.2	8.34
*3281240	HDR 10POS DBLROW STR SHRD .100 X .100CNT	74	35.50
*3281249LF	HEADER 3 POS .1 IN RoHS	50	2.42
*3281250	HDR 3POS STR SGL ROW .100CNT SQ POSTS	28	1.09
*3281250	HDR 3POS STR SGL ROW .100CNT SQ POSTS	60	2.97
*3281253	HDR 5POS STR SGL ROW .100CNT SQ POSTS	2	0.16
*3281262	HDR 14POS DBLROW STR SHRD .100 X .100CNT	7	4.40
*3281263	HDR 14POS DBLROW RTAN SHRD .100X.100CNT	43	53.14
*3281267	HDR 4POS STR FRIC LK .1CNT .025SQ POST	42	2.73
*3281269-1	HEADER 8 POS .100	57	6.11
*3281270	HDR 2POS STR FRIC LK .1CNT .025SQ POST	173	5.34
*3281274	HDR 14 POS DUAL SHRD W/RET LATCH	7	18.96
*3281280	HEADER 20 POS 1 IN GOLD DUAL STACKING VE	12	11.37
*3281307	HEADER STRIP .025 INSQ .100CNT 16 POS SR	12	3.48
*3281312	HDR 12POS STR FRIC LK .1CNT .025SQ POST	68	8.26
*3281318	HDR SGL ROW .100 MOD .025SQ STRIP 4 PIN	81	10.53
*3281341	CONN 34 PIN SHROUDED IDC	28	45.56
*3281341	CONN 34 PIN SHROUDED IDC	8	16.34
*3281342	CONN 13 PIN HDR .100	15	18.84
*3281344	HEADER 14 PIN (GOLD)	25	6.95
*3281347	HDR 14POS SHRD .100CNT .025SQ POSTS	13	10.26
*3281353	HDR 3POS STR FRIC LK .100CNT .025 SQ PIN	33	3.74
*3281353	HDR 3POS STR FRIC LK .100CNT .025 SQ PIN	11	1.21
*3281354	HDR 4POS STR FRIC LK .100CNT .025 SQ PIN	65	8.77
*3281355	HDR 5POS STR FRIC LK .100CNT .025 SQ PIN	64	12.19
*3281356	HDR 6POS STR FRIC LK .100CNT .025 SQ PIN	83	16.50
*3281358	HDR 8POS STR FRIC LK .100CNT .025 SQ PIN	2	0.72
*3281361	HDR PCM SHRD 8P SI 2.5MM CTR	60	5.70
*3281361	HDR PCM SHRD 8P SI 2.5MM CTR	11	1.05
*3281363	HDR PCM SHRD 8P SI 1.25MM CTR	3	0.77
*3281364	CON 4POS DIN MINI CIRC WO/HLDDWN	26	48.99
*3281368	HDR 6 POS .100 IN CENTER GOLD	14	3.89
*3281370	HDR R/A 6 PIN 22-12-2064	72	26.02
*3281395	CONN PCI CARD EDGE 60 POS .050	59	35.84
*3281401	HDR 3POS STR .100CNT BRKWAY	53	4.78
*3281412	HDR SGL ROW .100 MOD .025SQ STRIP 20 PIN	24	15.57
*3281437	CONN 2X5 R/A LOCK .118 IN	3	2.58
*3281456	CONN MINI-UNIV 9-PIN	3	3.15
*3281469	CON 9POS RTAN W/BRDLKS & THRD INSRTS	7	5.00
*3281496	CONN 2X12 24 PIN R/A LOCK .118LS	7	18.02
*3281498	CONN 24 POS 2ROW M .1X.1 ST	38	18.78
*3281499	CONN 24 POS 2 ROW F .1X.1 ST	8	7.55
*3281512	RCPT 5POS SIP STR .100 CNT	26	7.29
*3281513	RCPT 14POS DBLRW STR .100 X .100 CNT	3	0.77
*3281516	HEADER ICC-5000 MEMBRANE	9	17.42
*3281566	CONN MINI-UNIV 6 PIN	5	2.37
*3281566	CONN MINI-UNIV 6 PIN	1	0.41
*3281580	CON 96POS 3ROW STR DIN .100X.100CNT	5	8.44
*3281580	CON 96POS 3ROW STR DIN .100X.100CNT	15	25.33
*3281590	CONN MODULAR 8 POS	19	7.96

*3281590	CONN MODULAR 8 POS	1	0.39
*3281601	HDR 10POS STR LKNG SHRD .100 CNT	7	14.42
*3281605LF	CONN 11POS CT SERIES 2MM VERT RoHS	1	0.41
*3281605LF	CONN 11POS CT SERIES 2MM VERT RoHS	1	0.40
*3281610	CONN 68 POS CARDBUS LV NO RAILS	1	5.57
*3281618	CONN 15 POS HD SUB D FEMALE R/A	3	6.46
*3281620	HEADER 30 POS DUAL ROW R/A	47	72.11
*3281624	PC CARD HEADER ASSY	8	31.63
*3281628	CONNECTOR PC CARD HEADER	99	239.57
*3281628	CONNECTOR PC CARD HEADER	8	18.80
*3281628	CONNECTOR PC CARD HEADER	43	132.87
*3281628	CONNECTOR PC CARD HEADER	29	89.61
*3281643LF	CONN 16 POS 2MM VERTICAL RoHS	66	84.49
*3281646	HEADER 16 POS	3	3.27
*3281665	HEADER TOUCH SCREEN	3	3.15
*3281669	HEADER 2 PIN	13	4.29
*3281670LF	HEADER 2X2 R/A RoHS	11	1.43
*3281694	CONNECTOR 26 PIN LATCH	6	9.02
*3281700	HDR 9POS STR FRIC LK .156CNT RND POSTS	224	40.37
*3281700	HDR 9POS STR FRIC LK .156CNT RND POSTS	3	0.48
*3281703	CONN 10 POS .0165 IN R/A GOLD	3	3.43
*3281703	CONN 10 POS .0165 IN R/A GOLD	39	30.03
*3281716	CONN SIDE ENTRY .156 IN	42	19.24
*3281726	HDR 5POS STR SHRD POL/LTCH .1CNT HLDDWNS	46	16.19
*3281732	CONN 3 POS SINGLE ROW .100 IN AMPMODU MT	20	5.07
*3281758	CONN T10B SQ. 10 PIN	98	10.29
*3281758	CONN T10B SQ. 10 PIN	1	0.11
*3281783	CONN HDR 10 POS R/A	90	38.00
*3281784	CONN 2X4 VERT .163 CENTER	2	1.36
*3281790	CON 7POS ZIF FLT FLEX STR .100CNT	140	67.76
*3281790	CON 7POS ZIF FLT FLEX STR .100CNT	11	5.32
*3281790	CON 7POS ZIF FLT FLEX STR .100CNT	952	447.44
*3281798	CONN HEADER 6 POS R/A	43	24.22
*3281798	CONN HEADER 6 POS R/A	41	18.86
*3281807LF	CONN 16 POS 2MM VERTICAL RoHS	3	3.40
*3281837	CONN LATCH 24 PIN	3	6.63
*3281860	CONN 3FDHI HORIZL INSERT XL	2	5.46
*3281861	CONN 3MDHI HORIZL INSERT XL	5	10.76
*3281890	HEADER 7 POS	235	212.95
*3281890	HEADER 7 POS	2	1.76
*3281900	RECPT USB TYPE INB IN	25	7.47
*3281901	RECPT USB R/A/ TYPE INA IN	9	3.05
*3281902LF	CONN USB R/A RoHS	19	6.93
*3281903	RECP USB R/A TYPE INA IN DOUBLE STACKED	36	38.18
*3281903	RECP USB R/A TYPE INA IN DOUBLE STACKED	2	2.06
*3281903LF	RECP USB R/A TYPE INA IN DBLE STKD RoHS	29	20.21
*3281907LF	CONN USB A X 2 PIN R/A RoHS	5	3.86
*3281913	CONN R/A 9 POS 205865-1	222	1,725.91
*3281920	CONN 61134-3	5	2.58
*3281921LF	CONN SUB D 13W3 RoHS	168	493.03
*3281921LF	CONN SUB D 13W3 RoHS	325	926.25
*3281958	HEADER 12 PCB	14	22.06
*3281970	CONN 9 POS 205734-2	11	13.14
*3281976	CONN RECPT 26 PIN BTM ENTRY	3	5.28
*3281989	CONN 80 PIN	2.125	4.16
*3281993LF	HEADER 8 POS .100 IN RoHS	98	14.13
*3282004	SOCKET 18 PIN DIP IC	1	1.24
*3282005	CON ZIFLINE 14POS .050 CNT	11	6.12
*3282027LF	SOCKET 28 PIN DIP RoHS	1	-
*3282027LF	SOCKET 28 PIN DIP RoHS	2	0.49
*3282055	SOCKET 40 PIN DIP .600	500	257.43

*3282055	SOCKET 40 PIN DIP .600	2	0.60
*3282166	SOCKET 8 PIN MACHINED CONTACT DIP	-1	(0.77)
*3282199	SOCKET MM 110 DIP IC 14 0.3	26	-
*3282199	SOCKET MM 110 DIP IC 14 0.3	12	0.48
*3282218	SKT IC 6POS DIP W/STR SOLDER TAILS	1	0.06
*3282227LF	SOCKET 18 PIN DIP HIGH TEMP RoHS	506	860.91
*3282241	KEY POLAR PK-7	45	5.56
*3282247	SOCKET PLCC 44 POS	20	29.45
*3282248	SKT IC 44POS SQ PLCC	51	34.93
*3282249	44PIN_PLCC_SOCKET	9	3.30
*3282289	SKT 20POS .125 SLDR TAIL TIN PLATED	3	1.79
*3282294	SKT IC 40POS DIP W/STR SOLDER TAILS	203	46.19
*3282297	SKT 40POS .125 SLDR TAIL TIN PLATED	3	3.99
*3282301	SKT IC 32POS DIP W/STR SOLDER TAILS	15	2.50
*3282303	SOCKET 32 PIN	23	3.20
*3282340LF	SOCKET 22 PIN IC RoHS	307	44.26
*3282500	SOCKET ASSY SIP 23 POS PHOS BRZ.	66	62.70
*3283002	SOCKET IC 28 PIN GOLD	1	1.36
*3283002	SOCKET IC 28 PIN GOLD	208	282.72
*3283002	SOCKET IC 28 PIN GOLD	1	1.32
*3283999	SOCKET RELAY	6	5.99
*3284001	SOCKET RELAY 1330-2PC	13	8.30
*3284018	SKT IC 52POS SQ PLCC	1	0.78
*328403036MHGR	HEADER 1X2 RA 2.54MM SOLENOID	193	6.96
*328403036MHGR	HEADER 1X2 RA 2.54MM SOLENOID	2	0.07
*328403038MHGR	HEADER 2X6 V .050 IN SYSTEM CARD	9	2.87
*328403038MHGR	HEADER 2X6 V .050 IN SYSTEM CARD	37	11.47
*328403104MHGR	HEADER 2X3 V .050 IN PALM COMM	41	21.67
*328403104MHGR	HEADER 2X3 V .050 IN PALM COMM	96	49.28
*3284071	SKT IC 32POS .125 SLDR TAIL TIN PLATED	3	2.57
*3288100LF	CONN 2POS JST 02KR-6S-P RoHS	835	83.40
*3288165	CONN DISCONNECTABLE CRIMP STYLE WTOW	78	5.62
*3288165	CONN DISCONNECTABLE CRIMP STYLE WTOW	165	11.89
*3288170LF	CONN SYP-02T-1 ROHS	580	24.49
*3288255LF	CONN PHR-8 JST 8 POSITION RoHS	15	0.56
*3288255LF	CONN PHR-8 JST 8 POSITION RoHS	325	-
*3288305LF	CONN PHR-2 2 POS 2mm CRMP RoHS	160	3.29
*3288305LF	CONN PHR-2 2 POS 2mm CRMP RoHS	750	14.91
*3288305LF	CONN PHR-2 2 POS 2mm CRMP RoHS	16	-
*3288310LF	CONN PHR-6 6 POS 2mm CRMP RoHS	789	-
*3288315LF	CONN PHR-12 12 POS 2mm CRMP RoHS	48	3.81
*3288315LF	CONN PHR-12 12 POS 2mm CRMP RoHS	500	39.64
*3288320LF	CONN PHR-15 15 POS 2mm CRMP RoHS	973	-
*3288325LF	CONN SHDR-30V-S-B 30 POS CRMP DBL RoHS	112	-
*3288325LF	CONN SHDR-30V-S-B 30 POS CRMP DBL RoHS	200	18.78
*3288335LF	CONN SHDR-20V-S-B 20 POS CRMP DBL RoHS	1786	126.89
*3288345LF	CONN TERM BLK PLUG 2.5MM 10POS RoHS	5	35.89
*3288350LF	CONN RECEPT 6 POS W/RAMP SL-156RoHS	39	4.62
*3288350LF	CONN RECEPT 6 POS W/RAMP SL-156RoHS	100	11.84
*3288350LF	CONN RECEPT 6 POS W/RAMP SL-156RoHS	60	-
*3290002	JACK MODULAR 4 POS 4 CONT	118	45.69
*3290003	JACK MODULAR 6 POS 4 CONT	8	3.46
*3290008	JACK MODULAR 8 POS	7	3.68
*3290008	JACK MODULAR 8 POS	20	10.50
*3290013	POWER JACK .080 IN R/A	57	27.00
*3290024	JACK COAXIAL POWER 2MM PIN	3	1.45
*3290053	JUMPER PLUG	8	0.41
*3290063	CONN PLUG 6 POS BL	26	40.96
*3290107	PLUG CONN 4 POS BL	14	19.17
*3290117LF	PLUG 2 PIN .100 IN JUMPER STRIP RoHS	97	2.81
*3290119LF	HEADER 2 POS 26-60-4020 RoHS	2	0.08

*3290120	CONN 2 POS 22-03-2021	2234	55.21
*3290250	CONN MOD JACK FCC PART	5	2.52
*3290255	JACK PCB STRAIGHT GOLD NON-MAGNETIC	4	8.65
*3290320	ADAPTER 2 TO 3 WIRE GROUNDING	1	1.08
*3290440	CONNECTOR ADPTR 9 PIN TO 25 PIN	4	9.43
*3290445	ADAPTER PS2-XT KEYBOARD CONNECTOR	6	16.78
*3290591	TEST POINT MINI WHITE	3	0.28
*3290591	TEST POINT MINI WHITE	10	0.94
*3290592	TERMINAL TEST POINT PCB YELLOW	17	1.44
*3290592	TERMINAL TEST POINT PCB YELLOW	7	0.58
*3290593	TERMINAL PCB TEST POINT ORANGE	36	2.97
*3290593	TERMINAL PCB TEST POINT ORANGE	40	12.44
*3290593	TERMINAL PCB TEST POINT ORANGE	48	3.65
*3290597	TERMINAL PCB TEST POINT RED	3	0.35
*3290597	TERMINAL PCB TEST POINT RED	12	0.85
*3290598	TEST POINT BLACK	34	2.66
*3290601	TEST POINT PCB .052 IN DIA HOLE	2	0.32
*3290720	TEST CONN BROWN	1	0.21
*3290720	TEST CONN BROWN	15	3.04
*3290721	TEST CONN ORANGE	14	2.84
*3290722	TEST CONN YELLOW	1	0.21
*3290722	TEST CONN YELLOW	3	0.61
*3290723	TEST CONN BLUE	12	2.50
*3290724	TEST CONN BLACK (GROUND)	31	6.47
*3290724	TEST CONN BLACK (GROUND)	28	5.67
*3290980	PLUG 5 PIN MOLDED	2858	6,945.34
*3291007	CONN MALE CRIMP TERM 16-18 AWG DT	250	36.04
*3291016	CONN MALE CRIMP TERM 12-14 AWG DTP	25	4.63
*3291024	SNAP PLUG KRIMPTITE 18-22 AWG	513	38.56
*3291033	SNAP PLUG INSULATOR SPLASH PROOF	6	0.29
*3291042	WEDGELOCK FOR DT 2 PIN RCPT GRN	37	1.14
*3291042	WEDGELOCK FOR DT 2 PIN RCPT GRN	170	5.10
*3291054	RCPT WEDGELOCK FOR DTP 2 PIN ORG	60	3.71
*3291199	JUMPER SHUNT 2 POS W/ HANDLES	64	5.66
*3291199	JUMPER SHUNT 2 POS W/ HANDLES	2	0.14
*3291200	PLUG JUMPER 2 POS	-1	(0.07)
*3291202	SHUNT 2 PIN .1 TIN PLATED	184	9.20
*3291204LF	SHUNT PC MOUNT JUMPER RoHS	175	9.55
*3291204LF	SHUNT PC MOUNT JUMPER RoHS	6	0.30
*3291204LF	SHUNT PC MOUNT JUMPER RoHS	85	4.63
*3291204LF	SHUNT PC MOUNT JUMPER RoHS	179	8.95
*3291208	JUMPER 2 POS	60	5.13
*3291602	JACK RIGHT ANGLE	64	53.38
*3300009	TERMINAL BLOCK 9 POS	21	60.33
*3300009	TERMINAL BLOCK 9 POS	4	11.49
*3300010	TERMINAL BLOCK 8 POS	45	114.92
*3300018	BARRIER STRIP 10 POLE PCB .375 IN	17	21.08
*3300019	JUMPER BLOCK 10 POS .100 IN	3	0.65
*3300019	JUMPER BLOCK 10 POS .100 IN	1	0.21
*3300019LF	JUMPER BLOCK 10 POS .100 IN 2X5 RoHS	1	0.19
*3300023	TERMINAL BLOCK 2 PIN 3.5MM	7	3.40
*3300025	TERMINAL BLOCK 3 POS	9	3.52
*3300029	TERMINAL BLOCK 2 POS	4	2.43
*3300030	CONN TERMINAL BLOCK 2 POS PCB MNT	31	11.69
*3300042	TERMINAL BLOCK 4 PIN 3.5MM	52	25.70
*3300120	TERMINAL BLOCK 16 CONTACT SPRING 2.54MM	-17	-
*3300120	TERMINAL BLOCK 16 CONTACT SPRING 2.54MM	-4	(5.15)
*3300120	TERMINAL BLOCK 16 CONTACT SPRING 2.54MM	21	-
*3300240LF	TERMINAL STRIP 2 POLE / 2 POLE GRAY RoHS	478	374.07
*3300240LF	TERMINAL STRIP 2 POLE / 2 POLE GRAY RoHS	385	287.79
*3300241LF	TERMINAL STRIP 2 P/ 2 P LT. GRAY RoHS	10	7.21



*3300241LF	TERMINAL STRIP 2 P/ 2 P LT. GRAY RoHS	31	24.18
*3301040	TERMINAL 2-520183-2	50	9.96
*3320015	SCREW DRIVE 0-6X3/16 RND 410SST PLN TP U	69	4.34
*3320015	SCREW DRIVE 0-6X3/16 RND 410SST PLN TP U	2	0.13
*3320027	SCREW M2 X 10 SLOTTED CHEESE HD STL ZNC	368	7.96
*3320053	SCREW #2-56 X .25 TYPE SBH BIND HD	19	1.02
*3320053	SCREW #2-56 X .25 TYPE SBH BIND HD	36	1.87
*3320079	SCREW M3 X .5 X 6MM PAN SLOTTED SST	83	3.31
*3320079	SCREW M3 X .5 X 6MM PAN SLOTTED SST	4	0.17
*3320195	SCREW DRIVE 4-20 X 1/4 PAN CR STEEL PLN	58	1.19
*3320225	SCREW MACH BHD SEMS 4-40 X 3/16 IN	2	0.10
*3320225	SCREW MACH BHD SEMS 4-40 X 3/16 IN	39	1.95
*3320238LF	JACKSCREW 4-40 X 5/16-3/16 RoHS	23	2.18
*3320238LF	JACKSCREW 4-40 X 5/16-3/16 RoHS	1	0.09
*3320239	SCREW 4-40 X 5/16 300SST PLN RND HD SLT	453	17.36
*3320240	SCREW SEM #4-40X5/16 PHL PNHD EXT-T ZINC	64	6.93
*3320249	SCREW 4-40 X 1/4 SLT PAN HD ZINC	240	5.18
*3320268	SCREW 4-40 X 3/8 PPHMS BLK OXIDE	457	203.29
*3320273	SCREW 4-40 X 3/8 PHIL PAN HD M/S NYLON	3	0.13
*3320273	SCREW 4-40 X 3/8 PHIL PAN HD M/S NYLON	25	1.08
*3320282LF	SCREW 4-40 X 3/8 IN HEX HD STL ZINC RoHS	319	23.98
*3320292	SCREW MACH 4-40 X 5/8 FLAT HD CR ZINC	838	21.97
*3320292	SCREW MACH 4-40 X 5/8 FLAT HD CR ZINC	500	14.00
*3320292	SCREW MACH 4-40 X 5/8 FLAT HD CR ZINC	5	0.13
*3320355	SCREW 4-40 SLT PAN HD (LENGTH 1.125 IN)	75	7.34
*3320392	SCREW MACH 4-40 X 3/4 PAN HD SLOT 300SST	18	0.42
*3320392	SCREW MACH 4-40 X 3/4 PAN HD SLOT 300SST	21	0.48
*3320425	SCREW MACH #4-40X1.125 PHL PAN HD ZINC	103	3.48
*3320430	SCREW #4-40 X 1 1/4 PHL PN HD ZINC	100	6.47
*3320468	SCREW PHL PAN SELF TAP 4-24 X .250 ZINK	151	19.71
*3320470	SCREW #4-24x.5 PPH FLAT SELF TAP BLK OX	8560	484.80
*3320561	SCREW 6-32 X 1/4 SLT PAN HD STEEL ZINC	2052.9	22.28
*3320561	SCREW 6-32 X 1/4 SLT PAN HD STEEL ZINC	1000	10.81
*3320561	SCREW 6-32 X 1/4 SLT PAN HD STEEL ZINC	268	2.81
*3320561	SCREW 6-32 X 1/4 SLT PAN HD STEEL ZINC	120.1	1.26
*3320568	SCREW-LCKWSHR ASSY 6-32X1/4 PHI PAN INT	203	6.48
*3320568	SCREW-LCKWSHR ASSY 6-32X1/4 PHI PAN INT	250	7.98
*3320568	SCREW-LCKWSHR ASSY 6-32X1/4 PHI PAN INT	500	15.96
*3320568	SCREW-LCKWSHR ASSY 6-32X1/4 PHI PAN INT	250	7.98
*3320568	SCREW-LCKWSHR ASSY 6-32X1/4 PHI PAN INT	78	2.42
*3320568	SCREW-LCKWSHR ASSY 6-32X1/4 PHI PAN INT	2	0.06
*3320570	SCREW SEMS #6-32X1/4 PHL PAN ZINC EXT-T	98	2.52
*3320576	SCREW 6-32 PHIL PAN 1/4 TAPTITE	1	0.04
*3320577	SCREW 6-32 X 1/4 PHL PAN HD	476	7.35
*3320577	SCREW 6-32 X 1/4 PHL PAN HD	12	0.18
*3320578	SCREW 6-32 X 1/4 PHIL PAN BZ TYPE F	119	5.72
*3320578	SCREW 6-32 X 1/4 PHIL PAN BZ TYPE F	250	12.36
*3320622	SCREW 6-32 X 5/16 SLT RND HD STEEL	464	7.10
*3320625	SCREW #6-32X.375 SERRATED CHR M PLT PHL	100	4.84
*3320625	SCREW #6-32X.375 SERRATED CHR M PLT PHL	12	0.56
*3320639	SCREW 6-32 X 3/8 IN PHIL PAN HD BLK OXID	76	2.95
*3320703	SCREW 6-32 X 1/2 PHIL PAN W/STAR WASHER	203	7.53
*3320703	SCREW 6-32 X 1/2 PHIL PAN W/STAR WASHER	3	0.11
*3320715	SCREW 6-32 X 5/8 PHL FLAT HD ZINC	358	23.96
*3320822	FORM TAPPING 6-20X5/8 TYP B STL CR PN ZN	14	0.25
*3320838	SCRW MACH 8-32 X 1/4 RND HD SL 300SST	35	0.94
*3320841	SCREW DRIVE 8-32 x 3/4 PAN HD	99	13.25
*3320852	SCREW 8-32 X 1 PAN CR STEEL ZINC	15	0.77
*3320852	SCREW 8-32 X 1 PAN CR STEEL ZINC	10	0.50
*3320859	SCREW MACH #8-32 x 1/2 PAN HD CR 300SST	88	2.53
*3320924	SCREW DRIVE #10-16X1/2 STL PAN CR TYPEB	65	2.68

*3320940	SCREW 10-32 X 1/2 IN PHIL RND HD ZINC	2164	37.89
*3320940	SCREW 10-32 X 1/2 IN PHIL RND HD ZINC	1	0.02
*3320943	STUD 10-32 X 1 IN ZINC SELF CLINCHING	7	0.41
*3320943	STUD 10-32 X 1 IN ZINC SELF CLINCHING	32	1.82
*3320958	SCREW MACH # 10-24 X 1/4 PAN CROSS SST	109	7.40
*3320961	SCREW 10-24 X 1 TRUSS HD 300SST	118	18.78
*3320961	SCREW 10-24 X 1 TRUSS HD 300SST	52	8.70
*3321020	SCREW DRIVE TYPE B 8-18X3/8 STL BDG CR	442	227.57
*3321020	SCREW DRIVE TYPE B 8-18X3/8 STL BDG CR	25	12.50
*3321022	Mcmastercarr-92005A035-Zinc-PL Stl M2-12	76	2.77
*3321502LF	SCREW M3 BUTTON 10MM SS OR SZ RoHS	37	2.83
*3321503	SCREW MACH MET M3x.5x 8MM SST PAN SL	72	1.33
*3321510	SCREW MACH MET M2X0.4X8MM CR PAN HEAD	627	40.36
*3321510	SCREW MACH MET M2X0.4X8MM CR PAN HEAD	160	10.30
*3325055	PIN SOCKET	5210	561.27
*3325055	PIN SOCKET	425	68.00
*3326000	STUD RELAY NYLON 6/6 .047DIA/.375LENGTH	179	14.28
*3326001	BROACHING STUD #6-32 X .500 ELECTRO TIN	59	3.47
*3326003	BROACHING STUD 8-32 X .625 IN PHOS BRONZ	7	0.62
*3326003	BROACHING STUD 8-32 X .625 IN PHOS BRONZ	35	2.52
*3330009	NUT 2-56 NICKEL	52	0.70
*3330009	NUT 2-56 NICKEL	64	0.84
*3330044LF	NUT HEX 4-40 ZINC WD 1/4 THK 3/32 RoHS	91	1.41
*3330046	NUT HEX 4-40 STAINLESS	706	14.02
*3330051	NUT 4-40 HEX NYLON	56	1.72
*3330051	NUT 4-40 HEX NYLON	188	4.70
*3330051	NUT 4-40 HEX NYLON	128	3.20
*3330056	HEX NUT-LCKWSHR EXT KEPS 6-32 NICKEL	678	28.98
*3330056	HEX NUT-LCKWSHR EXT KEPS 6-32 NICKEL	627	26.79
*3330076	NUT HEX 6-32 STOP SP 300SST PLAIN	14	0.93
*3330080	NUT 6-32 KEPS STEEL ZINC LOCKWASHER	203	3.67
*3330080	NUT 6-32 KEPS STEEL ZINC LOCKWASHER	82	1.44
*3330111	NUT HEX 8-32 ZINC PLATED	2	0.10
*3330118	NUT 10-24 300SST NYLOC	29	2.56
*3330122	HEX NUT 10-32	213	4.17
*3330125	NUT HEX 10-24 300SST	143	4.06
*3330170	NUT PRESS-SPLINE 8-32 THREAD	28	1.57
*3330170	NUT PRESS-SPLINE 8-32 THREAD	250	15.59
*3331010	NUT HEX MET M2X0.4	648	5.34
*3340045	CLIP RETAINER (PMI)	12	197.71
*3340103	WIRE CLAMP NYLON 6/6	204	33.77
*3340103	WIRE CLAMP NYLON 6/6	100	13.30
*3340500	BAR CLAMPING	30	126.04
*3350031	WASHER DRUM HD SCREW WASHER FIBER 3/8	124	58.73
*3350031	WASHER DRUM HD SCREW WASHER FIBER 3/8	25	11.77
*3350031	WASHER DRUM HD SCREW WASHER FIBER 3/8	3	1.38
*3350101	WASHER FIBER .220DX X .115ID X .032	220	23.47
*3350170LF	LOCKWASHER #4 HELICAL ZINC RoHS	320	4.81
*3350170LF	LOCKWASHER #4 HELICAL ZINC RoHS	17	0.25
*3350205	WASHER FLAT .125X.312X.032 NYLON	750	24.71
*3350212	WASHER FLAT .130 X .250 X .310 300SST	91	3.57
*3350500LF	WASHER SHOULDER RoHS	5	0.14
*3350810	WASHER LOCK #4 EXTERNAL TOOTH	629	1.42
*3350811	LOCKWASHER #4 EXT TOOTH SS	162	2.50
*3350830	WASHER #6 INT TOOTH ZINC	36	0.08
*3350830	WASHER #6 INT TOOTH ZINC	2	-
*3350830	WASHER #6 INT TOOTH ZINC	36	0.08
*3350831	WASHER #6 FIBER .032 IN THICK 1/4OD	89	2.02
*3350832	FIBER WASHER #6 .062 IN THICK 1/4 OD	59	0.61
*3350835	WASHER #6 EXT TOOTH STEEL PLAIN	612	1.35
*3350866	LOCK WASHER #6 EXTERNAL	140	11.90

*3350879	LOCKWASHER #10 SPLIT	41	2.96
*3350879	LOCKWASHER #10 SPLIT	4	0.09
*3350955	LOCKWASHER 1/4 IN SPLIT	8	-
*3351344LF	SPACER 49U RoHS	1093	66.18
*3351344LF	SPACER 49U RoHS	10	0.59
*3351379	STANDOFF #6-32 2.5 INLx.25 IND BRASS ML/	50	46.34
*3351400	SPACER TUBULAR NYLON ID.028 OD.085 H.05	2964	86.93
*3351416	SPACER NYLON 907-140	4918	152.45
*3351417	SPACER 3/8 IN NYLON FLAT	31	2.32
*3351419	SPACER .250OD X .115ID X .187TH .25 NYL	17	0.56
*3351421LF	SPACER TUBULAR NYLON RoHS	103	4.12
*3351422	SPACER LED .250	467	14.91
*3351422	SPACER LED .250	22	0.68
*3351427	LED STANDOFF .275	2002	74.21
*3351427	LED STANDOFF .275	27	0.97
*3351428	STANDOFF PCB 1/4 IN NYLON	401	27.67
*3351440	SPACER SNAP-IN .098 INHOLE X .472 IN HI	698	60.77
*3351440	SPACER SNAP-IN .098 INHOLE X .472 IN HI	2	0.17
*3351441	SPACER SNAP-IN .098 IN SOLE X .236 IN HI	70	6.49
*3351455	SPACER	75	28.42
*3351472LF	SPACER LED MNT NYLON WHITE .180	35	3.17
*3351472LF	SPACER LED MNT NYLON WHITE .180	10	0.88
*3351504	SPACER CIRCUIT BOARD	16	1.04
*3351510	SPACER 8-32 X .500 IN ZINC PLATED BRASS	32	10.21
*3351510	SPACER 8-32 X .500 IN ZINC PLATED BRASS	598	185.38
*3351512	SPACER 8-32 X 1.00 IN ZINC PLATED BRASS	687	403.22
*3351515	SPACER COMP NYLON 902-125	47	2.01
*3351515	SPACER COMP NYLON 902-125	68	2.90
*3351520	STANDOFF ITW #258300-5	4	7.16
*3351524	SPACER LED T1 .400 IN NYLON	113	11.64
*3351524	SPACER LED T1 .400 IN NYLON	121	12.10
*3351529	WASH-AWAY SPACER TO-64-06	2977	61.31
*3351529	WASH-AWAY SPACER TO-64-06	91	2.28
*3351536	SPACER #6 SELF RETAINING 9/32 OD	242	14.96
*3351538	STANDOFF CLINCHING	30	4.26
*3351561	SPACER NYLON 6/6 #8 .313 IN OD .250 INL	114	34.04
*3351561	SPACER NYLON 6/6 #8 .313 IN OD .250 INL	23	6.67
*3351567	NYLON SPACER .250 X .203	111	16.00
*3351567	NYLON SPACER .250 X .203	300	43.25
*3351567	NYLON SPACER .250 X .203	200	28.83
*3351567	NYLON SPACER .250 X .203	358	50.12
*3351567	NYLON SPACER .250 X .203	3	0.42
*3351568	NYLON SPACER .375 X .313	232	31.06
*3351568	NYLON SPACER .375 X .313	500	66.93
*3351568	NYLON SPACER .375 X .313	390	50.70
*3351568	NYLON SPACER .375 X .313	3	0.39
*3351650LF	SPACER EXTRUDED .100 IN T1-3/4 RoHS	381	20.43
*3351650LF	SPACER EXTRUDED .100 IN T1-3/4 RoHS	268	13.67
*3351650LF	SPACER EXTRUDED .100 IN T1-3/4 RoHS	55	2.81
*3351675	STANDOFF .25 IN #8 CLEARANCE	2	1.15
*3351702	STANDOFF .094 IN NYLON 6 RND BAR	4	3.38
*3351833	STANDOFF #6-32 X .50 .250OD SS	3	3.12
*3360024	GROMMET NITRILE RUBBER BLACK	90	17.52
*3360024	GROMMET NITRILE RUBBER BLACK	3	0.57
*3360024	GROMMET NITRILE RUBBER BLACK	10	1.89
*3370200	BUTT SPLICE 22-16GA COPPER TIN PLATE	10	-
*3370502	TERMINAL LUG. 0.187	172	3.89
*3370502	TERMINAL LUG. 0.187	7	0.15
*3371300	QC TERMINAL	74	9.90
*3371310	TERMINAL R/A 2 SIDED	19	2.06
*3371351LF	TERM STRIP 1 POLE STAG 3 POS GRAY RoHS	263	51.45

*3371351LF	TERM STRIP 1 POLE STAG 3 POS GRAY RoHS	171	49.59
*3371352LF	TERM STRIP 1 POLE 3 POS ORANGE RoHS	264	130.48
*3371352LF	TERM STRIP 1 POLE 3 POS ORANGE RoHS	173	83.04
*3371353LF	TERM STRIP 1 POLE 3 POS YELLOW RoHS	493	243.67
*3371353LF	TERM STRIP 1 POLE 3 POS YELLOW RoHS	93	42.78
*3371354LF	TERM STRIP 1 POLE 3 POS BLUE RoHS	256	126.53
*3371354LF	TERM STRIP 1 POLE 3 POS BLUE RoHS	173	83.04
*3371354LF	TERM STRIP 1 POLE 3 POS BLUE RoHS	8	3.84
*3371380LF	TERMINAL STRIP 1 POLE 2 POS RoHS	383	141.97
*3371380LF	TERMINAL STRIP 1 POLE 2 POS RoHS	112	40.32
*3371450	CAPTIVE FASTENER FLAT RECEPTACLE	202	44.44
*3372065	IGNITER CABLE END, RAJAH TPE, 081-945	4	6.92
*3372212	TERMINALS	3400	-
*3372218	TERMINAL	3910	467.80
*3372218	TERMINAL	190	22.89
*3372218	TERMINAL	400	-
*3372232	LUG FASTON 62109-2 AMP	1205	127.15
*3372238-1	FASTON .250 ZIERICK 1021	464.98	23.92
*3372238-1	FASTON .250 ZIERICK 1021	500	25.72
*3372238-1	FASTON .250 ZIERICK 1021	855.02	42.72
*3372239	TERMINAL TAB 0.187	279	15.00
*3372247	RECPT FASTON PCB MNT .250/.205	8	1.11
*3372249	TERMINAL 3 POS QUICK FIT HDR VERT	24	27.93
*3372253	TERMINAL 4 POS QUICK-FIT HDR VERT	20	21.42
*3372404	TERMINAL 4454	62	13.41
*3372406	TERMINAL 42400-2 AMP	5811	149.60
*3372406	TERMINAL 42400-2 AMP	8689	217.23
*3372409	TERMINAL AMP 2-520181-2 (TAB .020)	1890	115.29
*3372409	TERMINAL AMP 2-520181-2 (TAB .020)	144	8.78
*3372430	TERMINALS	3500	-
*3372440	TERMINAL TAB 1/4 PC BD MT	5	0.10
*3372440	TERMINAL TAB 1/4 PC BD MT	1000	25.74
*3372453	TERMINAL TAB 3/16 PC BD MT	35	0.70
*3372464	TERMINAL RING #8 22-18AWG	13	0.89
*3372464	TERMINAL RING #8 22-18AWG	200	13.59
*3372649	TERMINALS	752	-
*3372652	TERMINALS AMP	1430	-
*3372685	TEST POINT .330 X .100	719	222.11
*3372710	TERMINAL SOCKET 02-05-1204	176	3.52
*3372710	TERMINAL SOCKET 02-05-1204	265	5.30
*3372735	TERMINAL POST T-46-4-9	65	5.96
*3372805	TERMINAL NT-T 4451 65890-171	193	61.61
*3374079	RING TERM UN-INSULATED #6 STUD T/R	2270	317.89
*3374079	RING TERM UN-INSULATED #6 STUD T/R	40	3.92
*3377025	RING TERM 22-16AWG TYCO 30692	2097	101.49
*3377025	RING TERM 22-16AWG TYCO 30692	182	-
*3377035	PIN CONTACT 22-28AWG (for Recpt Housing)	256	7.04
*3377035	PIN CONTACT 22-28AWG (for Recpt Housing)	512	-
*3377050LF	TERMINAL RCY SYF-001T-P0.6(LF)(SN) RoHS	3180	81.86
*3377074LF	TERMINAL CRIMP FEMALE 32-28AWG RoHS	2848	-
*3377074LF	TERMINAL CRIMP FEMALE 32-28AWG RoHS	23000	402.61
*3377092LF	TERMINAL CRIMP FEMALE 30-24AWG RoHS	12983	151.07
*3377092LF	TERMINAL CRIMP FEMALE 30-24AWG RoHS	2240	-
*3377094LF	TERMINAL CONN SOCKET 18-24AWG SL156 RoHS	5300	136.43
*3377094LF	TERMINAL CONN SOCKET 18-24AWG SL156 RoHS	5000	128.71
*3377094LF	TERMINAL CONN SOCKET 18-24AWG SL156 RoHS	100	-
*3380023	SPRING COMPRESSION (CAMERA)	101	88.40
*3390020	BUMPER	7295	313.69
*3390027	BUMPER FOOT .031 IN BLACK	465	39.22
*3390027	BUMPER FOOT .031 IN BLACK	15	1.23
*3390046	GUIDE PC CARD (LEFT)	104	103.02

*3390046	GUIDE PC CARD (LEFT)	13	16.77
*3390046	GUIDE PC CARD (LEFT)	5	6.64
*3390046	GUIDE PC CARD (LEFT)	49	63.21
*3390047	GUIDE PC CARD (RIGHT)	274	369.61
*3390047	GUIDE PC CARD (RIGHT)	500	674.47
*3390047	GUIDE PC CARD (RIGHT)	38	49.78
*3390047	GUIDE PC CARD (RIGHT)	5	6.74
*3390047	GUIDE PC CARD (RIGHT)	406	531.86
*3390325	SUPPORT PCB 5/8 LOCKING	451	39.48
*3400015LF	CABLE TIE NYLON 4.06 X .10	151	4.80
*3400016	CABLE TIE NYLON	58	3.16
*3400022	TIE WIRE BLACK STABELIZED 4 IN	4	0.10
*3400023	CABLE TIE NYLON	116	3.71
*3400023	CABLE TIE NYLON	3	0.09
*3400023	CABLE TIE NYLON	1	0.03
*3400030	TIE WRAP 7IN	46	2.55
*3400030	TIE WRAP 7IN	5954	321.52
*3400036	7 DOUBLE LOOP TIEWRAP BLACK"	479	48.45
*3400040	ADJUSTABLE CABLE TI 5.5IN	153	10.08
*3400040	ADJUSTABLE CABLE TI 5.5IN	953	60.99
*3400116	WIRE TIE NYLON SET 1.5M PAND	1186	53.37
*3400116	WIRE TIE NYLON SET 1.5M PAND	2	0.09
*3400116	WIRE TIE NYLON SET 1.5M PAND	2	0.09
*3410026	BATTERY COIN CR2025	6	1.67
*3410026	BATTERY COIN CR2025	26	7.02
*3410026	BATTERY COIN CR2025	1	0.27
*3410027	BATTERY 3.0VDC COIN CELL	10	18.84
*3410027	BATTERY 3.0VDC COIN CELL	4	7.32
*3410030	BATTERY LITHIUM TL5101P	7	23.28
*3410041	BATTERY NI-CAD 1.2V	9	11.68
*3410041	BATTERY NI-CAD 1.2V	6	7.56
*3410060	BATTERY LITHIUM CR2450NRV 3V	386	439.67
*3410063LF	BATTERY LITHIUM 3V HORZ COIN RoHS	1526	282.84
*3410063LF	BATTERY LITHIUM 3V HORZ COIN RoHS	37	9.99
*3410072	BATTERY LITHIUM 3V	29	6.57
*3411003	BATTERY HOLDER	102	30.78
*3411010	BATTERY HOLDER COIN CELL 502	5	3.22
*3420037	FUSE RXE050	1518	337.63
*3420037	FUSE RXE050	243	54.05
*3420038	FUSE PTC RESETTABLE RADIAL	2477	502.47
*3420038	FUSE PTC RESETTABLE RADIAL	168	37.88
*3420038	FUSE PTC RESETTABLE RADIAL	11	2.17
*3420051	FUSE 1A 250V 5X20MM SLO	5	1.34
*3420074	FUSE MINIATURE 1/2A PICO-II WIRE-LEAD	379	214.65
*3420078	FUSE 250V 1/2A GLASS 3AG NOR-BLO	98	12.11
*3420107	FUSE 250V 7A GLASS 3AG	684	52.83
*3420107	FUSE 250V 7A GLASS 3AG	65	4.88
*3420108	FUSE 1A 250VAC	800	40.00
*3420109	FUSE 1.25A 250V GLASS 5X20MM	1	-
*3420111	FUSE 1.5A 250V TIME DELAY	56	10.38
*3420115	FUSE 2 AMP	19	3.54
*3420115	FUSE 2 AMP	100	18.63
*3420128	FUSE 2A 250V GLASS 5X20MM	64	6.92
*3420131LF	FUSE 3.15A RoHS	1000	245.07
*3420131LF	FUSE 3.15A RoHS	140	33.32
*3420134	FUSE 3 AMP 250V	89	11.92
*3420140	FUSE SLO-BLO 3AG 5 AMP	21	4.11
*3420140	FUSE SLO-BLO 3AG 5 AMP	53	10.07
*3420142	FUSE 5A 125V SLOW BLOW 2AG SERIES	2	0.60
*3420145	FUSE MINI ATO 5A FAST ACTION	92	18.38
*3420153	FUSE SLO-BLO 125V 5A SUBMINIATURE	5	2.98

*3420157	FUSE 5A 250V 5X20MM	14	1.58
*3420168LF	FUSE 6.3A RoHS	162	42.32
*3420168LF	FUSE 6.3A RoHS	6	1.52
*3420173LF	FUSE 7A 251 SERIES RoHS	30	11.55
*3420173LF	FUSE 7A 251 SERIES RoHS	32	11.38
*3420200	FUSE 1/2A 5x20mm	100	18.53
*3420200	FUSE 1/2A 5x20mm	100	18.53
*3420230	FUSE 0.5A 250V SLO-BLO 5MM	54	8.34
*3420241LF	FUSE 2.5A SLOW RoHS	28	6.83
*3420250LF	FUSE 20A 1.25 X .25 RoHS	499	48.70
*3420250LF	FUSE 20A 1.25 X .25 RoHS	200	20.10
*3420250LF	FUSE 20A 1.25 X .25 RoHS	1	0.10
*3420275	FUSE 250V 0.5A 2AG FAST	2	0.41
*3420900	FUSE COVER	202	29.12
*3420900	FUSE COVER	34	4.76
*3421005LF	FUSE HOLDER RoHS	254	61.47
*3421005LF	FUSE HOLDER RoHS	2000	498.37
*3421005LF	FUSE HOLDER RoHS	500	124.59
*3421005LF	FUSE HOLDER RoHS	12	2.90
*3421005LF	FUSE HOLDER RoHS	2	0.48
*3421009	FUSE CLIP PC MOUNT 100056	19	2.23
*3421009LF	FUSE CLIP PC MOUNT 100056 RoHS	86	5.85
*3421009LF	FUSE CLIP PC MOUNT 100056 RoHS	100	7.21
*3421021	TERMINAL ATP FUSE HOLDER N.I.	159	8.19
*3421022	TERMINAL FUSE HOLDER	4	0.74
*3421022	TERMINAL FUSE HOLDER	18	3.24
*3421105	FUSE CLIP PCB 2AG/5MM SPRNGBR	31	1.39
*3421106	FUSE CLIP	5	0.33
*3421110	FUSE PC CLIP 3AG	12	1.12
*3421110	FUSE PC CLIP 3AG	100	9.37
*3421110	FUSE PC CLIP 3AG	300	28.11
*3421110	FUSE PC CLIP 3AG	155	14.11
*3421205	FUSE CLIP	15	0.87
*3421210	FUSE CLIP LITTLEFUSE 102074	40	2.97
*3421301	CLIP BATTERY	80	5.93
*3421302	BATTERY CONTACT, SNAP ON	6	1.85
*342403054MHGR	BATTERY LITHIUM COIN CELL 22MAH	2	2.04
*3430013	COMPUTER SINGLE BOARD	-1	(896.74)
*3430013	COMPUTER SINGLE BOARD	1	817.99
*3440020	LABEL .375 x 1 POLY WHITE	2966	116.06
*3440047	LABEL BLANK .833W X 1.875L	1940	34.53
*3440060	LABEL CONNECTOR (12 VDC RS232 HSLAN)	1	13.96
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	2188	24.10
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	10000	110.13
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	1320	14.54
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	800	8.64
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	2400	26.44
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	2400	26.31
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	400	4.41
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	400	4.41
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	80	0.88
*3440073	BLANK LABEL 1/4 IN X 13/16 IN (LASER TAB	10000	110.13
*3440074	BLANK LABEL 1.5 IN X 1/4 IN (LASERTAB)	17481	233.11
*3440074	BLANK LABEL 1.5 IN X 1/4 IN (LASERTAB)	29	0.39
*3440075	BLANK LABEL .50 IN X .437: (LASERTAB)	8585	99.85
*3440075	BLANK LABEL .50 IN X .437: (LASERTAB)	10000	120.33
*3440075	BLANK LABEL .50 IN X .437: (LASERTAB)	10000	120.33
*3440078	LABEL BLANK 1-1/4 X 2-3/8	990	32.83
*3440140	LABEL BOARD QC	556	57.25
*3440140	LABEL BOARD QC	979	97.90
*3440156	LABEL ETHERNET	7	10.38

*3440157	LABEL ETHERNET	76	129.13
*3440157	LABEL ETHERNET	51	79.31
*3440157	LABEL ETHERNET	1	1.65
*3440158	LABEL ETHERNET	15	19.05
*3440262	LABEL WARNING	16	25.60
*3440262	LABEL WARNING	1	1.60
*3440263	LABEL WARNING	4	6.32
*3440270	LABEL ELECTRICAL DIAGRAM	14	12.99
*3440270	LABEL ELECTRICAL DIAGRAM	8	7.42
*3440370	LABEL EDS STATIC HANDLING (NEMATRON)	528	12.02
*3440370	LABEL EDS STATIC HANDLING (NEMATRON)	10	0.22
*3440376	GUIDE MODULE USAGE (LABEL)	147	37.84
*3440376	GUIDE MODULE USAGE (LABEL)	49	12.25
*3441070-4	PMI KEYPAD VULCAN 355887-4	48	1,179.32
*3441070-5	PMI KEYPAD VULCAN 355887-5	27	663.37
*3441099	KEY PAD TIMER ITW #437566	29	819.11
*344205436MHGR	LABEL WEE	48	-
*3443147	LABEL INTERFERENCE WARNING (PMI)	99	17.74
*3443147	LABEL INTERFERENCE WARNING (PMI)	54	9.40
*3443147	LABEL INTERFERENCE WARNING (PMI)	1	0.17
*3443160	LABEL BLANK .375 X 1.00-8.5 X 11 SHEET	4369	74.27
*3443160	LABEL BLANK .375 X 1.00-8.5 X 11 SHEET	1800	30.60
*3443160	LABEL BLANK .375 X 1.00-8.5 X 11 SHEET	3831	90.41
*3443700	TEMPLATE BASE PLATE	6	2.16
*3443700	TEMPLATE BASE PLATE	56	19.60
*3443700	TEMPLATE BASE PLATE	1	0.35
*3450009	PLATE LEXAN	63	32.43
*3450009	PLATE LEXAN	7	3.50
*3450009	PLATE LEXAN	93	46.50
*3450041	CASE,BOTTOM COVER W/ HARDWARE	106	204.65
*3450042	CASE, TOP COVER W/ HARDWARE	5	8.19
*3450042	CASE, TOP COVER W/ HARDWARE	2	3.87
*3450080	BRACKET ASSY SENSER MOUNTING	21	672.00
*3450095	BRACKET WIRELESS	29	129.60
*3450095	BRACKET WIRELESS	22	58.74
*3450121LF	FLASH SWITCH CAP RoHS	10	3.22
*3450130	KEY CAP 12MM SQ RED FITS 12MM	21	3.24
*3450150-1	KNOB CONTROL 355862-1 W/BLACK INSERT	120	148.20
*3450161	KNOB POTENTIOMETER ITW 437775	7	33.59
*3450161	KNOB POTENTIOMETER ITW 437775	9	41.94
*3450300	COVER MOTOR CONTROL	70	479.33
*3450380	CASE DISK DRIVE	1	45.58
*3450393	CONTROL BOX COVER 4 IN X 6 IN	35	80.37
*3450394	CONTROL BOX BASE 4 IN X 6 IN	35	80.73
*3451400	CASE SPEED ADVANCE 100426-1	118	15.80
*3451400	CASE SPEED ADVANCE 100426-1	106	50.88
*3451400	CASE SPEED ADVANCE 100426-1	2	0.96
*3451900	KEYBOARD DISK DRIVER	14	302.59
*3451900	KEYBOARD DISK DRIVER	1	21.62
*3452347	MOUNT BOARD CPU CL/CX/SV	1	7.55
*3452381	ENCLOSURE BOTTOM UMP-360	-1	(14.26)
*3452381	ENCLOSURE BOTTOM UMP-360	1	13.83
*3452432	FRAME UMP-360-V2 ENCLOSURE	-5	(290.77)
*3452432	FRAME UMP-360-V2 ENCLOSURE	5	322.90
*3452440	PLATE W/NUT	205	672.40
*3452440	PLATE W/NUT	35	114.80
*3452440	PLATE W/NUT	27	88.56
*3452524-1	DISK COVER TOP - PLATINUM 042931-2	1	7.41
*3452524-2	PLATE BASE (RAW ALUMINUM) 042931-3	1	10.35
*3452524-3	BEZEL FRONT (GRAY MEDIUM) 042931-4	7	155.41
*3452524-3	BEZEL FRONT (GRAY MEDIUM) 042931-4	1	22.02

*3452524-4	PLATE FRONT (BLACK ANODIZED) 042931-5	1	8.89
*3452524-5	BEZEL REAR (PLATINUM) 042931-6	1	27.05
*3452524-6	PLATE REAR (CLEAR ANODIZED) 042931-7	1	7.23
*3452524-7	SCREW FLT HD #4 THD FORMING 042931-8	1	0.05
*3452524-7	SCREW FLT HD #4 THD FORMING 042931-8	2	0.11
*3452524-8	SCREW PAN HD #4 THD FORMING 042931-9	3	0.15
*3452524-8	SCREW PAN HD #4 THD FORMING 042931-9	2	0.11
*3452975	SHIELD WIRE .032 5052-H32 ALUM.	113	21.76
*3452975	SHIELD WIRE .032 5052-H32 ALUM.	50	12.05
*3452975	SHIELD WIRE .032 5052-H32 ALUM.	90	22.05
*3453039	PLATE CONTROL MTG LARGE (DWG 437780)	12	241.08
*3453045	PLATE MOUNT DISK DRIVE	1	14.41
*3453085	BLOCK PRINTER STOP	6	17.30
*3453101	440671 BRACKET WIRELESS	60	60.24
*3453101	440671 BRACKET WIRELESS	300	301.19
*3453101	440671 BRACKET WIRELESS	50	31.51
*3453101	440671 BRACKET WIRELESS	72	57.02
*3453101	440671 BRACKET WIRELESS	4	4.24
*3453101	440671 BRACKET WIRELESS	2	2.12
*3453105	BRACKET ETHERNET BD	2	50.46
*3453106	BRACKET ETHERNET	1	5.74
*3453106	BRACKET ETHERNET	16	313.86
*3453109	BRACKET ANGLE ADJUSTMENT	84	137.10
*3453109	BRACKET ANGLE ADJUSTMENT	6	26.10
*3453111	BRACKET CAMERA MTG	95	293.46
*3453111	BRACKET CAMERA MTG	5	15.00
*3453111	BRACKET CAMERA MTG	15	45.00
*3453121	BRACKET FRONT PANEL STUDEO BEAM	28	330.13
*3453270LF	BRACKET PCI VER PCIO CARD W/ DB9 RoHS	64	76.45
*3453305LF	BRACKET - MUENSTER RoHS	-33	(82.51)
*3453305LF	BRACKET - MUENSTER RoHS	4	3.04
*3453305LF	BRACKET - MUENSTER RoHS	29	22.06
*3453450	HINGE LID ASSY	1	141.85
*3453501	HOUSING SENSOR MEDIA	923	717.58
*3453501	HOUSING SENSOR MEDIA	245	112.95
*3453530	HOUSING SENSOR	2	6.08
*3453571	BNC END CAP ENCLOSURE	8	14.00
*3460150	FILTER EMI 22 000PF 50V +50-20%	201	20.70
*3460150	FILTER EMI 22 000PF 50V +50-20%	200	20.59
*3460200	LED INFRARED GAAS T-1 3/4	46	-
*3460200	LED INFRARED GAAS T-1 3/4	4	-
*3470052	LED LIGHT BAR GREEN	9	9.73
*3470119	LED BI-COLOR RED/GREEN T-1	38	24.56
*3470119	LED BI-COLOR RED/GREEN T-1	5	3.14
*3470122LF	LED T1 RED & GREEN RoHS	941	63.95
*3470122LF	LED T1 RED & GREEN RoHS	27	1.78
*3470155	LED SUPER BRIGHT RED T1-3/4	125	5.15
*3470156	LED RED T-1 3MM SUPERBIGHT	128	20.43
*3470160	LED RED T1.75 RA	1551	83.05
*3470160	LED RED T1.75 RA	5000	267.73
*3470160	LED RED T1.75 RA	660	35.34
*3470162	DUAL LED RED	2900	2,627.84
*3470162	DUAL LED RED	500	453.08
*3470162	DUAL LED RED	2	1.76
*3470167	LED ROUND RED T-1 SLR-37VR3	461	28.48
*3470168	LED RED T-1 3MM HI-EFF	2292	141.61
*3470207	INDICATOR-LED GREEN T-1 3MM LO CURRENT	242	22.99
*3470207	INDICATOR-LED GREEN T-1 3MM LO CURRENT	106	10.07
*3470207	INDICATOR-LED GREEN T-1 3MM LO CURRENT	9	0.86
*3470255	LED INFRARED ALAGAS T1 1A 5V 50MA	1	0.08
*3470255	LED INFRARED ALAGAS T1 1A 5V 50MA	5	0.71



*3470258LF	DISPLAY LED ALPHANUMERIC 14SEG RED RoHS	100	122.54
*3470263	LCD MODULE 16 X 1 3.07 X 6.56MM SIZE	229	1,042.26
*3470263	LCD MODULE 16 X 1 3.07 X 6.56MM SIZE	19	83.98
*3470263	LCD MODULE 16 X 1 3.07 X 6.56MM SIZE	2	8.84
*3470267	LED 7 SEGMENT DISPLAY RED	3	1.11
*3470267	LED 7 SEGMENT DISPLAY RED	15	5.56
*3470277	DISPLAY 7 SEGMENT .4 IN	9	7.88
*3470288	LED 7 SEGMENT DUAL GREEN CC DIRECT	1	1.09
*3470288	LED 7 SEGMENT DUAL GREEN CC DIRECT	22	28.57
*3470292	DISPLAY 2 DIGIT LED	6	7.74
*3470320	LED GREEN SUPER BRIGHT T1-3/4	263	14.22
*3470410	LED BLUE T-1 3MM WATER CLEAR	161	48.30
*3470412LF	LED BLUE T1 3MM RoHS	26	9.61
*3471209	LED R/A RED 5V	385	114.97
*3471212	LED RED T1 3/4 (5mm) LOW PROFILE	87	14.79
*3471212	LED RED T1 3/4 (5mm) LOW PROFILE	1	0.17
*3471303	LED RND HLMP-1300 T1 ROUND	12	2.72
*3471371	LED ROUND AMBER T-1 SLR37YY3	134	8.00
*3471411	LED BARGRAPH HLMP-2720	1	2.32
*3471443	LED SUPER BRIGHT YELLOW T1-3/4 5mm	228	25.35
*3471444	LED YELLOW DIFF R/A	1383	182.28
*3471444	LED YELLOW DIFF R/A	4800	632.66
*3471444	LED YELLOW DIFF R/A	5	0.64
*3471445	LED YELLOW T-1 3MM WATER CLEAR	79	17.89
*3471448	DIODE LED YELLOW T1 LC	4	0.48
*3471459	LED YELLOW CYBERLIGHT	436	255.91
*3471668	LED GREEN T-1 3MM WATER CLEAR	7	8.72
*3471672	LED GREEN T1 3MM DIFFUSED	235	8.96
*3471672	LED GREEN T1 3MM DIFFUSED	291	10.77
*3471680	LED GREEN T1 3/4 (5mm) LOW PROFILE	200	30.89
*3471680	LED GREEN T1 3/4 (5mm) LOW PROFILE	175	26.25
*3471685	LED GREEN SUPER BRITE T1	1	0.49
*3471690LF	LED ROUND GREEN T-1 RoHS	5	0.31
*3471691	LED GREEN CYBERLIGHT	94	55.17
*3471692	LED GREEN	6	3.65
*3471695	LED GREEN LOW CURRENT W/ RESISTOR	48	26.69
*3472102	LED LAMP GREEN 5.2MCD 10MA T1 3/4	151	11.04
*3472179	LED RED 4MC 20MA	220	14.27
*3472191-1	LED MODULE LIGHT BAR	27	25.02
*3472202	LED RED 7MC 10MA T1 3/4 .1LS	49	3.58
*3472532	DISPLAY VACUUM FLUORESCENT	19	293.47
*3472532	DISPLAY VACUUM FLUORESCENT	16	240.00
*3472532	DISPLAY VACUUM FLUORESCENT	170	2,625.79
*3472532	DISPLAY VACUUM FLUORESCENT	1	15.45
*3473537	LENS DISPLAY	2	18.53
*3474702	LENS 1/3 IN EFL=6 F/2.8 M12X0.5	50	1,505.97
*3474702	LENS 1/3 IN EFL=6 F/2.8 M12X0.5	35	1,023.75
*3475440	LENS HOLDER	223	803.70
*3475440	LENS HOLDER	50	175.00
*3490008	TAPE FOAM .045 X 1 X 36 YD VHB	59	56.82
*3490010	FOAM TAPE 1 IN x .125 IN 3M #4408	106.5831	108.74
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	145.4192	6.24
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	54	2.25
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	648	27.80
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	432	18.53
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	432	18.53
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	972	41.70
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	756	32.44
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	1404	60.24
*3490051	TAPE KAPTON LOW STATIC 3M 5419 1/4 IN WD	1188	50.97
*3490062	POLYESTER TAPE 2 IN (CLEAR)	1100	18.04

*3490555	PAD HEAT TRANSFER	4	18.41
*3491000	INSULATION STRIP INNER	60	11.12
*3491000	INSULATION STRIP INNER	26	4.68
*3491019	INSULATOR TO-220	1360	154.05
*3491019	INSULATOR TO-220	1073	118.03
*3491128	INSULATOR .465 X .219 CIR FOR HC49S XTAL	802	16.52
*3491130	WASH-AWAY SPACER	728	22.49
*3491130	WASH-AWAY SPACER	1000	30.89
*3491130	WASH-AWAY SPACER	1000	30.89
*3491136	INSULATOR BLOCK	131	277.34
*3491138	INSULATOR	30	54.80
*3491142	INSULATOR HEATSINK	5	13.21
*3491142	INSULATOR HEATSINK	2	5.13
*3491147	MOLDED NYLON INSULATOR #2	105	3.24
*3491150	INSULATOR - RECTIFIER	168	131.12
*3491160LF	SPACER BATTERY CONTACT PHENOLIC RoHS	192	-
*3491160LF	SPACER BATTERY CONTACT PHENOLIC RoHS	8	-
*3491160LF	SPACER BATTERY CONTACT PHENOLIC RoHS	10	-
*3491282	HEATSINK .375 IN TO-220 TAB	27	8.12
*3491282	HEATSINK .375 IN TO-220 TAB	44	9.68
*3491291	HEATSINK AL TO-220	41	16.04
*3491291	HEATSINK AL TO-220	150	58.69
*3491294	HEATSINK BAR	169	788.32
*3491294	HEATSINK BAR	2	9.06
*3491294	HEATSINK BAR	1	4.53
*3491296	BAR SHORTING 180-300-SN200	71	43.58
*3491308	HEATSINK CLIP ON MULTIWATT VER 11.5C/W@6	39	30.12
*3491325	HEATSINK PCB MOUNT TO-220	5	-
*3491325	HEATSINK PCB MOUNT TO-220	5	4.99
*3491325	HEATSINK PCB MOUNT TO-220	10	22.40
*3491325	HEATSINK PCB MOUNT TO-220	5	4.87
*3493008	HEATSINK 14/16 POS DIP GLUE-ON	8	5.19
*3493020	HEATSINK ITW 041866	71	718.67
*3493041	HEATSINK 6079B	3	0.38
*3493042	HEATSINK TO-220 7178D	1	0.47
*3493056	HEATSINK	18	9.64
*3493059	HEATSINK PCB MTG ALUM W/BLK ANOD TO220	4	-
*3493064	HEATSINK POWER	2	19.56
*3493064	HEATSINK POWER	66	645.63
*3493064	HEATSINK POWER	5	47.50
*3493064	HEATSINK POWER	1	9.50
*3493460	SHIELD EMI 1 PIECE	82	510.00
*3493604	GASKET DOUBLE SIDES ADHESIVE	19	3.13
*3493604	GASKET DOUBLE SIDES ADHESIVE	72	11.52
*3494099	TFT-200-9 Natural TUBING	149.53	-
*3494099	TFT-200-9 Natural TUBING	0.47	-
*3494130	TUBING ADHESIVE LINED 3/4 BLACK	3.44	5.53
*3494130	TUBING ADHESIVE LINED 3/4 BLACK	10.56	13.83
*3494151	TUBING	375	-
*3494158	TUBING	87	-
*3494166	TUBING HEAT SHRINK 3/4 IN	212.57	97.31
*3494166	TUBING HEAT SHRINK 3/4 IN	11.2	4.98
*3494166	TUBING HEAT SHRINK 3/4 IN	16.23	7.14
*3494170	TUBING	82	-
*3494175	HEATSINK	8	1.04
*3494175LF	HEATSINK TO220 THERMAL RESIST RoHS	37	3.54
*3494180	HEATSINK	69	33.39
*3494305	PVC TUBING ALPHA BLK	250	14.83
*3494308	HEATSHRINK TUBING .188 ID BLACK	18.48	14.41
*3494825	HEATSHRINK TUBE 1/4 IN BLACK	507	65.91
*3501053	ENCLOSURE CAMERA	17	569.10

*3501053	ENCLOSURE CAMERA	9	301.29
*3510002	DISK DRIVE	1	11.49
*3515000	DISK 3.5 IN (BLANK) W/ LABEL	6	3.83
*3515000	DISK 3.5 IN (BLANK) W/ LABEL	4	2.56
*3520170	CHOKE MOLDED .33UH 3%	376	210.56
*3520170	CHOKE MOLDED .33UH 3%	90	-
*3520170	CHOKE MOLDED .33UH 3%	100	56.00
*3520240	INDUCTOR RF CHOKE 125UH 3.5A	6	4.45
*3520415	INDUCTOR 330UH LOW PWR	53	63.31
*3520420	INDUCTOR 330UH AXIAL	15	9.00
*3520425	CHOKE 25UH 3A RADIAL LEADS REV. B	10	37.07
*3520555	INDUCTOR TOROIDAL W/ BASE 47UH	9	11.31
*3520558	INDUCTOR SHIELDED 47UH	80	87.32
*3520563	INDUCTOR 47UH 10% 2.1A	58	152.30
*3520566	INDUCTOR POWER 22UH	429	300.39
*3520566	INDUCTOR POWER 22UH	23	15.64
*3520960	INDUCTOR 68UH	1	22.21
*3520961	INDUCTOR POWER 68UH	168	34.60
*3521028	INDUCTOR 150UH	34	26.96
*3521048	INDUCTOR 220UH	24	33.61
*3521061	INDUCTOR 470uH	10	20.60
*3521500	INDUCTOR FERRITE RADIAL 2 BEAD	185	11.81
*3521800	INDUCTOR B0192-B	53	36.57
*3521801	INDUCTOR B0203-B	53	68.90
*3521995	INDUCTOR TOROIDAL 250UH 2A	7	15.86
*3523202-2	FERRITE BEAD	118	6.44
*3523255	FERRITE BEAD	924	34.92
*3552036	COVER SENSOR MEDIA	251	153.52
*3620003	RELAY SOCKET PCB MOUNT	3	4.14
*3620008	RELAY FORM C 12A 5V COIL	36	10.94
*3620008	RELAY FORM C 12A 5V COIL	106	32.20
*3620008	RELAY FORM C 12A 5V COIL	7	2.13
*3620008	RELAY FORM C 12A 5V COIL	18	5.60
*3620008	RELAY FORM C 12A 5V COIL	400	121.51
*3620008	RELAY FORM C 12A 5V COIL	225	68.35
*3620008	RELAY FORM C 12A 5V COIL	225	68.35
*3620008	RELAY FORM C 12A 5V COIL	9	2.66
*3620008	RELAY FORM C 12A 5V COIL	62	18.29
*3620008-1	RELAY FORM C 12A 5V COIL	10	8.55
*3620016	RELAY 8A 12V LATCH 2 COIL	30	95.76
*3620016	RELAY 8A 12V LATCH 2 COIL	1	3.10
*3620018	RELAY SOLID STATE 400V 8 AMPS	108	482.21
*3620027LF	RELAY PWR SPST NO 5V 16A RoHS	539	549.46
*3620027LF	RELAY PWR SPST NO 5V 16A RoHS	203	264.77
*3620033	RELAY 20A 12V W/RE SPDT	1	-
*3620034	RELAY T7C 12V COIL 12A CONTACTS	12	5.40
*3620036	RELAY 12V COIL CONTACTS	1	-
*3620037	RELAY 20A 12V SEAL PCB MINI	35	32.44
*3620037	RELAY 20A 12V SEAL PCB MINI	4	4.32
*3620041	RELAY 12VDC SPDT GOLD	5	2.06
*3620050	RELAY SOLID STATE 5V	151	656.16
*3620050	RELAY SOLID STATE 5V	200	869.08
*3620050	RELAY SOLID STATE 5V	172	747.41
*3620050	RELAY SOLID STATE 5V	62	261.64
*3620051LF	RELAY PC MNT DPDT 1A 5V RoHS	1108	1,186.55
*3620051LF	RELAY PC MNT DPDT 1A 5V RoHS	173	179.92
*3620051LF	RELAY PC MNT DPDT 1A 5V RoHS	149	154.96
*3620051LF	RELAY PC MNT DPDT 1A 5V RoHS	70	72.80
*3620052	RELAY 5VDC .93W 30A	251	168.17
*3620055	RELAY FORM C T91 STYLE	256	197.71
*3620055	RELAY FORM C T91 STYLE	325	250.99

*3620055	RELAY FORM C T91 STYLE	55	41.25
*3620055	RELAY FORM C T91 STYLE	249	186.75
*3620055	RELAY FORM C T91 STYLE	6	4.50
*3620068	RELAY SPST POWER 24V	-150	(31.19)
*3620068	RELAY SPST POWER 24V	150	157.54
*3620069	RELAY DPDT 24VDC DC	1	1.29
*3620074	RELAY PCB 12VDC	7	3.68
*3620082	RELAY DPDT 15A 1.2VA	3	22.33
*3620087	RELAY 120VAC DPDT 8A	3	10.57
*3620099LF	RELAY 5V DPDT SIGNAL BIFURCATED RoHS	2	2.08
*3620115	RELAY MINI DPDT 24V	5	3.71
*3620115	RELAY MINI DPDT 24V	1	0.72
*3620117	RELAY DPST 10A 12V COIL	1	2.45
*3620133	RELAY 12VDC SPDT PCB MT	17	13.30
*3620170	RELAY POWER PHOTOMOS	11	56.52
*3620190	RELAY 10A SPDT MINI PCB MNT	22	6.79
*3620190	RELAY 10A SPDT MINI PCB MNT	79	23.70
*3620400	BASE 5 PIN RELAY TYPE	3	1.39
*3640006	BUZZER AUDIO INDICATOR 4KHz 12V	1	1.50
*3640015	BUZZER ITW #437694	120	59.31
*3640015	BUZZER ITW #437694	11	5.28
*3640015	BUZZER ITW #437694	141	67.68
*3640022	BUZZER PB-1224PE-05Q	3	1.72
*3640115	SPEAKER PC BOARD MOUNT .4W	20	11.74
*3640600	BEEPER	3	4.32
*3660011	SWITCH ENCODER ROTARY DIGITAL	2	3.73
*3660013	ENCODER ROTARY DIGITAL SW	3	1.71
*3660020LF	SWITCH DESKTOP PROFILE KEYSWITCHES	19	7.14
*3660021LF	SWITCH SOFT TACTILE MX SERIES RoHS	66	23.58
*3660052	SWITCH REED DROP-OUT 40 MIN. YELLOW DOT	4	19.03
*3660080	SWITCH RECV OPTO PAIR	6	4.21
*3660089	SWITCH DIP 12 POS	126	57.09
*3660089	SWITCH DIP 12 POS	3	1.32
*3660096	SWITCH ROTARY 6 POS	1	6.69
*3670039LF	SWITCH PUSHBUTTON GRAY RoHS	2	1.29
*3670039LF	SWITCH PUSHBUTTON GRAY RoHS	1	0.44
*3670051	SWITCH MOMENTARY	3	0.77
*3670092	SWITCH MINIATURE LIMIT	923	3,412.05
*3670092	SWITCH MINIATURE LIMIT	1000	3,696.69
*3670092	SWITCH MINIATURE LIMIT	1000	3,696.69
*3670092	SWITCH MINIATURE LIMIT	1000	3,696.69
*3670092	SWITCH MINIATURE LIMIT	7	27.72
*3670190	SWITCH PUSHBUTTON PCB YELLOW	17	23.32
*3670190	SWITCH PUSHBUTTON PCB YELLOW	25	38.50
*3670200	SWITCH PCB SPDT ON-ON SLIDE	32	31.63
*3670211	SWITCH 2 POS DIP SPST	3	1.08
*3670211	SWITCH 2 POS DIP SPST	1	0.34
*3670261	SWITCH 5 POS	7	2.94
*3670282	SWITCH DIP 8 POS SPST	1	0.46
*3670283	SWITCH 8 POS DIP R/A	9	6.12
*3670301	SWITCH DIP 16 POS	12	13.47
*3670301	SWITCH DIP 16 POS	4	4.36
*3670301-1	SWITCH ROTARY DECIMAL CODE 16 POS	7	7.86
*3670305	SWITCH LARGE ROCKER	1	4.49
*3670851	SWITCH DIP 12 POS	8	4.65
*3670900	SWITCH AC INPUT 230V	1	2.00
*3672252	SWITCH PB PCB MOUNT (ON)-OFF	49	7.01
*3672252	SWITCH PB PCB MOUNT (ON)-OFF	5	0.70
*3672258	SWITCH PUSHBUTTON MINIATURE	94	8.71
*3672258	SWITCH PUSHBUTTON MINIATURE	28	2.52
*3672261LF	SWITCH FLAT TACK RoHS	2	0.45

*3672261LF	SWITCH FLAT TACK RoHS	4	1.84
*3690007	TRANSFORMER 8 PIN 10V @ 2.4A	2	23.04
*3690007	TRANSFORMER 8 PIN 10V @ 2.4A	1	10.69
*3690008	TRANSFORMER 8 PIN 115V 300MA	4	31.53
*3690034	HEATSINK MOBILE CELERON	21	108.12
*3690038	TRANSFORMER 115/230-16/8 PCB MT 6VA	1	6.66
*3690043	TRANSFORMER	87	442.55
*3690043	TRANSFORMER	100	508.68
*3690043	TRANSFORMER	1	5.63
*3690051LF	TRANSFORMER (EE-16) HIGH VOLTAGE RoHS	149	107.40
*3690051LF	TRANSFORMER (EE-16) HIGH VOLTAGE RoHS	1	5.70
*3690072LF	TRANSFORMER RoHS	156	262.08
*3690072LF	TRANSFORMER RoHS	4	6.72
*3690090	TRANSFORMER POWER	148	190.50
*3690160	TRANSFORMER 12.6/6.3V 1.1VA	3	5.91
*3690190	TRANSFORMER 115/230-16/8 PCB MT	8	47.67
*3690195	TRANSFORMER PCB MNT 115V	12	43.25
*3690230	TRANSFORMER 1.5MH 375V	4	17.40
*3690281	TRANSFORMER	69	596.61
*3700011	JUMPER ASSY ITW #438073	1	4.99
*3700011	JUMPER ASSY ITW #438073	2	9.70
*3710136	EU DLT CABLE ASSY 543-0130-00	-49	(56.38)
*3710136	EU DLT CABLE ASSY 543-0130-00	49	56.35
*3710265	HARNESS DISK DRIVE	1	2.26
*3710265	HARNESS DISK DRIVE	1	2.24
*3710266	HARNESS WIRING ASSY	2	8.16
*3710400	CABLE 9 PIN D EXT RS232 M/F	2	7.99
*3710400	CABLE 9 PIN D EXT RS232 M/F	1	3.99
*3710872	CABLE ASSY MODULATOR 6PIN 6 WIRE 2'	6	10.46
*3710872	CABLE ASSY MODULATOR 6PIN 6 WIRE 2'	109	165.00
*3710941	CABLE ASSY 12 CONDUCTOR 12 IN 22AWG	1	6.87
*3710970-2	CABLE ASSY 8 POS SDL (6 FEET)	2	30.05
*3710970-2	CABLE ASSY 8 POS SDL (6 FEET)	1	14.90
*3711010	CABLE ASSY (20 PIN)	2	5.95
*3711012	475249 ITW CABLE MTA ASSY (8 PIN)	1	3.44
*3712300	CABLE, TWISTED PAIR (BLACK & WHITE) 18GA	450	-
*3712479	048841 ITW CABLE ASSY MEDIA SENSOR	373	1,866.65
*3712699-1	443199-1 ITW/HOBART CABLE ASSY 9IN	1	2.74
*3715083LF	2M CABLE RoHS	64	26.36
*3715083LF	2M CABLE RoHS	200	82.38
*3715083LF	2M CABLE RoHS	19	7.83
*3716353LF	CABLE ASSY RFID TO MOTOR	1	2.74
*3717256	9572078 INVACARE CABLE ASSY	6	54.06
*3718042	30037 Lenco CABLE OVERMOLD KEYPAD 10W	67	86.24
*3718042	30037 Lenco CABLE OVERMOLD KEYPAD 10W	2	2.50
*3718043	30059 Lenco CABLE ACC PWR & ACTRS 7W	1	1.74
*3718043	30059 Lenco CABLE ACC PWR & ACTRS 7W	1	1.90
*3719100	CABLE 20AWG/20 CONDUCTORS SHIELDED	52.5	127.58
*3719100	CABLE 20AWG/20 CONDUCTORS SHIELDED	27.5	66.83
*3719100	CABLE 20AWG/20 CONDUCTORS SHIELDED	9.5	-
*3719100	CABLE 20AWG/20 CONDUCTORS SHIELDED	0.5	-
*3720011	WIRE #22 AWG TINNED COPPER SOLID	543	-
*3720020	WIRE #22 AWG RED	400	-
*3720026	WIRE 22GA STRANDED B22 19/34 BLACK	1000	-
*3720027	WIRE #22 AWG GREEN	825	-
*3720030	WIRE #22 AWG ORANGE	362	-
*3720035	WIRE #22 AWG YELLOW	3532	-
*3720038	WIRE #22 AWG GRAY	3438	-
*3720041	WIRE #22GA YELLOW(7X30) STRD TIN COP 80C	5	-
*3720060	WIRE #22 AWG LT BLUE	3210	-
*3720110	WIRE #22 AWG GRAY	563	-

*3720111	WIRE 22AWG SOLID WHITE TEFLON 220C	33.0394	2.64
*3720125	WIRE #18 AWG BLUE	510	-
*3720129	WIRE #18 AWG BLACK UL1007	648	-
*3720131	WIRE 18 AWG STRANDED RED	100	36.04
*3720155	WIRE #26 SOLID COPPER TINNED BARE BUS	83.668	10.48
*3720163	WIRE #26 GA SOLID BLUE TEFLON	1020.52	136.61
*3720163	WIRE #26 GA SOLID BLUE TEFLON	0.48	0.06
*3720174	WIRE 26 GA GRAY TEFLON 19/38 STRANDED	773	-
*3720990	WIRE 24AWG STRANDED 7/32 PURPLE	385	-
*3723013	WIRE 30GA SOLID BARE	137.308	26.86
*3723013	WIRE 30GA SOLID BARE	4	0.78
*3723013	WIRE 30GA SOLID BARE	89.242	16.96
*3723017	WIRE 18GA STRANDED RED #1015 105C	427	17.14
*3723018	BUS #18 AWG	71	-
*3723019	WIRE 18GA BLACK 16/30 STRANDED	430	17.71
*3723046	WIRE BROWN 18AWG 105C 600V UL1015	125.83	3.77
*3723046	WIRE BROWN 18AWG 105C 600V UL1015	174.17	5.23
*3723048	WIRE #18 GA STRND RED GPT/GXL/TXL	417.09	12.24
*3723048	WIRE #18 GA STRND RED GPT/GXL/TXL	242.91	9.59
*3723049	WIRE #18 GA STRND BLACK GPT/GXL/TXL	153.04	5.77
*3723049	WIRE #18 GA STRND BLACK GPT/GXL/TXL	306.96	11.23
*3723053	WIRE 18 YELLOW GXL 50V	366.62	15.10
*3723053	WIRE 18 YELLOW GXL 50V	850.69	34.03
*3723053	WIRE 18 YELLOW GXL 50V	2.69	0.11
*3723060	WIRE 18 GREY GXL PE 50V	1321.87	46.29
*3723060	WIRE 18 GREY GXL PE 50V	17.13	0.69
*3723102	WIRE #18 GREEN STRD INSUL(16X30) TND COP	85	-
*3723120	WIRE 20GA STRANDED RED UL1015	468	19.28
*3723127	WIRE 20GA STRANDED BLACK UL1015	75	2.58
*3723130	WIRE 20GA STRANDED BROWN UL1015	475	27.91
*3723130	WIRE 20GA STRANDED BROWN UL1015	805	45.97
*3723135	WIRE 20GA STRANDED ORANGE UL1015	441	18.16
*3723135	WIRE 20GA STRANDED ORANGE UL1015	14	0.58
*3723202	WIRE 18 TAN GXL PE 50V	225	9.00
*3723202	WIRE 18 TAN GXL PE 50V	1325	53.00
*3723202	WIRE 18 TAN GXL PE 50V	1000	40.00
*3727100LF	WIRE 26AWG UL1061 RED RoHS	584	6.61
*3727100LF	WIRE 26AWG UL1061 RED RoHS	1516	-
*3727110LF	WIRE 26AWG UL1061 BLACK RoHS	2007	22.73
*3727110LF	WIRE 26AWG UL1061 BLACK RoHS	1593	-
*3727120LF	WIRE 22AWG UL1015 GREEN TOPCOAT RoHS	135	5.00
*3727130LF	WIRE 24AWG UL1007 BLACK Rohs	1040	16.06
*3727132LF	WIRE 24AWG UL1007 (DYED) LIGHT BLUE RoHS	628	15.54
*3727133LF	WIRE 24AWG UL1007 WHITE WIRE RoHS	0.05	-
*3727133LF	WIRE 24AWG UL1007 WHITE WIRE RoHS	2187.6	42.79
*3727133LF	WIRE 24AWG UL1007 WHITE WIRE RoHS	26.35	-
*3727134LF	WIRE 24AWG UL1007 YELLOW WIRE RoHS	20	0.29
*3727135LF	WIRE 24AWG UL1007 RED RoHS	720	11.12
*3727136LF	WIRE 24AWG UL1007 GREEN WIRE RoHS	517	10.11
*3727210LF	WIRE 24AWG UL1007 BROWN WIRE RoHS	0.12	-
*3727210LF	WIRE 24AWG UL1007 BROWN WIRE RoHS	33.0145	0.65
*3727210LF	WIRE 24AWG UL1007 BROWN WIRE RoHS	200	2.88
*3727210LF	WIRE 24AWG UL1007 BROWN WIRE RoHS	111.8655	-
*3727211LF	WIRE 24AWG UL1007 ORANGE WIRE RoHS	289	5.65
*3727212LF	WIRE 24AWG UL1007 VIOLET WIRE RoHS	0.1	-
*3727212LF	WIRE 24AWG UL1007 VIOLET WIRE RoHS	322.6	6.31
*3727212LF	WIRE 24AWG UL1007 VIOLET WIRE RoHS	49.3	-
*3727213LF	WIRE 24AWG UL1007 TAN WIRE RoHS	171	2.46
*3727214LF	WIRE 24AWG UL1007 PINK WIRE RoHS	28	-
*3727215LF	WIRE 24AWG UL1007 DARK BLUE WIRE RoHS	127	2.48
*3727216LF	WIRE 24AWG UL1007 WHT/BLK WIRE RoHS	980	21.19

*3727217LF	WIRE 24AWG UL1007 WHT/RED WIRE RoHS	21	-
*3727218LF	WIRE 24AWG UL1007 GRAY WIRE RoHS	40	0.78
*3727219LF	WIRE 20AWG UL1007 BLUE WIRE RoHS	41.5	1.03
*3727219LF	WIRE 20AWG UL1007 BLUE WIRE RoHS	44.17	-
*3727230LF	WIRE 30AWG UL1061WHITE 7-STRANDED RoHS	7720	-
*3850226	INSTALLATION INSTRUCTION ULTIMA STOP BLO	4	0.41
*3850227	INSTALLATION INSTRUCTIONS FOR DISHWASHER	9	1.30
*3850229	INSTALLATION INSTRUCTIONS (918276)	33	6.93
*3850229	INSTALLATION INSTRUCTIONS (918276)	50	10.81
*3850229	INSTALLATION INSTRUCTIONS (918276)	23	4.83
*3850299	INSTALL GUIDE FOR QUANTM WIRELESS TCP/IP	68	16.80
*3850299	INSTALL GUIDE FOR QUANTM WIRELESS TCP/IP	82	19.68
*3850302	INSTALL INSTRUCTION ULTIMA COMPACT	127	50.80
*3852489	MANUAL OPERATOR	6	-
*3852489	MANUAL OPERATOR	1	-
*3870014	COPELAND 22/23 SHIPPING FOAM	-55	(94.77)
*3870047	FOAM PAD 1.2 IN X 3-3/8 IN X 3-3/8 IN	83	8.55
*3870100	BOX VANNER	104	150.90
*3870101	PARTITION VANNER	35.5	145.42
*3870101	PARTITION VANNER	51.5	203.43
*3870101	PARTITION VANNER	1	3.95
*3870103	CARTON 5.00 X 4.68 X 4.68 (INTERNAL DIM)	564	261.34
*3870103	CARTON 5.00 X 4.68 X 4.68 (INTERNAL DIM)	32	14.83
*3870103	CARTON 5.00 X 4.68 X 4.68 (INTERNAL DIM)	100	45.00
*3870200	CARTON 13.5X7.375X4.5 RSC (260-AW-8-2)	17	61.27
*3870200	CARTON 13.5X7.375X4.5 RSC (260-AW-8-2)	1	3.60
*3870221	CARTON RSC 10.5 X 10.5 X 5.25	55	43.45
*3870271	CELL ASSY 15 UNITS	32.002	86.67
*3870271	CELL ASSY 15 UNITS	1.998	5.25
*3870272	TRAY COR FIBERBOARD 47L X 35.75W X 4.0H	27	86.19
*3870274	PAD FIBERBOARD	12.082	25.75
*3870274	PAD FIBERBOARD	43.918	68.07
*3870274	PAD FIBERBOARD	1	1.55
*3870490	BUBBLE BAG 4 IN X 5-1/2 IN	933	80.56
*3870552	BAG PLASTIC 24 X 30 .003 CLEAR POLY	13	5.14
*3870552	BAG PLASTIC 24 X 30 .003 CLEAR POLY	5	1.98
*3870612	TRANSPT STATIC SHLD M/I BAG (6X10)	169	10.52
*3870613	TRANSPT STATIC SHLD M/I BAG (7X15)	147	20.36
*3870615	TRANSPT STATIC SHLD M/I BAG (5X10)	261	15.99
*3870615	TRANSPT STATIC SHLD M/I BAG (5X10)	500	30.63
*3870618	TRANSPT STATIC SHLD M/I BAG (8X10)	22	2.02
*3870618	TRANSPT STATIC SHLD M/I BAG (8X10)	500	45.82
*3870621	BAG POLY ANTI-STATIC 3X5 SHIELD	269	6.86
*3870621	BAG POLY ANTI-STATIC 3X5 SHIELD	47	1.32
*3870624	PLASTIC BAG 20 IN X 48 IN X .004 #1282	93	50.28
*3870624	PLASTIC BAG 20 IN X 48 IN X .004 #1282	105	55.13
*3870628	BAG PLASTIC 4 X 6	10200	201.45
*3870628	BAG PLASTIC 4 X 6	2300	50.14
*3870641	ZIPLOCK BAG 2.36 IN X 1.57 IN	616	11.31
*3870641	ZIPLOCK BAG 2.36 IN X 1.57 IN	1000	18.36
*3870802	PAD- (21.4375L x 13.0625W) 091-0520-00	1	-
*3870802	PAD- (21.4375L x 13.0625W) 091-0520-00	-1	(0.47)
*3871100	ENVELOPE 3-1/8 IN X 5-1/2 IN	65	2.14
*3871100	ENVELOPE 3-1/8 IN X 5-1/2 IN	3	0.10
*3871100	ENVELOPE 3-1/8 IN X 5-1/2 IN	3	0.10
*3871100	ENVELOPE 3-1/8 IN X 5-1/2 IN	25	0.80
*3871100	ENVELOPE 3-1/8 IN X 5-1/2 IN	1	0.03
*3871200	CARTON 23 1/4 X 14 1/2 X 9 3/4	7	30.13
*3871203	ASSEM. PARTITION 2 IN X 1 IN X 4.5 IN	15	115.85
*3871203	ASSEM. PARTITION 2 IN X 1 IN X 4.5 IN	50	386.15
*3871203	ASSEM. PARTITION 2 IN X 1 IN X 4.5 IN	3	23.44

*3871214	ASSEMBLED PARTITIONS #275 (100 ALL)	35	234.26
*3871214	ASSEMBLED PARTITIONS #275 (100 ALL)	150	1,003.98
*3930279	LABEL FOR ITW TESTS	1	-
*4011220	IC PSD311 PROG PERIF CONTRL PLCC-44 MSD3	1	7.38
*4011220	IC PSD311 PROG PERIF CONTRL PLCC-44 MSD3	2	31.92
*4011742	IC MICROP PROG PIC17C42A-16I/PQ	1	7.80
*4011888LF	IC CPLD 72MCRCELL 15NS 44PLCC -RoHS	5	22.25
*4012167	IC PLD SOIC20 ATF16V8 HIGH PERFORMANCE	11	9.06
*4012212	IC ATF22V10	8	13.26
*4012405LF	IC EPROM 256 X 8 SOIC8 RoHS	55	7.09
*4012405LF	IC EPROM 256 X 8 SOIC8 RoHS	5	0.63
*4012408	IC 256X8-BIT EEPROM 2 WIRE I2C	76	9.24
*4012508LF	MEMORY EEPROM 1K, SPI INTER 8-MSOP RoHS	91	27.30
*4013000	IC MICROP PIC12F629 SOIC8 MSD1	173	181.55
*4013335	IC MICROCONTROLLER MSD3	4	32.95
*4013335	IC MICROCONTROLLER MSD3	1	8.24
*4014002	IC PIC16C57 SO-28 OTP 8-BIT MICROCONT.	2	10.11
*4014005	IC AT89C554 MICRO W/EPROM PLCC44 MSD2	1	1.52
*4014008	IC 68HC705 CLCC-44 MCU W/8K EPROM	14	79.14
*4014010	IC PIC12C508 MICROCONTROLLER SO-8	7	16.07
*4014013	IC PIC16C74 PLCC44 PIN	2	17.08
*4014017	IC PIC18F8527 24K 80TQFP	8	50.66
*4014017	IC PIC18F8527 24K 80TQFP	19	116.85
*4014017	IC PIC18F8527 24K 80TQFP	19	116.85
*4014019	IC AT29C040 PLCC32	14	85.78
*4014022	MICRO MC68HC908JK1DW SO20W	3	6.18
*4014033	IC 8 BIT MICROCONTROLLER MQFP44 MSD	2	14.81
*4014036	IC 8BIT CMOS MICROCONTROLLER SOIC18	5	12.36
*4014036	IC 8BIT CMOS MICROCONTROLLER SOIC18	1	2.40
*4014039	IC FLASH 8BIT CMOS MICROCNTRL SOIC28	10	57.46
*4014044	IC FLASH MEMORY M29W040B-551N1 3.3V MSD3	14	13.48
*4014045	IC P87C51 PGA44-8 MSD3	42	224.89
*4014045	IC P87C51 PGA44-8 MSD3	8	37.38
*4014046	IC AM29DL323 32MEGABIT 4MX8/2MX16 MSD3	4	7.54
*4014048	IC 68HC908JL3ECDW SO28	110	226.54
*4014050	IC 128K FLASH 10-BIT ADC MCU QFP100 MSD3	32	341.04
*4014054	IC MICROP PIC16F676 1K SOIC14	25	25.23
*4014059	IC 4Mbit LOW VOLT FLASH MEM.PLCC32 MSD2	34	34.31
*4014064	IC PIC16C55	19	38.34
*4014064	IC PIC16C55	27	54.49
*4014067	MICRO DSP56F8322 48LQFP	4	22.90
*4014090LF	IC MCU FLASH 4KX14 EEPROM 20SSOP RoHS	14	34.89
*4014090LF	IC MCU FLASH 4KX14 EEPROM 20SSOP RoHS	20	48.40
*4015011	IC EEPROM 1K BIT SERIAL SO-8 93C46	98	13.43
*4015011	IC EEPROM 1K BIT SERIAL SO-8 93C46	50	6.85
*4015011	IC EEPROM 1K BIT SERIAL SO-8 93C46	30	4.23
*4015012	IC EEPROM 1K BIT SERIAL 3.3V SO8	58	6.39
*4015012	IC EEPROM 1K BIT SERIAL 3.3V SO8	1	0.15
*4015014	IC SERIAL EEP 2KBIT IIC 3V SO8	14	7.50
*4018609LF	IC IN-SYSTEM CPLD 44 VQFP MSD3 RoHS	70	241.50
*4018609LF	IC IN-SYSTEM CPLD 44 VQFP MSD3 RoHS	100	355.25
*4018615LF	IC CPLD XC9572 VQFP44 RoHS	10	24.71
*4019290	IC CPLD HIGH PERFORMANCE	79	113.89
*4020000	DIODE SMA (DO-214AC/BA)	332	20.40
*4020000	DIODE SMA (DO-214AC/BA)	-40	(2.40)
*4020000	DIODE SMA (DO-214AC/BA)	-251	(15.06)
*4020001-1	DIODE S1B 100V 1A	552	20.98
*4020002-2	DIODE ES2B 100V 2A SMT INEB IN	132	14.54
*4020004	DIODE S1MB 1A 1000V GLASS DO214 SMB	2717	92.32
*4020004	DIODE S1MB 1A 1000V GLASS DO214 SMB	69	2.28
*4020011LF	BRIDGE RECTIFIER DF10S RoHS	4.12	0.45



*4020011LF	BRIDGE RECTIFIER DF10S RoHS	70	7.70
*4020011LF	BRIDGE RECTIFIER DF10S RoHS	678.88	74.68
*4020015	DIODE TVS BIDIRECTIONAL SMAJ15CA-E3	310	24.58
*4020015LF	DIODE TVS BIDIRECTIONAL SMAJ15CA-E3 RoHS	72	5.79
*4020016	DIODE SWITCHING BAS16 350MW SOT23 KA6	3971.44	44.99
*4020016	DIODE SWITCHING BAS16 350MW SOT23 KA6	15512.56	170.64
*4020016	DIODE SWITCHING BAS16 350MW SOT23 KA6	1	0.01
*4020020LF	TVS DIODE SMAJ200A RoHS	1761.12	186.79
*4020020LF	TVS DIODE SMAJ200A RoHS	91	9.37
*4020020LF	TVS DIODE SMAJ200A RoHS	104.88	10.80
*4020023	SOT-23 6 PIN	69	86.19
*4020024	DIODE TVS BIDIRECTIONAL SMAJ24CA	290.96	23.28
*4020024	DIODE TVS BIDIRECTIONAL SMAJ24CA	24.04	1.92
*4020026	VARISTOR 26V 300A 1.2J SMD 1210	1417.54	583.87
*4020026	VARISTOR 26V 300A 1.2J SMD 1210	24.48	10.08
*4020026	VARISTOR 26V 300A 1.2J SMD 1210	36	14.83
*4020026	VARISTOR 26V 300A 1.2J SMD 1210	17.98	6.83
*4020027	DIODE ZENER 27V 1W SMA	797	71.73
*4020029	DIODE ZENER 30V SMC SMCJ30CA-7	790	170.83
*4020029	DIODE ZENER 30V SMC SMCJ30CA-7	412	86.52
*4020030	DIODE TVS 30V 400W SMAJ30CA	2254	232.09
*4020032	DIODE SMBJ33CA 600W 33V TVS SMB	444.52	35.25
*4020032	DIODE SMBJ33CA 600W 33V TVS SMB	612	48.16
*4020032	DIODE SMBJ33CA 600W 33V TVS SMB	24.48	1.94
*4020032	DIODE SMBJ33CA 600W 33V TVS SMB	73	5.79
*4020032	DIODE SMBJ33CA 600W 33V TVS SMB	204	16.18
*4020032	DIODE SMBJ33CA 600W 33V TVS SMB	51	4.05
*4020034-3	RECTIFIER SCHOTTKY SMC 3A SK34 40V	5	1.29
*4020040-1	DIODE SCHOTTKY DL SERIES SOT23 INDA5 IN	1029.8	31.81
*4020040-1	DIODE SCHOTTKY DL SERIES SOT23 INDA5 IN	408	12.60
*4020040-1	DIODE SCHOTTKY DL SERIES SOT23 INDA5 IN	24.48	0.75
*4020040-1	DIODE SCHOTTKY DL SERIES SOT23 INDA5 IN	36	1.11
*4020040-1	DIODE SCHOTTKY DL SERIES SOT23 INDA5 IN	24.72	0.74
*4020044	DIODE SCHOTTKY TMMBAT 42 SMT	12068	724.08
*4020044	DIODE SCHOTTKY TMMBAT 42 SMT	376	22.56
*4020054-3	DIODE DUAL SCHOTTKY 30V BAT54S SOT23	1187	15.89
*4020054-4	DIODE BAT54S SOT23	83	12.31
*4020055-1LF	DIODE SCHOTTKY DUAL COMMON SOT23 RoHS	2367.96	41.69
*4020055-1LF	DIODE SCHOTTKY DUAL COMMON SOT23 RoHS	0.04	-
*4020055LF	DIODE DUAL SCHOTTKY BAT54C SOT23 RoHS	456	7.04
*4020058-1	DIODE SWITCH BAW56 DUAL 75V 1A SOT23	2348	58.02
*4020058-1	DIODE SWITCH BAW56 DUAL 75V 1A SOT23	25	3.60
*4020068	DIODE ZENER 10V VOLT SUPP MELF SMB6.8	57.78	4.45
*4020068	DIODE ZENER 10V VOLT SUPP MELF SMB6.8	11.22	0.86
*4020068LF	DIODE ZENER 10V MELF SMB6.8 RoHS	2450	189.21
*4020085	DIODE SMBJ8.5A UNIDIR 600W TVS SMB	2810	303.82
*4020098LF	DIODE DUAL SERIES BAV99 SOT23 RoHS	736.78	8.11
*4020098LF	DIODE DUAL SERIES BAV99 SOT23 RoHS	12.22	0.13
*4020099-3	DIODE DUAL SERIES SOT23 BAV99	4926.54	436.27
*4020099-3	DIODE DUAL SERIES SOT23 BAV99	16.46	1.42
*4020110LF	DIODE MURA110T3 1A 100V SMA RoHS	3227.84	206.07
*4020110LF	DIODE MURA110T3 1A 100V SMA RoHS	785.16	48.68
*4020110LF	DIODE MURA110T3 1A 100V SMA RoHS	595	36.89
*4020111	DIODE CONTROLLED AVALANCHE 1A 600V DO214	406.16	16.31
*4020111	DIODE CONTROLLED AVALANCHE 1A 600V DO214	51	1.85
*4020111	DIODE CONTROLLED AVALANCHE 1A 600V DO214	479.42	18.70
*4020111	DIODE CONTROLLED AVALANCHE 1A 600V DO214	479.42	18.70
*4020114	DIODE SCHOTTKY 40V SK14DI	1604.08	109.02
*4020114	DIODE SCHOTTKY 40V SK14DI	257.92	17.02
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	1956.32	130.94
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	19.38	1.28

*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	58.14	3.82
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	7.1	0.48
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	0.4	0.03
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	3.06	0.20
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	38.76	2.54
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	28	2.37
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	4	0.34
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	6.04	0.40
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	6.8	0.46
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	1	0.07
*4020120-1	DIODE MURS120T3 1 AMP 200V 50NS RECT	1	0.07
*4020138	DIODE B140 SCHOTTKY RECT 40V SMA	4928	83.78
*4020141	DIODE SS14 SMA (DO-214AC/BA)	41	2.07
*4020154LF	DIODE SCHOTTKY BAT54WX 30V SOD523 RoHS	2361	80.22
*4020161LF	DIODE SCHOTTKY SK16 60V 1A SMB RoHS	4726.68	219.01
*4020161LF	DIODE SCHOTTKY SK16 60V 1A SMB RoHS	258.32	11.62
*4020330	DIODE ZENER SMCJ33A-7 33V	2872	665.40
*4020330	DIODE ZENER SMCJ33A-7 33V	33	7.43
*4020355	DIODE 1SS355TE17	17	0.40
*4020355	DIODE 1SS355TE17	459	9.08
*4020355	DIODE 1SS355TE17	23	0.53
*4020360	DIODE SCHOTTKY MBRD360	415.5	209.65
*4020360	DIODE SCHOTTKY MBRD360	332	164.10
*4020360	DIODE SCHOTTKY MBRD360	15.5	7.60
*4020362	DIODE SCHOTTKY 60V 3A SMD SMC	1094.28	132.97
*4020362	DIODE SCHOTTKY 60V 3A SMD SMC	204	24.79
*4020362	DIODE SCHOTTKY 60V 3A SMD SMC	199.72	23.57
*4020430	DIODE SL43 SMC	705	186.97
*4020520	DIODE MBR0520LT1 SOD-123	1524.12	75.34
*4020520	DIODE MBR0520LT1 SOD-123	78.88	3.79
*4020541LF	DIODE DUAL SCHOTTKY SOT23F RoHS	2714	614.81
*4020580	VARISTOR 200PF 26V 0603 VC060326A580	89	45.83
*4020750	DIODE SCHOTTKY BAT750-7 0.75A 40V SOT23	1326	94.07
*4020914-3	DIODE SWITCHING 300mA SOT-23 MMBD914	1021	8.94
*4021100	DIODE MBRS1100T3 1A 100V SMB	2460	192.52
*4021123LF	DIODE ZENER 600W 1SMB12AT3 SMB RoHS	111	25.14
*4023300	DIODE ZENER 3V MM3Z3VOT1 SOD-323	1280.54	17.14
*4023300	DIODE ZENER 3V MM3Z3VOT1 SOD-323	151.98	1.98
*4023400	DIODE SS34 SMC	46	18.20
*4024003	DIODE RECTIFIER 200V DL4002 MELF	2234	58.08
*4024008	DIODE DL4007 MELF	1339.24	165.49
*4024008	DIODE DL4007 MELF	151	18.65
*4024008	DIODE DL4007 MELF	91.76	11.01
*4024147	DIODE SM RLS4148 .15A 100V	1548.2	19.13
*4024147	DIODE SM RLS4148 .15A 100V	61.8	0.74
*4024148	DIODE 1N4148 SOT-23 COM. CAT (A4)	2854	32.32
*4024148-1	DIODE DUAL COMMON CATHODE BAV70 70V	184.96	1.60
*4024148-1	DIODE DUAL COMMON CATHODE BAV70 70V	204	1.76
*4024148-1	DIODE DUAL COMMON CATHODE BAV70 70V	213.04	1.79
*4024149LF	DIODE SWITCHING 1N4148W-7-f	2374	36.65
*4024150	DIODE SWITCHING 1N4148WS-7 SOD323	3003	57.06
*4024733	DIODE ZENER 5.1V 1W 4733 MLL41	3486	226.59
*4024733	DIODE ZENER 5.1V 1W 4733 MLL41	9	0.68
*4024743LF	DIODE ZENER SMAJ4743A 1W SMAJ RoHS	9.04	2.05
*4024743LF	DIODE ZENER SMAJ4743A 1W SMAJ RoHS	3.96	0.87
*4025004LF	DIODE SCHOTTKY 5.5A 40V TO-252 RoHS	50	19.16
*4025102LF	DIODE-RECT SMD 600V 1A SMA RoHS	1078	64.38
*4025151	ZENER DIODE 5.1V SOT-23 84C5V1	1564	24.16
*4025225	DIODE ZENER MMBZ5225 3.0V SOT23 IN18E I	1250	18.02
*4025229	DIODE ZENER 4.3V 5% MMSZ5229B SOD12	1730.24	31.14
*4025229	DIODE ZENER 4.3V 5% MMSZ5229B SOD12	1224.76	22.04

*4025231	DIODE ZENER 5.1V 500mW MMSZ5231 SOD123	1220	22.61
*4025234	DIODE ZENER SOT 23 5%	1058	15.25
*4025240	DIODE ZENER BZX84C10 SOT 23 10V 350MW	2036	31.45
*4025246	DIODE ZENER 15V MMSZ5245 SOD-123	97	2.41
*4025246LF	DIODE ZENNER 15V SOD-123 RoHS	2497	66.85
*4025250	DIODE ZENER 1N5250 5% SOT23	580.12	7.17
*4025250	DIODE ZENER 1N5250 5% SOT23	55.88	0.67
*4025254	DIODE ZENER 1N5254 SOT23	2956.88	55.89
*4025254	DIODE ZENER 1N5254 SOT23	1255.12	23.72
*4025819-2	DIODE SCHOTTY 40V DL5819 MELF	7	0.62
*4027000	DIODE MMBD7000LT1 SOT-23 DUAL	2486	30.72
*4028412	DIODE 12V ZENER BZX84C12 SOT23	2414	37.30
*4028412	DIODE 12V ZENER BZX84C12 SOT23	7	0.11
*4028416	DIODE ZENER BZX84C16 16V SOT23	1011.3	12.49
*4028416	DIODE ZENER BZX84C16 16V SOT23	76.5	0.95
*4028416	DIODE ZENER BZX84C16 16V SOT23	25.5	0.32
*4028416	DIODE ZENER BZX84C16 16V SOT23	55.7	0.67
*4028418	DIODE ZENER 84C18 V-REG. 18V SOT23	2966	42.76
*4028456-1	DIODE ZENER 5.6V 84C5V6 SOT23	3228	61.33
*4028456-1	DIODE ZENER 5.6V 84C5V6 SOT23	3000	39.23
*4030005	TRANS MMBTA05L NPN SOT-23	2407	47.09
*4030015	TRANS MMBTA14 SOT-23	124	2.30
*4030015	TRANS MMBTA14 SOT-23	3	0.05
*4030042	TRANS MMBTA42 SOT23_HV	892	21.13
*4030053	TRANS BCP53 PNP SOT223	7427.78	382.43
*4030053	TRANS BCP53 PNP SOT223	1303.08	67.09
*4030053	TRANS BCP53 PNP SOT223	51	2.63
*4030053	TRANS BCP53 PNP SOT223	20.4	1.06
*4030053	TRANS BCP53 PNP SOT223	44.08	2.26
*4030053	TRANS BCP53 PNP SOT223	363.66	18.18
*4030053	TRANS BCP53 PNP SOT223	8	0.40
*4030056LF	TRANS SMBTA56 SOT23 RoHS	1760.4	27.19
*4030056LF	TRANS SMBTA56 SOT23 RoHS	1067	14.70
*4030056LF	TRANS SMBTA56 SOT23 RoHS	2.04	0.03
*4030056LF	TRANS SMBTA56 SOT23 RoHS	1.02	0.02
*4030056LF	TRANS SMBTA56 SOT23 RoHS	6	0.11
*4030056LF	TRANS SMBTA56 SOT23 RoHS	1	0.02
*4030056LF	TRANS SMBTA56 SOT23 RoHS	8.54	0.13
*4030056LF	TRANS SMBTA56 SOT23 RoHS	1	0.02
*4030056LF	TRANS SMBTA56 SOT23 RoHS	1	0.02
*4030057	TRANS BCP56 NPN SOT223	522.1	34.95
*4030057	TRANS BCP56 NPN SOT223	103.12	6.90
*4030057	TRANS BCP56 NPN SOT223	57.12	3.82
*4030057	TRANS BCP56 NPN SOT223	637.5	42.67
*4030057	TRANS BCP56 NPN SOT223	8.16	0.54
*4030057	TRANS BCP56 NPN SOT223	51	3.42
*4030057	TRANS BCP56 NPN SOT223	1	0.07
*4030064	TRANS MMBTA64 SOT23	1689	33.05
*4030064	TRANS MMBTA64 SOT23	13	0.25
*4030064	TRANS MMBTA64 SOT23	85	1.62
*4030064	TRANS MMBTA64 SOT23	85	1.62
*4030084	TRANS BSS84 P-CHJ FET SOT23	1807	224.17
*4030092	TRANS MMBTA92HV SOT23 PNP HI-VOLT AMP	1949	32.11
*4030092	TRANS MMBTA92HV SOT23 PNP HI-VOLT AMP	99	1.58
*4030303	TRANS DIGITAL FET N-CH FDV303N	1442.44	89.12
*4030303	TRANS DIGITAL FET N-CH FDV303N	69.02	4.14
*4030303	TRANS DIGITAL FET N-CH FDV303N	44.54	2.67
*4030308	TRANS FET PCH 1.5A 20V FDN308P SUPERSOT3	817	84.13
*4030331	TRANS FET N-CH 1.3A 20V NDS331N SOT-3	241	20.35
*4030425	TRANS OPTO 4N25S OUTPUT	653.24	80.72
*4030425	TRANS OPTO 4N25S OUTPUT	151	18.41

*4030425	TRANS OPTO 4N25S OUTPUT	5	0.60
*4030425	TRANS OPTO 4N25S OUTPUT	253.76	30.45
*4030425	TRANS OPTO 4N25S OUTPUT	5	0.60
*4030435	TRIAC T435-600B 4A 600V DPAK	73.44	25.87
*4030435	TRIAC T435-600B 4A 600V DPAK	49.56	12.14
*4030476	TRANS MOSFET 60V P-CHANNEK D2PAK	32.9	26.32
*4030476	TRANS MOSFET 60V P-CHANNEK D2PAK	16.1	12.88
*4030500	TRANS BSP50 NPN SOT223	435	98.10
*4030500	TRANS BSP50 NPN SOT223	1000	226.54
*4030603LF	SUPPRESSOR 150V RoHS	77.96	23.39
*4030603LF	SUPPRESSOR 150V RoHS	454.52	136.36
*4030603LF	SUPPRESSOR 150V RoHS	454.52	136.36
*4030607	TRANS NCHAN MOSFET 60V 1.2A SOT-23	591.4	91.35
*4030607	TRANS NCHAN MOSFET 60V 1.2A SOT-23	280.5	43.33
*4030607	TRANS NCHAN MOSFET 60V 1.2A SOT-23	82.1	12.32
*4030619LF	TRANS NPN BIPOLAR FFMT619 SOT23 RoHS	778	92.13
*4030720LF	TRANS FMMT720 PNP SOT23 RoHS	1831	196.08
*4030846	TRANS BC846ALT1 SOT23 NPN SILICON	486.96	4.37
*4030846	TRANS BC846ALT1 SOT23 NPN SILICON	64	0.56
*4030846	TRANS BC846ALT1 SOT23 NPN SILICON	2.04	0.02
*4030846	TRANS BC846ALT1 SOT23 NPN SILICON	238	2.94
*4030856	TRANS BC856AL PNP SOT23	1065	12.07
*4030856	TRANS BC856AL PNP SOT23	158	1.74
*4030857	TRANS PNP GP BC856B	1594	57.45
*4031200	TRANS MOSFET N-CH 0.3A 200V SOT223	201	69.96
*4031206	MOSFET N-CH 12A 60V DPAK STD12NF04LT4	2442	463.98
*4031206	MOSFET N-CH 12A 60V DPAK STD12NF04LT4	14	2.66
*4031206	MOSFET N-CH 12A 60V DPAK STD12NF04LT4	14	2.66
*4031706	TRANS PCHAN MOSFET 60V 12A D-PAK	30	8.10
*4031706	TRANS PCHAN MOSFET 60V 12A D-PAK	14	3.78
*4032106	TRANS 2N7002 MOSFET N-CH 60V SOT23	685	18.34
*4032222-4	TRANS NPN GENERAL PURPOSE 2222	2879	50.40
*4032222-4	TRANS NPN GENERAL PURPOSE 2222	10	0.17
*4032223	TRANSISTOR NPN SMT SOT-23 2N2222	2746	39.31
*4032308LF	TRANS MOSFET 2A 60V N-CHAN SOT23 RoHS	2003	678.57
*4032315LF	TRANS MOSFET -3A -12V P-CHAN SOT23 RoHS	50	26.26
*4032906	TRANS MMBT2907 PNP 800mA 60V SOT23	34	0.88
*4032906	TRANS MMBT2907 PNP 800mA 60V SOT23	7	0.12
*4032954	TRANS MOSFET MTD2955V DPAK	892	245.30
*4032954	TRANS MOSFET MTD2955V DPAK	24	6.60
*4032954	TRANS MOSFET MTD2955V DPAK	49	13.48
*4033054	TRANS MOSFET MTD3055VL DPAK	77	14.91
*4033504	TRANS HEXFET VNB35NV04 SMD220 MSD3	159	325.81
*4033504	TRANS HEXFET VNB35NV04 SMD220 MSD3	303	545.40
*4033903-1	TRANS MMBT3904L SOT23 NPN	7	0.21
*4033905	TRANS DUAL PNP MBT3904DW1T1	1699.56	57.76
*4033906-1	TRANS 2N3906 PNP SOT-23	90.84	0.84
*4033906-4	TRANS PNP GENERAL PURPOSE AMP SOT223	2155	168.65
*4033906LF	TRANS PNP 2N3906 100MA SOT23 RoHS	124	1.28
*4034401LF	TRAN SWITCHING NPN MM4401 RoHS	982.04	9.50
*4034401LF	TRAN SWITCHING NPN MM4401 RoHS	378.96	3.56
*4034935	TRANS FDS4935 -30V SO8	74	37.00
*4034935	TRANS FDS4935 -30V SO8	16	8.00
*4035329LF	TRANS PWR MOSFET D2PAK RoHS	5.08	2.73
*4035329LF	TRANS PWR MOSFET D2PAK RoHS	12.92	6.73
*4036201	TRANS MOSFET TPC6201 SSOT-6	176	26.40
*4036302LF	TRANS P-CH SOT23 RoHS	108	15.57
*4036694	TRANS FET FDS6694 N-CH 30V 12A 13.5M SO8	45	14.37
*4036986	TRANS DUAL N-CH FET FDS6986S SO8	708.98	233.61
*4036986	TRANS DUAL N-CH FET FDS6986S SO8	5.02	1.66
*4037002-3	TRANS FET 60V 2N7002TA SOT23	377	9.32

*4037002LF	TRANS TMOS FET N-CH 2N7002 RoHS	1591.94	24.59
*4037002LF	TRANS TMOS FET N-CH 2N7002 RoHS	462.06	6.93
*4037470	TRANS IRF7470 40V SO8	3	1.34
*4037642	TRANS MOSFET N-CHAN 20A 60V DPAK	1642	612.07
*4037764	TRANS FET N-CH FDS7764S 13.5V 15A SO8	52	38.24
*4039024	TRANS IRFR9024 HEXFET PWR MOSFET TO252AA	35	74.60
*4039024	TRANS IRFR9024 HEXFET PWR MOSFET TO252AA	25	53.29
*4040046	IC NC7SU04M5 INVERTER SOT23-5	2098	101.54
*4040052	IC 74HCT4052D SO16	29	3.72
*4040073	IC DUAL HCLP-073A OPT ISOLATOR SMT	4	17.51
*4040100	IC MCP100 MICRO SUPERVISORY SOT23 MSD1	375.89	59.77
*4040100	IC MCP100 MICRO SUPERVISORY SOT23 MSD1	100.11	15.92
*4040100	IC MCP100 MICRO SUPERVISORY SOT23 MSD1	1	0.16
*4040104	IC SDXL010D4 PRESSURE SENSOR	16.45	408.06
*4040104	IC SDXL010D4 PRESSURE SENSOR	1	24.81
*4040104	IC SDXL010D4 PRESSURE SENSOR	1.56	38.70
*4040104	IC SDXL010D4 PRESSURE SENSOR	2.67	66.23
*4040104	IC SDXL010D4 PRESSURE SENSOR	0.32	7.94
*4040104	IC SDXL010D4 PRESSURE SENSOR	1	24.81
*4040104	IC SDXL010D4 PRESSURE SENSOR	1	24.81
*4040111	IC MEDIA INTERFACE PWR AMP SOIC16	19	97.82
*4040113LF	OPTO HIGH SPEED SO5 TLP113TPR RoHS	1320	1,174.80
*4040116	IC STATIC RAM 4MB 256KX16 8NS 3.3V MSD3	105.32	542.25
*4040116	IC STATIC RAM 4MB 256KX16 8NS 3.3V MSD3	20.2	104.00
*4040116	IC STATIC RAM 4MB 256KX16 8NS 3.3V MSD3	0.24	1.20
*4040116	IC STATIC RAM 4MB 256KX16 8NS 3.3V MSD3	0.24	1.20
*4040121	IC OPTOISOLATOR HMA121 SINGLE MINI FLAT	34.68	6.42
*4040121	IC OPTOISOLATOR HMA121 SINGLE MINI FLAT	4.32	0.99
*4040125	IC 74HC125 QUAD 3-STATE BUFFER SO14	735.44	83.30
*4040125	IC 74HC125 QUAD 3-STATE BUFFER SO14	23.56	2.59
*4040125LF	IC, ESD ARRAY, 3.3V, 2 CHANNEL, 30KV, Ro	560	56.00
*4040126LF	IC, ESD ARRAY, 5.2V, 2 CHANNEL, 30KV, Ro	260	45.24
*4040144	IC ADAPTER PD6710 PC CARD 144VQFP MSD3	20	452.05
*4040145	IC NC7SZ14M5 INVRTR SCHMITT TRIG SOT23-5	6	4.82
*4040165	IC SHIFT REG 8BIT PISO 74HC165 16-TSSOP	66	8.84
*4040168-2	IC GAL PROGRAMMED 042361-2 PLCC20	23	38.84
*4040168-5	IC GAL PROGRAMMED 042361-5 PLCC20	33	55.73
*4040168-8	PROGRAMED IC GAL	4	6.60
*4040168-9	PROGRAMED IC GAL	7	11.55
*4040197	IC AMP CURRENT SENSE SOT23-5	108	88.97
*4040197	IC AMP CURRENT SENSE SOT23-5	44	35.20
*4040211-1	IC MAX211E RS-232 XCVR 28SO MSD1	11	45.31
*4040223	IC OPTO DUAL PHOTO DARLINGTONION 223	545.9	160.20
*4040223	IC OPTO DUAL PHOTO DARLINGTONION 223	312.1	93.63
*4040223	IC OPTO DUAL PHOTO DARLINGTONION 223	23.5	7.05
*4040223	IC OPTO DUAL PHOTO DARLINGTONION 223	23.5	7.05
*4040224	IC OP AMP LM224D SO14 MSD1	549	42.40
*4040231	IC MAX 232 MSD2	13	2.81
*4040232-1	IC MAX232 16PIN WIDE SMT MSD2	420	229.14
*4040239	IC LM239 COMPARATOR QUAD SO-14	1296	153.47
*4040240	IC 74HC240 OCTAL TRI-STATE BUFFER SOIC20	174	46.59
*4040258	IC OP AMP LM258D SO8 MSD2	33	4.12
*4040272LF	IC LINEAR L272 DUAL PWR OP AMP SO16 RoHS	4	3.89
*4040275LF	IC SWITCH OFF LINE TNY275G 8-SMD RoHS	850	547.03
*4040275LF	IC SWITCH OFF LINE TNY275G 8-SMD RoHS	1	0.63
*4040297	IC L297D STEP MOTOR CONTROLLER 20SOIC	70.64	219.67
*4040297	IC L297D STEP MOTOR CONTROLLER 20SOIC	0.28	0.85
*4040297	IC L297D STEP MOTOR CONTROLLER 20SOIC	80	248.78
*4040297	IC L297D STEP MOTOR CONTROLLER 20SOIC	0.04	0.12
*4040297	IC L297D STEP MOTOR CONTROLLER 20SOIC	0.04	0.12
*4040297	IC L297D STEP MOTOR CONTROLLER 20SOIC	2	6.04

*4040340	VOLTAGE REGULATOR 5V 1.5A TO-263	2	1.02
*4040340	VOLTAGE REGULATOR 5V 1.5A TO-263	31	15.81
*4040353	IC LF353M	168.24	16.45
*4040353	IC LF353M	4.88	0.46
*4040353	IC LF353M	4.88	0.46
*4040353LF	IC LF353M OP AMP SO8 RoHS	36	2.99
*4040393	IC LM393 DUAL COMPARATOR SOIC-8	31	2.72
*4040407	IC 74LV07 HEX BUFF/O.D. LOW V TSOP	38	8.61
*4040408	IC 74LCX08 QUAD 2-INP & GATE SOIC14	54	5.48
*4040414LF	IC 74AHC14 TSSOP-14 HEX SCHMITT RoHS	1723.32	138.41
*4040414LF	IC 74AHC14 TSSOP-14 HEX SCHMITT RoHS	45.68	3.56
*4040429LF	IC PROG SHUNT REG ADJ TL431 SOT23-3 RoHS	2768	706.85
*4040432-1	IC 74F32D UAD OR GATE SOIC14	40	7.41
*4040441	IC ADJ V REF 1% LM4041DIM3-ADJ SOT23	236.48	48.70
*4040441	IC ADJ V REF 1% LM4041DIM3-ADJ SOT23	20.2	4.16
*4040441	IC ADJ V REF 1% LM4041DIM3-ADJ SOT23	82.32	16.46
*4040484	IC SSC P485 PL TRANSCEIVER SOIC20	22	203.88
*4040528	IC OCTAL MAX528CAG 8-BIT DAC SMT	4	28.83
*4040539	IC 12-BIT DAC MAX539AESA SO8	2	24.92
*4040540	IC 74LS540 BUFFER	1070.9	921.88
*4040540	IC 74LS540 BUFFER	15.58	13.02
*4040540	IC 74LS540 BUFFER	27.26	22.79
*4040540	IC 74LS540 BUFFER	10	8.36
*4040540	IC 74LS540 BUFFER	10	8.36
*4040540	IC 74LS540 BUFFER	27.26	22.79
*4040540	IC 74LS540 BUFFER	6	5.02
*4040540	IC 74LS540 BUFFER	15	12.54
*4040556	IC TL556CD SO-14	14.88	5.97
*4040556	IC TL556CD SO-14	9.06	3.53
*4040556	IC TL556CD SO-14	9.06	3.53
*4040573	IC 74HCT573D SO-20L	15	4.59
*4040611LF	TRANSIL EDS PROT ARRAY SO-8 RoHS	1459	488.27
*4040613	IC TEMP SENSOR 2.7V SOT23 LM61CIM3	306.04	116.60
*4040613	IC TEMP SENSOR 2.7V SOT23 LM61CIM3	1000	381.00
*4040613	IC TEMP SENSOR 2.7V SOT23 LM61CIM3	20.2	7.69
*4040613	IC TEMP SENSOR 2.7V SOT23 LM61CIM3	26.76	9.90
*4040613	IC TEMP SENSOR 2.7V SOT23 LM61CIM3	2	0.74
*4040615LF	IC, ESD ARRAY, 5V, 5 CHANNEL, >40KV, RoH	25	25.13
*4040691	IC MICROPROCESSOR SUP LTC690	17.36	53.63
*4040691	IC MICROPROCESSOR SUP LTC690	1	3.00
*4040691	IC MICROPROCESSOR SUP LTC690	0.32	0.96
*4040691	IC MICROPROCESSOR SUP LTC690	0.32	0.96
*4040693	IC MAX693 SO-16L	2	2.49
*4040721	IC SP721AB SOIC-8	13.42	12.44
*4040721	IC SP721AB SOIC-8	22.58	2.03
*4040732LF	IC OR GATE NC7S32 RoHS	959	27.65
*4040765	IC VOLT CONVERTER ICL7660ACB SOIC8	5	15.45
*4040765	IC VOLT CONVERTER ICL7660ACB SOIC8	8	15.20
*4040809	IC MICROPROCESSOR RESET MAX809 SOT-23	18	22.61
*4040817LF	OPTOCOUPLER DRIVER LTV817S T/R RoHS	3	0.28
*4040817LF	OPTOCOUPLER DRIVER LTV817S T/R RoHS	25	2.32
*4040817LF	OPTOCOUPLER DRIVER LTV817S T/R RoHS	25	2.32
*4040847	IC OPTOISOLATOR SMD 4CH LTV-847S	14.64	3.78
*4040847	IC OPTOISOLATOR SMD 4CH LTV-847S	3.68	0.92
*4040847	IC OPTOISOLATOR SMD 4CH LTV-847S	3.68	0.92
*4040882LF	IC VOLT REG LDO MAX882 3.3V SO8 RoHS	1	2.00
*4040919	IC RELAY SOLID STATE D2PAK VN920-B5 MSD3	212	388.57
*4040920	SOLID STATE RELAY 30A 36V POWER SO-10	21	42.60
*4040922LF	IC LINEAR TS922 DUAL R-R SO8 RoHS	49	21.19
*4040923LF	IC LINEAR MAX922 DUAL COMP SO8 RoHS	3	5.44
*4041003	IC LT1004-2.5 MICROPWR SO8 MSD2	24	4.18

*4041009LF	IC SRAM 1M 128K X 8 SOJ32 RoHS MSD3	4	6.42
*4041022	IC PREC VOLT REF -7V LTC1021DCS8-7	3	10.35
*4041024	IC OPTOCOUPERS HMA124 4PN MINI-FLAT	1221.36	201.23
*4041024	IC OPTOCOUPERS HMA124 4PN MINI-FLAT	31.64	5.06
*4041035	IC X9C103S E2 POT 0C TO +70C	35	65.77
*4041038	IC A/D 1038 SERIAL 10 BIT SO-W	4	146.10
*4041152	IC LTC1152CS8 OP AMP	74.96	302.68
*4041152	IC LTC1152CS8 OP AMP	0.04	0.17
*4041175	IC E2 POT I2C INTERFACE 10K	3	3.65
*4041203	IC SUPERV.3V SOT23 MCP120T-300I/TT MSD1	930.16	239.45
*4041203	IC SUPERV.3V SOT23 MCP120T-300I/TT MSD1	20.2	5.20
*4041203	IC SUPERV.3V SOT23 MCP120T-300I/TT MSD1	252.64	63.16
*4041205	IC IRU1205-33 LINEAR 3.3V 300ma SOT23-5	1683	-
*4041230	IC TOUCHSCREEN CONTROLLER	144	1,482.80
*4041234LF	IC DS1233DZ-15 5V ECONO RESET SMT RoHS	565	598.90
*4041245LF	IC BUS TRANSCVR 74LVC245 TSSOP RoHS	95	13.02
*4041270	IC RESET MONOITOR TC1270TERCTR	1860.26	680.02
*4041270	IC RESET MONOITOR TC1270TERCTR	15.74	5.59
*4041366	IC LT1366 OP AMP SO8	44	164.61
*4041366	IC LT1366 OP AMP SO8	5	18.75
*4041376	IC SWITCHING REG. LT1375CS8-5 SO8	5	19.82
*4041402LF	IC SENSOR ARRARY TSL1401CS SMT MSD2 RoHS	1	4.07
*4041402LF	IC SENSOR ARRARY TSL1401CS SMT MSD2 RoHS	88	347.60
*4041488	IC nvRAM 32KX8 35ns STK14C88	6	70.80
*4041510	IC PCI TO PC CARD CONT 3.3 BGA144 MSD3	118.99	428.84
*4041543	IC TLC1543 10-BIT A/D	4	9.72
*4041608LF	IC MICRO ATMEL AT MEGA 168V TQFP RoHS	8	19.52
*4041625	IC DS1621S SO-8	1	2.74
*4041626	IC THERMOMETER SMT DS1621	34	72.47
*4041706	IC DS1706LESA SO-8	13	20.75
*4041771	IC MAX1771 SO8	5	13.33
*4041771	IC MAX1771 SO8	33	85.47
*4041810	IC DS1811 MICROPROCESS RESET 5V/4 SOT23	10	5.05
*4041811	IC MICROPROCESS RESET SOT23 4.62V DS1811	45	25.95
*4041832LF	IC MICROMONITOR 3.3V DS1832 8SOIC RoHS	7	5.98
*4041965	VOLT REG LT1963AEST-3.3 SOT223	1	2.37
*4041980	IC AMP CURRENT SENSE 100 V-V SOT23-3	-190.92	(12.64)
*4041980	IC AMP CURRENT SENSE 100 V-V SOT23-3	190.92	137.95
*4042005	IC ULN2003A SO16	6	1.11
*4042008LF	IC SMPTE TIME CODE RCV/GEN PLCC44 RoHS	17	266.08
*4042026	IC USB MIC2026 PWR SWITCH DUAL SOP-8	17	5.60
*4042026	IC USB MIC2026 PWR SWITCH DUAL SOP-8	5	5.87
*4042026	IC USB MIC2026 PWR SWITCH DUAL SOP-8	41	20.91
*4042046	IC USB HUB CONTROLLER LQFP-32 MSD3	13	25.70
*4042046LF	IC HUB USB 4 PORT TUSB2046 RoHS	10	17.61
*4042075LF	IC PWR CTRL USB 4 PORT TPS2075 SSOP RoHS	10	46.65
*4042075LF	IC PWR CTRL USB 4 PORT TPS2075 SSOP RoHS	1	3.02
*4042104	IC IR2104STR DRIVER HIGH/LOW SIDE 8SOIC	1702.68	1,350.02
*4042104	IC IR2104STR DRIVER HIGH/LOW SIDE 8SOIC	290.16	223.42
*4042104	IC IR2104STR DRIVER HIGH/LOW SIDE 8SOIC	290.16	223.42
*4042171	REF.SWITCHING 100KHz 2.5A MIC2171BU MSD3	8	17.71
*4042171	REF.SWITCHING 100KHz 2.5A MIC2171BU MSD3	50	110.69
*4042211	IC PC CARD INTERFACE SW 5V TPS2211 SOP16	36	46.09
*4042256	IC SRAM 32KX8 5V TSOP 62C256 MSD4	2	1.65
*4042274	IC TLC2274ACD OP AMP QUAD SO14	143	144.30
*4042400	IC 24LC01BSN SO-8	6	1.08
*4042400	IC 24LC01BSN SO-8	4	0.72
*4042403LF	IC EEPROM 128BIT SERIAL SO8 RoHS	25	4.25
*4042405	IC OP AMP TLV2402 MSOP8	59.72	72.56
*4042405	IC OP AMP TLV2402 MSOP8	24.24	29.45
*4042405	IC OP AMP TLV2402 MSOP8	39.04	46.07

*4042414LF	IC INVERTER HEX SCHMITT 74LVC14 RoHS	55	4.19
*4042416	IC 24C16N-10SC-2.5 SER EPROM 16K SOIC8	10	20.59
*4042416LF	IC EEPROM SERIAL 16KBIT 27C16 REV C RoHS	29	10.45
*4042417LF	IC REAL TIME CLOCK DS2417 6TSOC RoHS	7	8.65
*4042432	IC 24C32 I2C SERIAL EEPROM 32K SOIC-8	680	-
*4042432	IC 24C32 I2C SERIAL EEPROM 32K SOIC-8	500	-
*4042432	IC 24C32 I2C SERIAL EEPROM 32K SOIC-8	10	-
*4042432	IC 24C32 I2C SERIAL EEPROM 32K SOIC-8	10	-
*4042501	IC PS2501L-1 GULL WING PHOTO COUPLER	107.79	19.88
*4042501	IC PS2501L-1 GULL WING PHOTO COUPLER	176.75	32.76
*4042501	IC PS2501L-1 GULL WING PHOTO COUPLER	2.46	0.44
*4042512LF	IC EEPROM 24LC512T-I/SMG SOIC8 RoHS	58	65.70
*4042512LF	IC EEPROM 24LC512T-I/SMG SOIC8 RoHS	23	25.30
*4042574	IC LM2574M-5 SO-14L MSD2A	84	65.74
*4042577	IC V REG SIMPLE SW 3A LM2576S3.3 MSD3	9	10.66
*4042580	IC SERIAL EEPROM 8K 2.5V 8 SOIC	13	11.78
*4042596	IC SWITCHING REG LM2596S-5.0 5V MSD3	30	55.91
*4042597LF	IC REG. LM2596S-3.3 3.3V TO-263 RoHS	9	18.81
*4042621	IC SWITCHING REG. LM2621-5.0	8.48	10.54
*4042621	IC SWITCHING REG. LM2621-5.0	11.52	13.90
*4042672	IC SWITCHING REG LM2672M-ADJ SO8	5	12.11
*4042674	IC LM2674M VOLT REF 5V SO8	793	1,069.70
*4042676	IC 3A STEP-DOWN VOLT REG LM2676-12 TO263	37	80.39
*4042706	IC LED DRIVER SSOP-24 MSD3	36	24.84
*4042714	IC DUAL SCHMITT TRI INV SC70 27WZ14	984	49.65
*4042901	IC QUAD COMP LM2901 SS IND 300NS SMD	8.2	2.12
*4042901	IC QUAD COMP LM2901 SS IND 300NS SMD	1.8	0.47
*4042903	DUAL COMP SS IND 300NS SO-8	1540.84	122.17
*4042903	DUAL COMP SS IND 300NS SO-8	88.16	6.79
*4042905	IC LM2904D DUAL OP AMP SOIC8	460.96	34.32
*4042905	IC LM2904D DUAL OP AMP SOIC8	625	46.53
*4042905	IC LM2904D DUAL OP AMP SOIC8	62.52	4.52
*4042905	IC LM2904D DUAL OP AMP SOIC8	62.52	4.52
*4042908	IC FLASH 8 MEGABIT CMOS 5V 29F080 MSD3	15	38.61
*4042931	VOLT REG 5V 100MA LOW DROP-OUT SO-8	1	0.22
*4042942	V-REG 50mA 5V TO252 LM2936-5.0	44	40.32
*4042942	V-REG 50mA 5V TO252 LM2936-5.0	7	6.23
*4042944	IC REGULATOR 10V 1A LM2940 SOT263 MSD3	29	19.97
*4042949	IC LP2951 MICROPWR VOLT REG SO8	35	9.95
*4042982	IC LINEAR REG LP2980 5V LDO SOT23-5	1560.56	303.72
*4042982	IC LINEAR REG LP2980 5V LDO SOT23-5	144.44	27.30
*404303193MHGR	IC REAL TIME CLOCK DS2417 SMT6-PN	8	-
*4043102	IC SRAM 128KX8 SOP32 MSD4	848	1,973.40
*4043126	IC QUAD ANALOG SWITCH SO-14	1039	176.54
*4043138	IC 74ACT138 DECODER 3-8 SO-16	162.8	21.91
*4043138	IC 74ACT138 DECODER 3-8 SO-16	0.1	0.01
*4043138	IC 74ACT138 DECODER 3-8 SO-16	0.1	0.01
*4043139	IC 74HCT138 SO16	93	7.08
*4043172	IC SWITCHING REG MIC3172BM SO8	49	74.17
*4043223LF	IC TRANSCVR RS232 MAX3221 SSOP RoHS	2	2.64
*4043232	IC MAX3232 SO-16 3.3V MSD1	34	75.97
*4043241LF	IC LINEAR LM324 QUAD OP AMP RoHS	116	33.64
*4043241LF	IC LINEAR LM324 QUAD OP AMP RoHS	100	31.51
*4043243	IC LMV324 OP AMP QUAD SO14	34	12.35
*4043303	IC MC33039 MOTOR SPD CTRL ADPTR SO-8	370.5	122.08
*4043306	IC LVI MC33064	52.12	9.51
*4043306	IC LVI MC33064	0.44	0.08
*4043306	IC LVI MC33064	0.44	0.08
*4043324	IC BUSSWITCH HOT INSERTION TSSOP	11	3.74
*4043333	IC LDO REG 3.3V 100mA SOT23-5 MIC5233	379	454.66
*4043333	IC LDO REG 3.3V 100mA SOT23-5 MIC5233	1	0.69



*4043390	IC LM339AM COMPARATOR QUAD LOW PWT SO14	493	158.39
*4043391-2LF	IC LM339D SOIC-14 RoHS	6.38	0.54
*4043391-2LF	IC LM339D SOIC-14 RoHS	16.62	1.21
*4043391-2LF	IC LM339D SOIC-14 RoHS	9	0.66
*4043391-2LF	IC LM339D SOIC-14 RoHS	5	0.37
*4043633	IC TPS73633DCQ SOT223-6	5	6.80
*4043695	IC DS3695 SO8	296	150.90
*4043695	IC DS3695 SO8	313	158.38
*4043700LF	IC CONTROLLER LCD S1D13700F00A0 QFP RoHS	5	32.08
*4043709LF	IC PCI CNTL V3709DC-66LPN PQFP160 RoHS	2	36.00
*4043828LF	IC SUPERVISOR TPS3828-33 SOT23 RoHS	200	133.25
*4043861-1	IC LM386 AUDIO POWER AMP.	7	2.74
*4043872	IC REG. ULTRA LDO 2.5V 1.5A LP3872 MSD3	7	11.39
*4043872	IC REG. ULTRA LDO 2.5V 1.5A LP3872 MSD3	15	24.40
*4043936	IC A3936 BLDC DRIVER DMOS +/-3V 50V	140	2,299.37
*4043936	IC A3936 BLDC DRIVER DMOS +/-3V 50V	6	25.14
*4043941-1	VOLT REG 3.3V 1A LM3940 TO-236 MSD3	29	20.31
*4043959	IC A3959SLP TSSOP28	7	18.74
*4043982	IC REG. ULTRA LDO LP3982IMM-ADJ MSOP8	575	195.99
*4043985	IC VOLT REG LM3985 3.3V SOT23-5	551	113.47
*4044001LF	IC DRVR LED HIGH CURR NUD4001 SOIC8 RoHS	2444.12	755.02
*4044001LF	IC DRVR LED HIGH CURR NUD4001 SOIC8 RoHS	68.88	20.66
*4044004	IC MC74F00D QUAD NAND GATE SO14NB	27	3.61
*404403073MHGR	VOLTAGE DETECTOR 1.8V TOTEM SOT89-3	60	19.15
*404403135MHGR-1	IC PROCESSOR OTP PROGRAMMED 15126B MSD1	181	378.29
*404403153MHGR	IC PROC 8051 FLASH PROGRAMMED MSD4	138	296.99
*404403153MHGR	IC PROC 8051 FLASH PROGRAMMED MSD4	70	123.20
*404403166MHGR	IC REG. 4.5V XC6202P452PR SOT89	70	20.30
*404403167MHGR	IC VOLT DET 4.7V XC61CN4702MR SOT-23	2163	779.55
*404403174MHGR	IC PROGRAMMED OTP (ALTER V9.51) MSD3	7.57	16.29
*404403174MHGR	IC PROGRAMMED OTP (ALTER V9.51) MSD3	0.43	0.90
*4044045	IC 74VHC4046 CMOS PHASE LOCK LOOP	808	94.01
*4044045	IC 74VHC4046 CMOS PHASE LOCK LOOP	35	6.65
*4044045	IC 74VHC4046 CMOS PHASE LOCK LOOP	84	9.77
*4044050	IC HEX CONVERTER 74HC4050 SO-16	1172.26	116.48
*4044050	IC HEX CONVERTER 74HC4050 SO-16	25.74	4.38
*4044052	IC MUX/SW ANALOG CMOS MAX4051 SOIC16	2	6.42
*4044059	IC 74HC4059 SOIC-24	74	-
*4044064	IC QUAD 74HC4066 ANALOG SW TSSOP 14	1126.99	88.77
*4044069	IC CD4069 HEX INVERTER SO-14	150	13.50
*4044072	IC QUAD 2INPUT SO14 4070	93.92	8.99
*4044072	IC QUAD 2INPUT SO14 4070	0.54	0.05
*4044072	IC QUAD 2INPUT SO14 4070	0.54	0.05
*4044105LF	IC IND. LOAD DRIVER NTJD4105C RoHS	73	11.28
*4044114	IC SOT23_5 PIN 74AHCT1G14	764.72	40.95
*4044114	IC SOT23_5 PIN 74AHCT1G14	74	3.96
*4044114	IC SOT23_5 PIN 74AHCT1G14	2719	141.39
*4044114	IC SOT23_5 PIN 74AHCT1G14	98.28	5.11
*4044114	IC SOT23_5 PIN 74AHCT1G14	660	35.34
*4044120	IC LM4120 V REF SOT23-5	32	52.06
*4044125	IC LOGIC LEVEL MC74VHC1GT125DT1 (V8)	3533.11	178.27
*4044125	IC LOGIC LEVEL MC74VHC1GT125DT1 (V8)	0.89	0.04
*4044132	IC SINGLE OR GATE SOT353	56	10.38
*4044138	IC 74LS138 SMT 16SO MSD1	53.08	15.85
*4044154	IC 4-16 74HC154 LIN DECODER SOIC24	1221.77	296.91
*4044154	IC 4-16 74HC154 LIN DECODER SOIC24	3.65	0.86
*4044154	IC 4-16 74HC154 LIN DECODER SOIC24	4.79	1.13
*4044154	IC 4-16 74HC154 LIN DECODER SOIC24	4.79	1.13
*4044164	IC 8BIT SER-IN/PAR-OUT SOIC14 SHIFT REG	6.52	0.88
*4044164	IC 8BIT SER-IN/PAR-OUT SOIC14 SHIFT REG	2.24	0.29
*4044164	IC 8BIT SER-IN/PAR-OUT SOIC14 SHIFT REG	2.24	0.29

*4044165	IC 74HC165 SR8 PISO 16 SO-N	1	0.08
*4044165	IC 74HC165 SR8 PISO 16 SO-N	12	1.56
*4044165-1	IC SN74HC165D 8BIT SHIFT RREF/PAR SOIC16	51	5.10
*4044165-1	IC SN74HC165D 8BIT SHIFT RREF/PAR SOIC16	25.25	2.51
*4044165-1	IC SN74HC165D 8BIT SHIFT RREF/PAR SOIC16	0.75	0.07
*4044173	IC HIGH SIDE CURRENT MAX4173 3V-28V SO8	19	21.15
*4044238	IC 74HCT238 SO16	48	9.88
*4044243	IC 74LCX244 8 BUFF 3S TSSOP	978.27	110.81
*4044243	IC 74LCX244 8 BUFF 3S TSSOP	20.2	2.29
*4044243	IC 74LCX244 8 BUFF 3S TSSOP	149.53	16.45
*4044244	IC 74ACT244 20 SMT	13	9.14
*4044259	IC SN74HC259D DECODER SOIC16 MSD2	32.28	3.39
*4044259	IC SN74HC259D DECODER SOIC16 MSD2	12.12	1.28
*4044259	IC SN74HC259D DECODER SOIC16 MSD2	1.6	0.16
*4044259	IC SN74HC259D DECODER SOIC16 MSD2	1	0.10
*4044273LF	IC F/F D OCTAL 74LV273 TSSOPC RoHS	4	1.65
*4044273LF	IC F/F D OCTAL 74LV273 TSSOPC RoHS	75	11.19
*4044302LF	IC VOLT DET 4.3V SOT-23 RoHS	2604	938.47
*4044325	IC VOLT REF. LM4040 2.5V SOT-23	1358	323.02
*4044332C	IC PLD PROGRAMMED MSD3	14	25.23
*4044367	IC 74LS367 HEX BUFFER SOIC-16	9	4.34
*4044414	IC 74VHCT14 HEX INV. SCHM SO-N	41	4.01
*4044435	IC MC74HCT32AD SO14	2200	124.59
*4044452	IC 74HC4052 ANALOG MUX/DEMUX SOIC16	6	1.24
*4044460LF	IC CLOCK FANOUT MPC9446AC 3.3V LQFP RoHS	182	-
*4044489	IC MC14489 DISPLAY DRIVER 20	16	24.22
*4044523	IC SERIAL FLASH AT45DB021B-RC	18.35	26.46
*4044523	IC SERIAL FLASH AT45DB021B-RC	21.65	30.31
*4044541	IC 74LVX541 8 BUFF 3-S TSSOP MSD	62	7.66
*4044543	IC 74ABT543 SO-24L	5	4.63
*4044550	IC AUDIO CODEC AC97 LM4550	37	136.77
*4044565LF	IC SHIFT REG 74HC165 SOIC RoHS	43	4.87
*4044851	IC RS485/422 SP485BN HIGH TEMP TRANSCVR	714.08	400.74
*4044851	IC RS485/422 SP485BN HIGH TEMP TRANSCVR	50.6	27.58
*4044851	IC RS485/422 SP485BN HIGH TEMP TRANSCVR	23.32	12.71
*4044851	IC RS485/422 SP485BN HIGH TEMP TRANSCVR	1	0.55
*4044864	IC AUDIO AMP LM4864M SO8	6	2.69
*4044864	IC AUDIO AMP LM4864M SO8	10	4.48
*4044906	IC MM74C906M OPEN DRAIN BUFFER SOIC14	69	144.94
*4044906	IC MM74C906M OPEN DRAIN BUFFER SOIC14	117	245.77
*4045113	IC 10K DIGITAL POT CAT5113SI-10 SOIC8	56	96.88
*4045114	IC DIGITAL POT 100K CAT5114SI SO8	4	2.56
*4045114	IC DIGITAL POT 100K CAT5114SI SO8	3	1.92
*4045176-1	IC INTRFC RS485 DS75176B XCVR 5V SOIC8	846	358.91
*4045176-1	IC INTRFC RS485 DS75176B XCVR 5V SOIC8	46	18.95
*4045176-1	IC INTRFC RS485 DS75176B XCVR 5V SOIC8	46	18.95
*4045207LF	IC DIGITAL POT AD5206 SOIC RoHS	2	5.97
*4045236	IC FAN5234 DUAL PWM/PFM QSOP16	776	526.58
*4045256	IC EPROM 25C256 SO8	23	53.29
*4045402	IC 74LVX02 NOR QUAD 2-INP 3.3V TSSOP MSD	88	25.74
*4045424	IC OCTAL BUS DRV W/ TRI-STATE SOIC-20	19	4.26
*4045474	IC 74VHC74 DUAL D FLIP FLOP	17	1.75
*4045518	IC DRIVER VF 75518 PLCC44	45.8	149.16
*4045518	IC DRIVER VF 75518 PLCC44	0.32	1.01
*4045518	IC DRIVER VF 75518 PLCC44	27	87.94
*4045518	IC DRIVER VF 75518 PLCC44	0.44	1.39
*4045518	IC DRIVER VF 75518 PLCC44	0.44	1.39
*4045550	IC TIMER TLC555 CMOS SOIC-8	130	25.17
*4045640	IC AT25640 SO8	317	168.11
*4045810	IC DRIVER SERIAL LATCH UCN5810EPF	53	352.01
*4045810	IC DRIVER SERIAL LATCH UCN5810EPF	43	285.59

*4045950	IC 74HC595 8BIT SHIFT REG SOIC16	30.9	4.93
*4045950	IC 74HC595 8BIT SHIFT REG SOIC16	80	12.77
*4045950	IC 74HC595 8BIT SHIFT REG SOIC16	2.05	0.32
*4045950	IC 74HC595 8BIT SHIFT REG SOIC16	2.05	0.32
*4045951	IC REGISTER W/LATCH 8BIT 74HC595 16TSSOP	63	6.35
*4046002LF	IC VOLT REF. MAX6001 1.25V SOT23 RoHS	22	15.47
*4046086LF	IC 74HC86 EXCLUSIVE OR GATE SMT RoHS	236.52	21.92
*4046086LF	IC 74HC86 EXCLUSIVE OR GATE SMT RoHS	908	84.14
*4046086LF	IC 74HC86 EXCLUSIVE OR GATE SMT RoHS	300	26.62
*4046086LF	IC 74HC86 EXCLUSIVE OR GATE SMT RoHS	17.24	1.52
*4046086LF	IC 74HC86 EXCLUSIVE OR GATE SMT RoHS	17.24	1.52
*4046134	IC LM6134BIM QUAD RAIL-TO-RAIL OP AMP 14	42	64.01
*4046135LF	IC QUAD OP AMP LM6134 LOW POWER RoHS	35	64.15
*4046229LF	IC DRIVER 3PHASE MOTOR L6229 24SOIC RoHS	11	54.71
*4046250LF	IC VOLT REG 5.0V SOT89-3 RoHS	59	15.19
*4046250LF	IC VOLT REG 5.0V SOT89-3 RoHS	105	26.25
*4046281-1	IC SRAM 128K*8 100NS 32 SOIC MSD3	50	138.50
*4046314	IC uP RESET MAX6314 CIRCUIT	30	49.49
*4046355	IC NJU6355EM SO8	28	22.20
*4046373	IC 74HC373 LAT OCT SO(W) SO-20 WIDE BODY	86	21.25
*4046374-2	IC 74HC374 OCTAL D TYPE F/F SOIC20W	177	39.12
*4046408-2	IC 74HC08 QUAD 2-INP & GATE SOIC14	35.32	3.59
*4046408-2	IC 74HC08 QUAD 2-INP & GATE SOIC14	110	11.20
*4046408-2	IC 74HC08 QUAD 2-INP & GATE SOIC14	16.84	1.67
*4046408-2	IC 74HC08 QUAD 2-INP & GATE SOIC14	16.84	1.67
*4046415	IC 74HCT14 HEX SCHMITT	478.52	23.65
*4046415	IC 74HCT14 HEX SCHMITT	1	0.05
*4046415	IC 74HCT14 HEX SCHMITT	138.48	6.65
*4046416	IC SRAM 1M 64KX16 3.3V TSOP MSD3	24	29.41
*4046423	IC MCU H8S2319 : HD64F2319EVF25	11	285.44
*4046435	IC MC 16BIT H8S ROMLESS FP128 MSD3	-3	(23.64)
*4046471LF	IC MICROCONTROLLER USB TRANSCVR RoHS	3	14.74
*4046486	IC QUAD 74LS86 SOIC14 2 INPUT XOR	7	1.50
*4046502	MICROPROCESSOR 256K 1.1V 479 uFCBGA	2	102.00
*4046506	IC L6506 MOTOR CONT SO20 MSD3	30	53.13
*4046522	IC RS485 SO8 65HVD22	6	11.00
*4046522	IC RS485 SO8 65HVD22	7	12.83
*4046523	IC AN TRANCVR 65HVD230DR 8SOIC MSD2	43.36	71.89
*4046523	IC AN TRANCVR 65HVD230DR 8SOIC MSD2	0.64	0.86
*4046542	IC OUTPUT COMPARATOR 1.8V SOIC8	6	4.51
*4046542	IC OUTPUT COMPARATOR 1.8V SOIC8	1	0.73
*4046542	IC OUTPUT COMPARATOR 1.8V SOIC8	1	0.73
*4046658	IC OP AMP DUAL LMH6658MA 8SOIC	5	5.20
*4046811	IC MICROCOMPUTER MC68HC11A1 PLCC52 MSD3	6	58.94
*4046813	IC 68HC11E1 MICROCONTROLLER PLCC-52 MSD	2	20.49
*4046831	IC MICROCONTROLLER MC68331CPV16 MSD3	38	453.90
*4046832LF	IC MC68332 25MHZ MCU SMT RoHS MSL3	45	621.85
*4046869	IC 68C681 CMOS 44 PINS PLCC44 MSD3	43.8	180.41
*4046869	IC 68C681 CMOS 44 PINS PLCC44 MSD3	0.1	0.40
*4046869	IC 68C681 CMOS 44 PINS PLCC44 MSD3	0.1	0.40
*4047004	IC 74HC04 HEX INVERTER SO14	993	76.68
*4047005	IC 74AC04 HEX INVERTER SO-14	72	6.53
*4047044	IC INVERTER NC7SZ04P5 SC70	151.52	6.06
*4047050	IC SINGLE GATE TC7SZ05FU SO5 3.3V OPEN	2367	73.12
*4047100	IC SINGLE 2INPUT NAND GATE 74HC1G00	368	15.92
*4047114	SINGLE GATE 74VHC1G14 INVERTER SOT23-5	36	6.41
*4047120LF	IC SENSOR HALL EFFECT ACS712 8SOIC RoHS	1526.36	2,404.69
*4047120LF	IC SENSOR HALL EFFECT ACS712 8SOIC RoHS	88.88	140.03
*4047120LF	IC SENSOR HALL EFFECT ACS712 8SOIC RoHS	111.76	267.55
*4047120LF	IC SENSOR HALL EFFECT ACS712 8SOIC RoHS	87	208.28
*4047123	IC 74HC123 MULTI DUAL SO-16	1443.01	208.02

*4047123	IC 74HC123 MULTI DUAL SO-16	1714.93	240.09
*4047123	IC 74HC123 MULTI DUAL SO-16	2.53	0.35
*4047123	IC 74HC123 MULTI DUAL SO-16	2.53	0.35
*4047125	IC 74HC125 QUAD 3S BUFFER SO-14	13	1.47
*4047125-1	IC 74HC125M QUAD BUFFER	46	4.73
*4047127LF	IC BUFFER 74LCX125 QUAD SOIC RoHS	50	3.09
*4047132-1	IC 74HC132 SO-14	18	1.53
*4047135	IC INVERTER NC7S00 SC70-5	76	15.65
*4047138	IC ADDRESS DECODER SOIC-16	317	32.64
*4047138	IC ADDRESS DECODER SOIC-16	88	8.80
*4047139	IC 74HC139 DECODER DUAL 2-4 16PIN SO-16	1	0.45
*4047146	IC INVERTER HS SCHMITT SC70-5	3	0.13
*4047164-1	IC 74HC164 SHIFT REG SO-14	2	0.56
*4047164LF	IC 8BIT SHIFT REG 74HC164 SOIC RoHS	4	0.34
*4047164LF	IC 8BIT SHIFT REG 74HC164 SOIC RoHS	50	4.22
*4047175	IC 74HC175 QUAD-D F/F SO-16	35.5	5.85
*4047200	IC SP720AB SO-16	42	52.76
*4047201LF	IS ESD ARRAY SP720ABT SOIC RoHS	5	6.54
*4047224	IC 7224 8 BIT D/A CONVERTER	1	6.91
*4047245LF	IC 74HC245A SO-20 WIDE BI-DIRECT RoHS	50	5.41
*4047301	IC OP-AMP I/O LP R-R SOT23-5	1700.04	1,522.99
*4047301	IC OP-AMP I/O LP R-R SOT23-5	20.2	18.09
*4047301	IC OP-AMP I/O LP R-R SOT23-5	16.76	14.58
*4047301	IC OP-AMP I/O LP R-R SOT23-5	9	7.83
*4047308LF	IC QUAD 2 INP AND GATE 74HCT08 RoHS	54	3.45
*4047310	IC CCFL INVERTER FAN7310	1146	1,958.86
*4047310	IC CCFL INVERTER FAN7310	15	24.90
*4047323	IC LDO REG 250mA 3.3V SOT23-5	1060	796.80
*4047374-1	IC 74ACT374 OCT 3S FLIP FLOP 20P SO-20 W	19	6.85
*4047390	IC 74HC390 SO16	3.52	0.73
*4047390	IC 74HC390 SO16	49.48	9.99
*4047393	IC 74HC393 BOUNTER BINARY SO-14	35	3.79
*4047400	IC 74ACT00 NAND QUAD 2-IN SO-14	858	75.98
*4047401LF	IC SGL 2IN NAND 74AHC1G00 SOT23-5 RoHS	98	5.55
*4047402	IC 74HC02 QUAD NOR GATE SO-14	87	10.75
*4047403LF	IC INVERTER HEX 74LVC04 SOIC RoHS	5	0.42
*4047403LF	IC INVERTER HEX 74LVC04 SOIC RoHS	100	7.21
*4047404	IC 74F04 HEX INVERTER SOIC14	22	2.85
*4047405-1	IC 74LS05 HEX INV O/C SO-14 MSD1	26	9.29
*4047414LF	IC 74HC14 HEX INV SCHM SO-14 RoHS	24	1.94
*4047418-1	IC 74V1G08 SINGLE 2-INPUT & GATE SOT23-5	3485.7	172.28
*4047418-1	IC 74V1G08 SINGLE 2-INPUT & GATE SOT23-5	220.3	10.57
*4047423	IC BUFFER 74HC244 SO20	11	2.33
*4047432	IC 74HC32 SO (N) SO-14	20.08	2.48
*4047432	IC 74HC32 SO (N) SO-14	0.44	0.05
*4047432	IC 74HC32 SO (N) SO-14	0.44	0.05
*4047432	IC 74HC32 SO (N) SO-14	0.04	-
*4047434LF	IC 74AHC32 QUAD OR GATE SOIC14 RoHS	2026.6	135.65
*4047434LF	IC 74AHC32 QUAD OR GATE SOIC14 RoHS	11.4	0.74
*4047442	IC 74HCT42D SO16	4	-
*4047470	IC 74HC74 DAUL D F/F SO-14	4	0.31
*4047473-1	IC 74HC74 DAUL D F/F SO-14	1177	130.90
*4047473LF	IC 74HC74 DUAL D F/F SO-14 RoHS	8	0.62
*4047473LF	IC 74HC74 DUAL D F/F SO-14 RoHS	57	4.41
*4047504	IC SINGLE GATE INVERTER 04 3.3V SO-5	534.28	16.51
*4047504	IC SINGLE GATE INVERTER 04 3.3V SO-5	20.2	0.63
*4047504	IC SINGLE GATE INVERTER 04 3.3V SO-5	334.52	10.04
*4047508	IC SINGLE GATE AND 3.3V SO-5	1372.36	141.32
*4047508	IC SINGLE GATE AND 3.3V SO-5	159.64	30.17
*4047524LF	IC TRANSIENT SUPP USB SN75240 RoHS	27	12.23
*4047524LF	IC TRANSIENT SUPP USB SN75240 RoHS	399	150.42

*4047532LF	IC DRVR/RCVR RS232 MAX3221 16SSOP RoHS	453.44	275.48
*4047532LF	IC DRVR/RCVR RS232 MAX3221 16SSOP RoHS	88.88	54.00
*4047532LF	IC DRVR/RCVR RS232 MAX3221 16SSOP RoHS	323.2	196.35
*4047532LF	IC DRVR/RCVR RS232 MAX3221 16SSOP RoHS	58.24	33.26
*4047532LF	IC DRVR/RCVR RS232 MAX3221 16SSOP RoHS	58.24	33.26
*4047541	IC 74HC541 8 BUFF D/R 3S SO-W	35	7.57
*4047560	IC DC/DC 3.3-5V ADJ	11.5	28.18
*4047560	IC DC/DC 3.3-5V ADJ	38	99.31
*4047560	IC DC/DC 3.3-5V ADJ	0.25	0.63
*4047560	IC DC/DC 3.3-5V ADJ	0.25	0.63
*4047573-1	IC OCTAL LATCH 74HC573 SO-20 WIDE	329	74.87
*4047574	IC 74AC574 LATCH OCTAL 3S 20 SO-W	140	26.53
*4047574	IC 74AC574 LATCH OCTAL 3S 20 SO-W	131.3	24.88
*4047574	IC 74AC574 LATCH OCTAL 3S 20 SO-W	19.7	3.62
*4047589	IC 74HC589 SHIFT REG 8PISO SO-16	13	1.74
*4047661	IC ICL7660 SOIC8	49	29.77
*4047730	IC AD7730 ADC BINARY OUT TSSOP24	1.4	14.13
*4047730	IC AD7730 ADC BINARY OUT TSSOP24	27	266.22
*4047730	IC AD7730 ADC BINARY OUT TSSOP24	14.08	138.83
*4047730	IC AD7730 ADC BINARY OUT TSSOP24	2.52	24.85
*4047769-2	IC PIC 16C57 PLAN 438275-2 SO-28	2	19.16
*4047809	VOLT REG 78L09 9.0V LOW CURRENT	4	0.44
*4047813	IC MC78L12ACD SO-8	1575.54	116.81
*4047813	IC MC78L12ACD SO-8	56.46	4.07
*4047933	IC TPS79333 LOW DROP-OUT SOT23 INPHUI I	1252	360.98
*4048008	IC 74AC08 AND QUAD 2-IN SO-14	859.49	62.84
*4048008	IC 74AC08 AND QUAD 2-IN SO-14	19.51	1.39
*4048032	IC 74AC32 OR QUAD 2-INPUT SO-14	460.02	42.63
*4048032	IC 74AC32 OR QUAD 2-INPUT SO-14	66.98	6.03
*4048074	IC 74AC74 DUAL D FLIP FLOP SO-14	20	3.50
*4048126	IC 74ACT125SC BUFFER TRI-ST QUAD SOIC14	2255	185.76
*4048138-1	IC 74AC138 CMOS 3/8 DECODER SO16	84	9.95
*4048170LF	IC PHOTOCOUPLER PC817XI RoHS	4	1.36
*4048195	IC LOC TALK ADAP PLCC MC68195FN PLCC44	37	584.06
*4048254LF	IC 82C55A-8 CHMOS PROG PERIH PLCC44 RoHS	4	30.56
*4048357	IC MICRO DSP56F8357	32.8	452.58
*4048357	IC MICRO DSP56F8357	27	372.55
*4048357	IC MICRO DSP56F8357	20.2	278.73
*4048357	IC MICRO DSP56F8357	23	308.20
*4048357	IC MICRO DSP56F8357	1	15.49
*4048357	IC MICRO DSP56F8357	2	27.60
*4048367	MICRO DSP56F8367 160LQFP MSD3	89.24	1,640.27
*4048367	MICRO DSP56F8367 160LQFP MSD3	38	698.46
*4048367	MICRO DSP56F8367 160LQFP MSD3	5	91.90
*4048367	MICRO DSP56F8367 160LQFP MSD3	0.76	13.57
*4048404	IC MM74HCT04 INVERTER HEX SO14	904	69.81
*4048408	IC 74LVX08 QUAD 2-IN AND 3.3V TSOP14	15.36	1.50
*4048408	IC 74LVX08 QUAD 2-IN AND 3.3V TSOP14	5.64	0.54
*4048411LF	IC 74LCX11 3 IN AND TRIPLE SOIC RoHS	2300	206.04
*4048414	IC HEX SCHMITT-TRIGGER 74LV14A TSOP	810	64.22
*4048432	IC 74LVX32 QUAD OR GATE SOIC14	163	16.62
*4048473-2	IC DP8473 CONTROLLER FDD	1	7.72
*4048486LF	IC EX-OR QUAD 2-IN 74LV86 SOIC RoHS	8	1.33
*4048486LF	IC EX-OR QUAD 2-IN 74LV86 SOIC RoHS	2	0.24
*4048530	IC SERIAL COMM 8530 PLCC44 MSD3	4	31.39
*4048672	IC AD8672R OP AMP DUAL LOW NOISE	6.48	15.82
*4048672	IC AD8672R OP AMP DUAL LOW NOISE	2.52	5.97
*4048803LF	IC DAC AD8803 OCTAL 8BIT RoHS	123	491.43
*4049057-2	PROGRAMMED MICRO 048844-2	0.52	4.45
*4049057-2	PROGRAMMED MICRO 048844-2	0.24	2.24
*4049057-2	PROGRAMMED MICRO 048844-2	0.24	2.24

*4049057-4	PROGRAMMED MICRO 048844-4	1	8.57
*4049058-4	PROGRAMMED IC 442902-4	3	7.37
*4049059-6	PROGRAMMED EEPROM 443527-6	13	10.50
*4049059-8	PROGRAMMED EEPROM 443527-8	13	7.34
*4049060-1	PROG EPROM 477802-1	4	31.35
*4049061	IC LM9061M PWR MOSFET DRIVER SOIC8	520.8	386.13
*4049061	IC LM9061M PWR MOSFET DRIVER SOIC8	1152.2	829.58
*4049061	IC LM9061M PWR MOSFET DRIVER SOIC8	13	9.36
*4049061	IC LM9061M PWR MOSFET DRIVER SOIC8	1	0.72
*4049061	IC LM9061M PWR MOSFET DRIVER SOIC8	6	4.32
*4049062-4	PROGRAMMED EPROM 477802-4	6	58.87
*4049062-7	PROGRAM EPROM 477802-7	3	21.70
*4049065	PROG MICROCONTROLLER 8 PIN	4	9.19
*4049068	IC FLASH PROG CONSOLE BIOS 442882-1	26	57.31
*4049069	IC PROGRAMMED FLASH VIDEO BIOS 442892-1	25	47.32
*4049076-3	IC PROGRAMMED 442884-3 CONSOLE	34	85.68
*4049077-1	IC EEP PROGRAMMED 444557-1 MEMORY CONFIG	38	26.14
*4049078-2	IC PROG HARDWARE 442928-2	5	6.80
*4049102	IC X9102S EE POTENTIOMETER SO-8	9	27.25
*4049120-ALF	IC PROGRAMMED EEPROM 20SSOP RoHS	34	118.68
*4049120-ALF	IC PROGRAMMED EEPROM 20SSOP RoHS	200	698.14
*4049120-ALF	IC PROGRAMMED EEPROM 20SSOP RoHS	6	20.34
*4049120-ALF	IC PROGRAMMED EEPROM 20SSOP RoHS	6	20.34
*4049120-ALF	IC PROGRAMMED EEPROM 20SSOP RoHS	1	3.39
*4049125	IC QUAD BUFFER 74VHC125M 3-STATE SO-14	154.56	11.30
*4049125	IC QUAD BUFFER 74VHC125M 3-STATE SO-14	20.2	1.47
*4049125	IC QUAD BUFFER 74VHC125M 3-STATE SO-14	7.62	0.54
*4049125	IC QUAD BUFFER 74VHC125M 3-STATE SO-14	7.62	0.54
*4049154LF	IC FREQ GENERATOR AV9154A 16SOIC RoHS	41.86	135.78
*4049154LF	IC FREQ GENERATOR AV9154A 16SOIC RoHS	0.14	0.44
*4049183LF	IC FLASH MEMORY PROGRAMMED 80440108 RoHS	9.76	15.83
*4049183LF	IC FLASH MEMORY PROGRAMMED 80440108 RoHS	1.12	1.77
*4049183LF	IC FLASH MEMORY PROGRAMMED 80440108 RoHS	1.12	1.77
*4049215LF	IC MUS 21 BIT DIFF DS90C215 RoHS	9	37.44
*4049216LF	IC DEMUX 21BIT DIFF DS90CR216 RoHS	4	13.84
*4049245	PROGRAM IC PIC12C508A SO8N	191	255.67
*4049245	PROGRAM IC PIC12C508A SO8N	8	10.40
*4049248	IC FREQ GENERATOR ICS9248-39 SSOP	15	30.49
*4049268AF-LF	IC PROG 127174M FLASH MEMORY RoHS	15	41.25
*4049276LF	IC PROG 120904M M09825 RoHS	7	12.25
*4049292B	IC PROG MICROCONTROLLER U4-2001	11	11.55
*4049346	IC EEPROM 1K BIT SERIAL SO-8 93C46	4	4.12
*4049347LF	EEPROM CAT93C46 8 SOIC RoHS	1	0.13
*4049347LF	EEPROM CAT93C46 8 SOIC RoHS	1	0.15
*4049356	IC EEPROM 2K BIT SERIAL SO-8	542.22	55.83
*4049356	IC EEPROM 2K BIT SERIAL SO-8	93.78	9.38
*4049386	IC EEPROM 8K BIT SERIAL SO-8 MSD1	12.5	9.01
*4049386	IC EEPROM 8K BIT SERIAL SO-8 MSD1	1.5	1.05
*4049486	IC PROGRAM MICRO EZ LOCK V2.00	144	404.64
*4049603	YIC USB NODE CONT 9604 SOIC MSD3	59	179.22
*4120408	CRYSTAL 4MHz SMT	142	43.86
*4120408	CRYSTAL 4MHz SMT	3	0.90
*4120408	CRYSTAL 4MHz SMT	3	0.90
*4120419	CRYSTAL LOW PWR 4.194304MHZ SMT	150	44.79
*4120502	XTAL 5MHZ AT CUT FUNDIMENTAL SMT	442	270.80
*4120736LF	CRYSTAL QUARTZ 7.3728 Mhz ABMM RoHS	826	293.44
*4120737	CRYSTAL 7.3728 MHz SMT	24	7.41
*4120802	CRYSTAL 8.0MHz 18PF SMT	806	174.29
*4120803	CRYSTAL 8MHz 18pF HCM49	285.5	88.20
*4120803	CRYSTAL 8MHz 18pF HCM49	28.56	8.82
*4120803	CRYSTAL 8MHz 18pF HCM49	4.08	1.25

*4120803	CRYSTAL 8MHz 18pF HCM49	700	216.24
*4120803	CRYSTAL 8MHz 18pF HCM49	25.5	7.88
*4120803	CRYSTAL 8MHz 18pF HCM49	172.36	51.71
*4121000	CRYSTAL 10MHZ SMT	19	19.37
*4121002	CRYSTAL 10MHz 20PF	9	6.12
*4121120LF	CRYSTAL 11.2896MHz 309PKG RoHS	1000	390.00
*4121200	CRYSTAL 12MHZ HC-49/AS	435	89.59
*4121200	CRYSTAL 12MHZ HC-49/AS	11	2.20
*4121200	CRYSTAL 12MHZ HC-49/AS	3	0.60
*4121203	XTAL 12MHz 18PF SMT	660	176.70
*4121431LF	CRYSTAL 14.31818MHZ 5X7.5MM SMT RoHS	337.96	148.25
*4121431LF	CRYSTAL 14.31818MHZ 5X7.5MM SMT RoHS	0.04	0.02
*4121434	CRYSTAL 14.318MHz 20PF SMT	918	236.32
*4121604-1	CRYSTAL 16MHz SMD HC49/SD	435	132.24
*4121604-1	CRYSTAL 16MHz SMD HC49/SD	176	53.50
*4121609	CRYSTAL OSCILLATOR 16MHz	55	223.00
*4122001	CRYSTAL 20MHz SMD HC49/SD	114	22.89
*4122010LF	CRYSTAL 20MHz 18PF RoHS	62	44.64
*4122406LF	CRYSTAL 24.0000MHz 5X7.5MM SMT RoHS	276	133.57
*4122503	CRYSTAL 25MHz FUND SMT	163	18.46
*4122504	CRYSTAL OSC 25.000MHz	9	43.46
*4122900	CRYSTAL 29.498928 MHZ 3RD OT SMT	5	0.95
*4122900	CRYSTAL 29.498928 MHZ 3RD OT SMT	26	4.94
*4123275LF	CRYSTAL 32.768KHz MC306 RoHS	937	318.40
*4123277	CRYSTAL 32.768KHz 6PF SMT	621	223.81
*4124200LF	CRYSTAL, 12 Mhz, RoHS	19	14.44
*4124200LF	CRYSTAL, 12 Mhz, RoHS	21	15.96
*4124801LF	OSCILLATOR 48MHZ HCMOS 3.3V RoHS	50	90.10
*4125000LF	OSCILLATOR 50MHZ HCMOS 3.3V RoHS	50	102.97
*4131212LF	CONVERTER DC/DC 12V 83MA RoHS	5	34.70
*4140101	FILTER EMI SMT 100MHZ 70 OHM 3A	42	3.02
*4141500	FILTER EMI FILTER 15-700MHz RFI SMD	213	55.71
*4151010LF	CAP CER 100PF 10V 10% X7R 0805 RoHS	3895	21.25
*4151023	CAP MONO 1000PF 100V 5% 1206	3933	89.11
*4151023LF	CAP MONO 1000PF 100V 5% 1206 RoHS	3700	83.82
*4151028LF	CAP CER 1000PF 10% 50V COG 0805 RoHS	3925	60.63
*4151032	CAP CER .01UF 16V 1% COG 1206	1930	934.06
*4151032	CAP CER .01UF 16V 1% COG 1206	6	2.90
*4151032	CAP CER .01UF 16V 1% COG 1206	50	23.50
*4151032	CAP CER .01UF 16V 1% COG 1206	50	23.50
*4151034LF	CAP CER .01UF 25V 5% 0603 RoHS	3315	18.23
*4151043	CAP CER .1UF 50V 10% 0603	101	0.44
*4151043	CAP CER .1UF 50V 10% 0603	220	1.09
*4151044LF	CAP CER .1UF 16V 5% 0603 RoHS	3351	12.08
*4151052	CAP CER 1.0UF 16V 0603	1785	66.17
*4151055	CAP CER 1UF 50V X7R 10% 1206	363	12.71
*4151062	CAP CER 10UF 25V +80%-20% Y5V 1206	652	92.52
*4151062	CAP CER 10UF 25V +80%-20% Y5V 1206	20	24.71
*4151062	CAP CER 10UF 25V +80%-20% Y5V 1206	2	2.40
*4151065LF	CAP CER 10UF 25V 10% X5R 1206 RoHS	410	16.47
*4161015-1	CAP 100PF 5% NPO 50V 0603	1872.94	16.97
*4161015LF	CAP CER 100PF 5% NPO 50V 0603 RoHS	4000	26.77
*4161020	CAP CER 1NF 50V 1% COG 1206	2924	1,475.34
*4161023	CAP CER .001UF(1000PF) 10% 50V X7R 0805	2086.48	9.89
*4161023	CAP CER .001UF(1000PF) 10% 50V X7R 0805	21822.84	100.39
*4161023	CAP CER .001UF(1000PF) 10% 50V X7R 0805	164.68	0.76
*4161024	CAP CER 1000pf(.001UF) 10% 50v X7R 1206	1272	13.10
*4161024	CAP CER 1000pf(.001UF) 10% 50v X7R 1206	1685	20.82
*4161030	CAP CER .01UF 10% 50V X7R 0805	3449	11.72
*4161030	CAP CER .01UF 10% 50V X7R 0805	393	1.54
*4161030LF	CAPACITOR, 1000pF, 10%, 0603, RoHS	3250	9.75

*4161031	CAP .01UF 50V 5% X7R 0603	1776.52	8.78
*4161031	CAP .01UF 50V 5% X7R 0603	24.48	0.12
*4161031	CAP .01UF 50V 5% X7R 0603	36	0.19
*4161031-1	CAP .001UF 25V 5% NPO 0603	3888	19.21
*4161035	CAP CER .01UF 100V 10% X7R 0805	2106	11.42
*4161035	CAP CER .01UF 100V 10% X7R 0805	85	4.68
*4161035LF	CAP CER .01UF 100V 10% X7R 0805 RoHS	1908	9.04
*4161038	CAP SMT .01UF 20% 50V Z5U 1206	3884	33.99
*4161039LF	CAP CER .01UF 50V 10% X7R 0805 RoHS	3300	14.27
*4161044	CAP CER .1UF 10% 50V X7R 1206	2867	28.05
*4161044LF	CAP CER .1UF 10% 50V X7R 1206 RoHS	443	7.30
*4161045-1	CAP CER .1UF 10% X7R 50V 0805	38	2.35
*4161045-1	CAP CER .1UF 10% X7R 50V 0805	3000	61.78
*4161046LF	CAP CER .1UF 20% 16V X7R 0603 RoHS	2248	5.10
*4161047-1	CAP CER .1UF 50V 20% Z5U 0805	1151	7.59
*4161047LF	CAP CER .1UF 10% X7R 50V 0805 RoHS	1949.72	12.25
*4161047LF	CAP CER .1UF 10% X7R 50V 0805 RoHS	0.28	-
*4161050	CAP CER .1UF 25V +80%-20% Y5V 0603	493	0.97
*4161051	CAP 1UF Y5V +80%-20% 25V 1206	12770	280.94
*4161059	CAP CER 1UF 50V 10% 1812	47	10.16
*4161059	CAP CER 1UF 50V 10% 1812	153	32.13
*4161059	CAP CER 1UF 50V 10% 1812	387	81.27
*4161059LF	CAP CER 1UF 50V 1812 RoHS	434	93.85
*4161062	CAP 1UF 16V +80/-20 0805	1985	87.88
*4161065	CAP CER 10UF 10V 10% X7R 1210	1329	134.11
*4161150	CAP CER .1u 25V 0805	2896	13.72
*4161202LF	CAP CER 12PF 50V 10% COG 1206 RoHS	2944	116.70
*4161211	CAP 120PF 50V 10% 1206 NPO	32	0.46
*4161215	CAP CER 120PF 10% 50V NPO 0603	592.88	2.87
*4161504	CAP CER 15PF 10% 50V NPO 0603	3005	12.38
*4161506	CAP 15PF 5% 0805	2940.16	22.41
*4161512-1	CAP CER 150PF 5% 50V 1206	9319	-
*4161515	CAP CER 150PF 50V 5% 0603	329.24	1.76
*4161515	CAP CER 150PF 50V 5% 0603	2794.74	14.53
*4161520	CAP 1500PF 10% 50V X7R 0805	3561	21.63
*4161525	CAP CER 1 500PF 50V X7R 10% 0603	1667	5.15
*4161803	CAP 18PF 1206 50V NPO 5%	250	15.44
*4162000	CAP CER 20PF 50V 5% NPO 1206	1577	47.09
*4162000	CAP CER 20PF 50V 5% NPO 1206	27	0.78
*4162001LF	CAP CER 20PF 25V 5% 0603 RoHS	3442	113.41
*4162005	CAP PORCELAIN 20PF 500V 1% CASE B	358	508.71
*416203113MHGR	CAP CER .01UF 50V 10% 0805	1917	9.08
*4162201-2	CAP MONO 22PF 100V 5% COG 1206	3783	85.71
*4162203	CAP CER 22PF 5% 50V NPO 0603	1571	4.69
*4162207	CAP CER 22PF 5% 50V 0805 NPO	1696	8.38
*4162208LF	CAP CER 22PF 5% 50V COG 0805 RoHS	3900	23.29
*4162210	CAP CER 220PF 5% 50V NPO 0805	639	7.87
*4162210	CAP CER 220PF 5% 50V NPO 0805	34	0.35
*4162214	CAP 220PF 100V 5% NPO 0805	3884	33.99
*4162217	CAP 220PF 50V 5% NPO 0603	2138	10.79
*4162221	CAP CER 2200PF 10% 100WVDC X7R 1206	661.42	29.28
*4162221	CAP CER 2200PF 10% 100WVDC X7R 1206	30.58	1.31
*4162226	CAP CER 2200PF 5% 50V 0805 NPO	22120	663.60
*4162227	CAP 2200PF 50V 10% X7R 0603	2417	11.95
*4162231LF	CAP MONO .022UF 50V 1% X7R 1206 RoHS	3380	41.77
*4162239	CAP CER .022UF 10% 50V X7R 0603	858.92	3.01
*4162249	CAP CER .22UF 10V X5R 0603 10%	1822.98	20.65
*4162253	CAP CER 2.2UF 6.3V X5R 0603 20%	2967.96	29.04
*4162256	CAP CER 2.2UF 25V X7R 10% 1206	139	8.16
*4162701	CAP CER 27PF 10% 50V NPO 1206	137	18.34
*416303024MHGR	CAP CER 100PF 10% 50V 0603	3169	9.13



*4163300	CAP CER 33PF 50V NPO 0603 5%	3210	18.86
*4163303	CAP CER 33PF +/-5% 50V NPO 1206	4549	140.53
*4163313	CAP CER 330PF 50V NPO 0603	505	16.64
*4163322	CAP CER 3300PF 10% 50V X7R 0603	585	2.47
*4163322	CAP CER 3300PF 10% 50V X7R 0603	102	0.42
*4163323	CAP CER 3300PF 50V 5% X7R 0805	2702	27.82
*4163325	CAP 3300PF 5% 100V NPO 1206	753	40.32
*4163332	CAP CER 33 000PF 10V X5R 10% 0603	3837.98	28.06
*4163334LF	CAP CER 33000PF 25V 10% X7R 0603 RoHS	830	8.55
*4163344	CAP CER .33UF +80%-20% 25V Y5V 1206	3627.94	235.35
*4163351	CAP CER .33UF 25V 10% X7R 1210	1752	106.44
*4163351	CAP CER .33UF 25V 10% X7R 1210	1000	60.75
*4163352	CAP CER 3.3UF 10V 10% 0805	597	28.06
*4163352	CAP CER 3.3UF 10V 10% 0805	10	0.47
*4163911	CAP CER 390PF 0603 5%	10	-
*4164701LF	CAP CER 47PF 10% 50V COG 0805 RoHS	3650	26.31
*4164704	CAP CER 47PF 50V 5% NPO 1206	5764	213.84
*4164705	CAP CER 47PF 50V 5% 0603	1392.92	21.23
*4164711	CAP CER 470PF 10% 50V NPO 1206	74	2.29
*4164716	CAP CER 470PF 5% 50V NPO 0603	1068	12.10
*4164717LF	CAP CER 470PF 50V 5% NPO 0805 RoHS	2357	24.27
*4164720	CAP CER 4700PF 10% 50V X7R 1206	658.04	10.16
*4164720	CAP CER 4700PF 10% 50V X7R 1206	34.96	0.59
*4164724	CAP CER 4700PF 10% 50V X7R 0603	2501	7.46
*4164744	CAP CER .47UF 16V X7R 10% 0805	2149.6	115.10
*4164744	CAP CER .47UF 16V X7R 10% 0805	2000	107.09
*4164744	CAP CER .47UF 16V X7R 10% 0805	64.4	3.35
*4164745	CAP CER .47UF 50V 5% 1206	382.16	62.97
*4164745	CAP CER .47UF 50V 5% 1206	14.44	1.34
*4164745	CAP CER .47UF 50V 5% 1206	12.2	1.95
*4164745	CAP CER .47UF 50V 5% 1206	12.2	1.95
*4164761LF	CAP ELECT 47UF 50V 20% RoHS	400	97.12
*4165092	CAP CER 5PF 5% 50V NPO 0603	3524	12.70
*4165614	CAP CER 560PF 5% NPO 50V 0805	2841	58.51
*4165690	CAP CER 5.6PF 50V 5% NPO 1206	2058.88	42.93
*4165690	CAP CER 5.6PF 50V 5% NPO 1206	121.12	2.46
*4166810	CAP CER 680PF 5% 50V NPO 0603	1226.36	7.58
*4166810	CAP CER 680PF 5% 50V NPO 0603	291.64	1.75
*4166813	CAP 680 PF 5% 50V NPO 1206	129.38	8.18
*4166813	CAP 680 PF 5% 50V NPO 1206	51.62	3.17
*4166814	CAP 680PF 50V 10% 0805 NPO	5000.88	82.39
*4166814	CAP 680PF 50V 10% 0805 NPO	4000	65.90
*4166814	CAP 680PF 50V 10% 0805 NPO	1168.56	18.70
*4166814	CAP 680PF 50V 10% 0805 NPO	1168.56	18.70
*4166816LF	CAP CER 680PF 50V 5% COG 0805 RoHS	3367.96	38.15
*4166816LF	CAP CER 680PF 50V 5% COG 0805 RoHS	0.04	-
*4166831	CAP CER .068UF 10% 100V X7R 1206	3096	57.37
*4166832	CAP CER 6800PF 50V 10% 0603 X7R	3663	135.79
*4168208	CAP CER 82PF 50V 10% NPO 0805	3630.44	28.04
*4168208	CAP CER 82PF 50V 10% NPO 0805	1631.56	12.24
*4171020	CAP CER 1000PF 10% 500V X7R 1206	1952	40.20
*4171020-2	CAP CER 1000PF 5% 500V NPO 1206	5	-
*4171023	CAP CER 1000PF 100V 1% Z5U 1206	1853	38.16
*4171025LF	CAP CER .001UF 100V 10% 0603 ROHS	2871	15.67
*4171031	CAP CER .01UF 10% 50V X7R 0603	3565	8.07
*4171031LF	CAP CER .01UF 50V 10% X7R 0603 RoHS	45.72	0.11
*4171031LF	CAP CER .01UF 50V 10% X7R 0603 RoHS	1331.28	3.33
*4171036LF	CAP CER .01UF X7R 100V 10% 1206 RoHS	3707.24	45.82
*4171036LF	CAP CER .01UF X7R 100V 10% 1206 RoHS	0.76	0.01
*4171038	CAP CER .01UF 25V 10% 0603	1793	6.64
*4171040-1	CAP CER .1UF 16V 10% X7R 0603	359	0.81

*4171040LF	CAP CER .1UF 16V 10% X7R 0603 RoHS	2084	8.59
*4171043	CAP .1UF 16V X7R 10% 0603	3570	11.76
*4171055	CAP CER 1UF +80%-20% 10V Y5V 0603	2842	23.12
*4171058LF	CAP CER 1UF 10% 25V X7R 0805 RoHS	2399	51.88
*4171058LF	CAP CER 1UF 10% 25V X7R 0805 RoHS	3000	58.69
*4171062	CAP CER 10UF 16V +80%-20% Y5V 1206	75	11.40
*4171067	CAP ALUM/TANT 10UF 20% 35V 5 X 6.3	327	28.78
*4171070	CAP .1UF 50V 5% X7R 0805	15886.36	153.77
*4171070	CAP .1UF 50V 5% X7R 0805	542.64	5.25
*4171070	CAP .1UF 50V 5% X7R 0805	586.5	5.67
*4171070	CAP .1UF 50V 5% X7R 0805	1096.5	10.62
*4171070	CAP .1UF 50V 5% X7R 0805	816	7.90
*4171070	CAP .1UF 50V 5% X7R 0805	6113.98	57.47
*4171070	CAP .1UF 50V 5% X7R 0805	77.52	0.75
*4171070	CAP .1UF 50V 5% X7R 0805	280.5	2.72
*4171071	CAP ALUM 100M 50V 20% CASE F	81	11.42
*4171200	CAP CER 1u 16V 0805	144	3.89
*4171205	CAP CER 33PF 5% COG 50V 0805	3100	18.29
*4172220	CAP CER 2200PF 100V 5% 1206	2245	439.22
*4172230	CAP CER .022UF 50V Y5V 0603 +80-20%	568	2.10
*4172251	CAP CER 2.2UF +80%-20% 25V 0805	38	5.14
*4172260LF	CAP ELEC 22UF 6.3V 20% 4.0 X 5.5MM RoHS	1486	39.79
*4173300LF	CAP CER 33PF 5% 50V COG 0805 RoHS	2635.92	13.57
*4173300LF	CAP CER 33PF 5% 50V COG 0805 RoHS	0.08	-
*4174701LF	CAP CER 47PF 100V 5% 0603 RoHS	3439	21.24
*4174711LF	CAP CER MONO 470PF 100V 5% 1206 RoHS	3733	123.01
*4174730	CAP CER .047UF 25V 10% 0603 X7R	43	4.17
*4174740LF	CAP CER .47UF 25V 10% X7R 0805 RoHS	2637	95.04
*4181057-1	CAP TANT 1UF 16V 20% 3216	920	88.60
*4181057-1	CAP TANT 1UF 16V 20% 3216	152	14.21
*4181057-2	CAP TANT 1UF 16V 3216	492	42.56
*4181062	CAP 10UF 10% 16V 2312 (6032)	487.4	36.13
*4181063LF	CAP TANT 10UF 16V 20% 6032 RoHS	91	5.97
*4181064LF	CAP TANT 10UF 10% 16V 3528 LOW ESR RoHS	3280.08	208.67
*4181064LF	CAP TANT 10UF 10% 16V 3528 LOW ESR RoHS	442.92	19.49
*4181067	CAP TANT 10UF 16V 20% 6032	242	28.66
*4181067-1	CAP TANT 10UF 16V 20% 6032	55	4.08
*4181068	CAP TANT 10UF 16V 2312 (EIA 6032)	283	19.36
*4181071	CAP TANT 100UF 16V 10% E CASE	11	5.32
*4181071	CAP TANT 100UF 16V 10% E CASE	45	25.20
*4181080	CAP AL ELECT 1000UF 6.3V 20%	69.04	31.22
*4181081	CAP ALUM 1000UF 6.3V 20% TYPE G	324.5	62.15
*4181081	CAP ALUM 1000UF 6.3V 20% TYPE G	11.5	2.14
*4181551LF	CAP TANT 1.5UF 16V 20% 3216 RoHS	249	12.82
*4181580	CAP AL ELECT 1500UF 6.3V 20%	60	46.34
*418203083MHGR	CAP TANT 330UF 10% 6.3V 7343	21	8.00
*4182253	CAP AL ELECT 22UF 6.3V 20%	71	13.14
*4182262	CAP TANT 22UF 35V 7343 (20%)	237	466.89
*4182262	CAP TANT 22UF 35V 7343 (20%)	1	1.97
*4182265LF	CAP TANT 22UF 16V 10% 6032 RoHS	280	33.03
*4182265LF	CAP TANT 22UF 16V 10% 6032 RoHS	3	0.19
*4182267LF	CAP ELECT 22UF 6.3V 20% RoHS	1961	117.12
*4182270LF	CAP TANT 220UF 20% 7343-43 RoHS	3.84	-
*4182270LF	CAP TANT 220UF 20% 7343-43 RoHS	2.16	0.76
*4182271	CAP 220UF 35V 20% ELECT SMD 8X10.5	280	27.96
*4182271	CAP 220UF 35V 20% ELECT SMD 8X10.5	90	9.90
*4182275	CAP ELECT 220UF 16V 6.3 X 8	69	4.95
*4182276	CAP TANT 220UF 10% 10V 7342	4	1.41
*4183310	CAP ELECT 330UF 25V 20%	194	40.55
*4183310	CAP ELECT 330UF 25V 20%	100	20.90
*4183360	CAP TANT 33UF 16V 2817 (EIA 7343)	374.08	211.85

*4183360	CAP TANT 33UF 16V 2817 (EIA 7343)	106.92	58.81
*4183362	CAP ELECT 33UF 10V 20% .197 X .217(C)	4	-
*4183367	CAP TANT 33UF 20% 16V 6032	33	3.46
*4183368	CAP TANT 33UF 16V 20% 7343-31	171	40.50
*4183374	CAP ELECT 330UF 10V 8MM	322	81.79
*4183376	CAP ELECT 330UF 35V 10X10.5MM	324	71.93
*4184710	CAP ELECT 470UF 6.3V ELECT	321.96	54.70
*4184710	CAP ELECT 470UF 6.3V ELECT	8.04	1.33
*4184714	CAP ALUM TANT 470UF 20% 8 X 10.8	175	24.68
*4184716	CAP ELECT 470UF 16V 20%	315.5	38.98
*4184716	CAP ELECT 470UF 16V 20%	16.5	1.98
*4184740	CAP ELECT .47UF 50V 20% 5817(B)	1315.7	86.71
*4184740	CAP ELECT .47UF 50V 20% 5817(B)	14.3	0.92
*4184741	CAP TANT .47UF 35V 20% 3528	741	61.04
*4184745LF	CAP ELECT .47UF 50V 20% 105C 4MM RoHS	16	8.24
*4184752	CAP ELECT 4.7UF 35V 20%	100	39.13
*4184754	CAP TANT 4.7UF 35V 20% 7343	27	17.81
*4184755	CAP 4.7UF 10V 20% TANT SMT 3216	1264	72.88
*4184759	CAP TANT 4.7UF 10V 1206(3216)	2805	294.61
*4184759	CAP TANT 4.7UF 10V 1206(3216)	7	0.71
*4184759	CAP TANT 4.7UF 10V 1206(3216)	20	2.04
*4184760	CAP TANT 47UF 10V 2817 (EIA 7343)	132.04	67.98
*4184760	CAP TANT 47UF 10V 2817 (EIA 7343)	14.96	7.48
*4184763	CAP ALUM ELECT 47UF 35V 20% FK SERIES	35	3.99
*4184765LF	CAP ELECT 47UF 16V 20% RoHS	659	46.82
*4184769	CAP ELECT 47UF 16V 20% 6.3X5.5	373	13.43
*4191051	CAP ELECT 1UF 35V 20% 5817	41	6.75
*4191054LF	CAP ELECT 1UF 50V 20% 105C RoHS	20	4.44
*4191059	CAP TANT 10UF 10V 3216	12	1.03
*4191060	CAP TANT 10UF 10V 3216	1215	62.55
*4191060-1LF	CAP TANT 10UF 10V 3216 RoHS	17	2.22
*4191062	CAP ELECT 10UF 16V 20% 5817	276	14.21
*4191071	CAP AL EL 100UF 35V LOW ESR	4	1.87
*4191072LF	CAP TANT 100UF 10% 16V 7343 RoHS	4	8.12
*4191074	CAP ELECT 100UF 16V 10% SMD 6.5X5.5	37.68	2.11
*4191074	CAP ELECT 100UF 16V 10% SMD 6.5X5.5	9.32	0.52
*4191075LF	CAP TANT 100UF 10% 6V 6032 LOW ESR RoHS	15	2.37
*4191077	CAP AL ELECT 100UF 20% 6.3V 6.3X5.3	190.16	25.45
*4191077	CAP AL ELECT 100UF 20% 6.3V 6.3X5.3	23.84	3.10
*4192261-1	CAP TANT B 22UF 6.3V 10% 3528	1889	155.62
*4192265	CAP TANT 22UF 10V 20% 3528	5837.28	360.65
*4192265	CAP TANT 22UF 10V 20% 3528	6000	370.70
*4192265	CAP TANT 22UF 10V 20% 3528	14000	864.96
*4192265	CAP TANT 22UF 10V 20% 3528	226.72	13.60
*4192268	CAP TANT 22UF 10V 20% 3216	1338	206.66
*4192269	CAP TANT 22UF 35V 7343	392	325.74
*4194752LF	CAP TANT 4.7UF 10% 10V 3528 RoHS	1477	122.16
*4194761	CAP AL EL 47UF 16V 20% SMT	28	7.27
*4194762	CAP ELEC 47UF 16V 20%	735.12	27.25
*4194762	CAP ELEC 47UF 16V 20%	24.88	0.90
*4194765	CAP TANT 47UF 16V 7343	92	24.63
*4194766LF	CAP ELECT 47UF 6.3V 20% 5X5.5 RoHS	401.02	17.75
*4194766LF	CAP ELECT 47UF 6.3V 20% 5X5.5 RoHS	151.98	6.73
*4194767	CAP TANT 47UF 10V 10% 6032	191	19.67
*4210000	RES 0 OHM 5% 1/8W 1206 T/R	2552	5.78
*4211010	RES 100 OHM 5% 1/8W 1206 T/R	4797	17.29
*4211010LF	RES 100 OHM 5% 1/8W 1206 T/R RoHS	1318	2.99
*4211010LF	RES 100 OHM 5% 1/8W 1206 T/R RoHS	1937	4.46
*4211016	RES 100 OHM 1% 1206 1/8W	3809	10.20
*4211021	RES 1K 1% 1/8W 1206 T/R	924	2.40
*4211022	RES 1K 5% 1/8W 1206 T/R	1649	6.28

*4211022-1	RES 1K 5% 1206 1/8W	3529	13.45
*4211022LF	RES 1K 5% 1206 1/8W RoHS	1221.62	3.02
*4211022LF	RES 1K 5% 1206 1/8W RoHS	1894.38	4.36
*4211031LF	RES 10K 1/10W 1% 1206 RoHS	11	0.49
*4211033	RES 10K 5% 1/8W 1206	4504.16	18.55
*4211033	RES 10K 5% 1/8W 1206	50.84	0.20
*4211034LF	RES MF 10K 1/8W 5% 1206 RoHS	1388	3.28
*4211040	RES 100K 5% 1/8W 1206 T/R	1940	4.40
*4211040	RES 100K 5% 1/8W 1206 T/R	2836	5.25
*4211043LF	RES 100K 1/8W 5% 1206 RoHS	4739	11.22
*4211050	RES 1M 5% 1/8W 1206 T/R	1204.12	2.73
*4211050	RES 1M 5% 1/8W 1206 T/R	318.88	0.70
*4211060	RES 10M 5% 1/8W 1206 T/R	2023	4.65
*4211072	RES 10.7K 1% 1/8W 1206	2954	12.16
*4211093	RES MF 1.0 OHM 1% 1/8W 1206	4208	16.90
*4211152	RES 11.5K OHM 1% 1206 1/8W	1736	5.04
*4211152	RES 11.5K OHM 1% 1206 1/8W	48	1.48
*4211221	RES 1.24K 1% 1/8W 1206	4880	16.09
*4211242LF	RES 121K 1% 1206 1/8W RoHS	4342.02	12.96
*4211242LF	RES 121K 1% 1206 1/8W RoHS	151.98	0.45
*4211302	RES 13.0K 1% 1206 1/8W	6401	18.57
*4211331	RES 13K 5% 1/8W 1206	2459.8	5.83
*4211331	RES 13K 5% 1/8W 1206	20.6	0.05
*4211331	RES 13K 5% 1/8W 1206	20.6	0.05
*4211371	RES 1.37K OHM 1% 1206 1/8W	1725	5.00
*4211400	RES 14 OHM 1% 1/8W 1206	681.98	9.48
*4211510-1	RES 150 OHM 5% 1/8W 1206 T/R	8985.16	54.59
*4211510-1	RES 150 OHM 5% 1/8W 1206 T/R	3292	19.42
*4211510-1	RES 150 OHM 5% 1/8W 1206 T/R	103603.84	611.26
*4211510-1	RES 150 OHM 5% 1/8W 1206 T/R	14	0.08
*4211514LF	RES 150 OHM 1% 1/8W 1206 RoHS	2476	6.63
*4211523LF	RES 1.5K 1% 1/8W 1206 RoHS	66	3.73
*4211523LF	RES 1.5K 1% 1/8W 1206 RoHS	30	0.08
*4211531LF	RES 15K 1/8W 1% 1206 RoHS	36	0.78
*4211544	RES 150K 1% 1/8W 1206	2150	12.90
*4211601	RES 16.5 OHM 1% 1/8W 1206	1317	4.75
*4211640	RES 165K 1% 1/8W 1206	2371	14.23
*4211741	RES 1.74K 1% 1206 1/8W	2113	6.34
*4211810	RES 180 OHM 5% 1/8W 1206 T/R	176	5.25
*4211810LF	RES 180 OHM 5% 1/8W 1206 T/R RoHS	1301.06	3.08
*4211810LF	RES 180 OHM 5% 1/8W 1206 T/R RoHS	455.94	1.08
*4211820	RES 1.8K 5% 1/8W 1206 T/R	1067	2.45
*4211832	RES 18.2K 1% 1/8W 1206	4198	12.53
*4211871	RES 1.87K OHM 1% 1206 1/8W	1687	4.89
*4212014	RES 200 OHM 1% 1/8W 1206	989.02	3.56
*4212014	RES 200 OHM 1% 1/8W 1206	151.98	0.55
*4212020	RES 2K 5% 1/8W 1206 T/R	3802	36.80
*4212020	RES 2K 5% 1/8W 1206 T/R	918	1.70
*4212032	RES 20K 5% 1/8W 1206	70	0.22
*4212060LF	RES 20 MEG 5% 1206 1/8W RoHS	4009	7.02
*4212130	RES 21.5K 1% 1/8W 1206	117.84	1.22
*4212130	RES 21.5K 1% 1/8W 1206	50	2.82
*4212200	RES 22 OHM 5% 1/8W 1206 T/R	2933	6.34
*4212201	RES 22 OHM 1/4W 5% 1210	3950	44.74
*4212210	RES 221 OHM 1% 1/8W 1206	1139	3.40
*4212211	RES 220 OHM 1/8W 5% 1206	890	2.02
*4212222LF	RES 2.2K 5% 1/8W 1206 RoHS	4950	12.24
*4212223	RES 2.21K 1% 1/4W 1206	2427	6.55
*4212230	RES 22K 5% 1/8W 1206 T/R	2866	19.92
*4212232	RES 22.1K 1% 1/4W 1206	3726	10.06
*4212240LF	RES 220K 5% 1/8W 1206 RoHS	62	5.75

*4212290	RES 2.2 OHM 1/8W 1206	2428.28	5.50
*4212290	RES 2.2 OHM 1/8W 1206	53.72	0.12
*4212421	RES 2.49K 1/8W 1% 1206	3380.4	10.79
*4212421	RES 2.49K 1/8W 1% 1206	40.8	0.13
*4212421	RES 2.49K 1/8W 1% 1206	95.8	0.30
*4212491	RES 2.49K OHM 1% 1206 1/8W	306	1.04
*4212520	RES 2.55K 1/4W 1% 1206	4112	11.10
*4212530	RES 25.5K 1% 1206	214	0.60
*4212570	RES 182 OHM 1/4W 1% 1206	3528	10.53
*4212630	RES 26.7K 1/8W 1% 1206	3445.92	12.07
*4212630	RES 26.7K 1/8W 1% 1206	10000	35.01
*4212630	RES 26.7K 1/8W 1% 1206	10000	35.01
*4212630	RES 26.7K 1/8W 1% 1206	1206.08	4.10
*4212710	RES 270 OHM 5% 1/8W 1206 T/R	31	0.10
*4212741	RES 270K 5% 1/8W 1206	700	1.66
*4212800	RES 28 1/4W 5% 1206	2276.04	6.09
*4212830	RES 28K 1% 18/W 1206	4500	12.98
*4212830	RES 28K 1% 18/W 1206	10	0.03
*4213021	RES 3.01K 1/8W 1% 1206	2774	10.00
*4213032	RES 30K 1/8W 5% 1206	4826	37.27
*4213301	RES 33.2 OHM 1% 1/8W 1206	10546	69.06
*4213311	RES 330 OHM 5% 1/8W 1206	4802	19.78
*4213312	RES 330 OHM 1/8W 5% 1206	1212	3.24
*4213320	RES 3.3K 1/8W 5% 1206	3785	13.65
*4213321	RES 3.3K 1/8W 5% 1206 T/R	3467.16	7.86
*4213520	RES 35.7K 1/8W 1% 1206	3530	14.54
*4213922	RES 3.92K 1/8W 1% 1206 T/R	4933	15.24
*4213922	RES 3.92K 1/8W 1% 1206 T/R	5000	-
*4213924LF	RES 3.92K 1% 1/8W 1206 RoHS	3631	10.84
*4214021	RES 4.02K OHM 1% 1206 1/8W	2692	9.40
*4214640	RES 464 OHM 1% 1206 1/8W	3743.08	10.41
*4214640	RES 464 OHM 1% 1206 1/8W	6387.92	17.25
*4214700	RES 47 OHM 5% 1/8W 1206 T/R	3845	-
*4214700LF	RES 47 OHM 5% 1/8W 1206 T/R RoHS	2648.08	6.27
*4214700LF	RES 47 OHM 5% 1/8W 1206 T/R RoHS	607.92	1.44
*42147111LF	RES 470 OHM 5% 1206 1/8W RoHS	3490.88	10.78
*42147111LF	RES 470 OHM 5% 1206 1/8W RoHS	10.12	0.02
*42147211LF	RES 4.7K 5% 1/8W 1206 RoHS	1555	3.69
*4214731	RES 47.5K 1% 1/8W 1206	4867	14.53
*42147311LF	RES 47.5K 1% 1/8W 1206 RoHS	2267	6.60
*4214742LF	RES 475K 1% 1/8W 1206 RoHS	4442.78	13.26
*4214742LF	RES 475K 1% 1/8W 1206 RoHS	151.98	0.45
*4214742LF	RES 475K 1% 1/8W 1206 RoHS	3894.24	11.29
*4214743LF	RES 470K 5% 1/8W 1206 RoHS	99.02	0.24
*4214743LF	RES 470K 5% 1/8W 1206 RoHS	151.98	0.36
*4214750	RES. 4.7M 5% 1/8W 1206	1966.88	7.08
*4214920	RES 4.99K 1/8W 1% 1206	2562	11.53
*4214991	RES 4.99K OHM 1% 1206 1/8W	2589	12.30
*4215110	RES 510 OHM 5% 1/8W 1206	3998.16	12.36
*4215110	RES 510 OHM 5% 1/8W 1206	219.84	0.66
*4215111	RES 511 OHM 1/8W 1% 1206	95	2.04
*4215121	RES 5.11K 1/8W 1% 1206	4503.64	13.45
*4215121	RES 5.11K 1/8W 1% 1206	30.68	0.09
*4215121	RES 5.11K 1/8W 1% 1206	30.68	0.09
*4215122LF	RES 5.1K 5% 1/8W 1206 RoHS	4428.02	10.48
*4215122LF	RES 5.1K 5% 1/8W 1206 RoHS	151.98	0.36
*4215190	RES 5.1 OHM 1/8W 5% 1206	2379.2	5.63
*4215190	RES 5.1 OHM 1/8W 5% 1206	73.8	0.17
*4215420	RES 5.49K 1% 1/8W 1206	2998.12	8.69
*4215420	RES 5.49K 1% 1/8W 1206	2992.88	8.67
*4215622	RES 5.62K 1/8W 1% 1206	819.92	2.87

*4215622	RES 5.62K 1/8W 1% 1206	109.08	0.37
*4215622LF	RES 5.62K 1% 1/8W 1206 RoHS	96	4.44
*4215631	RES 56K 1/8W 5% 1206	1888.24	4.91
*4215631	RES 56K 1/8W 5% 1206	1362.76	3.54
*4215920	RES 5.90K 1/8W 1% 1206	3141.24	9.11
*4215920	RES 5.90K 1/8W 1% 1206	353.76	1.03
*4216220	RES 6.2K 5% 1/8W 1206	31.16	0.07
*4216220	RES 6.2K 5% 1/8W 1206	9993.84	22.99
*4216610	RES 665 OHM 1/8W 1% 1206	2037.76	6.09
*4216610	RES 665 OHM 1/8W 1% 1206	228.24	0.66
*4216620	RES 6.65K 1/8W 1% 1206	167	0.49
*4216810	RES 680 OHM 5% 1/8W 1206 T/R	983	2.22
*4216820LF	RES 6.8K 5% 1/8W 1206 RoHS	4906	12.12
*4216841	RES 680K 1/8W 5% 1206	392	0.84
*4217322	RES 73.2K OHM 1% 1206 1/8W	1257	3.76
*4217500	RES 75 OHM 1% 1/8W 1206 T/R	1762.36	5.26
*4217500	RES 75 OHM 1% 1/8W 1206 T/R	2186.32	6.34
*4217500	RES 75 OHM 1% 1/8W 1206 T/R	2186.32	6.34
*4217502-1	RES 75 OHM 1/4W 5% 1206	3434.52	7.08
*4217520	RES 7.5K 1/8W 1% 1206	9921.64	40.87
*4217520	RES 7.5K 1/8W 1% 1206	1905.36	7.62
*4217540	RES 750K 1/8W 5% 1206	537.28	1.22
*4217540	RES 750K 1/8W 5% 1206	1122.72	2.47
*4218222	RES 8.2K 5% 1/8W 1206	178	13.75
*4218280	RES .82 OHM 1% 1/8W 1206 100PPM	1287	72.89
*4218620	RES 8.66K 1% 1/8W 1206	3321	19.92
*4219030	RES 90.9K 1% 1/4W 1206	4079	142.77
*4219760	RES 976 OHM 1% 1206 1/8W	3592	16.88
*4221010	RES 100 OHM 1/4W 1% 1210	512	6.86
*4221011	RES 100 OHM 5% 1/2W 2010	664	15.04
*4221014	RES 100 OHM 1/2W 200V 5% 2010	1798	40.74
*4221014	RES 100 OHM 1/2W 200V 5% 2010	128	2.82
*4221017	RES 100 OHM 5% 1/4W 1210	2012.04	2.07
*4221017	RES 100 OHM 5% 1/4W 1210	48.96	0.05
*4221017	RES 100 OHM 5% 1/4W 1210	21	0.02
*4221017	RES 100 OHM 5% 1/4W 1210	3	-
*4221017	RES 100 OHM 5% 1/4W 1210	24	0.02
*4221020	RES 1K 1/4W 1% 1210	380	8.76
*4221092LF	RES 1 OHM 1% MELF RoHS	1234	152.48
*4221092LF	RES 1 OHM 1% MELF RoHS	13	1.56
*4221523	RES 1.5K 1% MELF	973	120.23
*4221523	RES 1.5K 1% MELF	108	12.96
*4221570	RES 0.015 OHM 1% 1W 2512	2110.84	565.13
*4221570	RES 0.015 OHM 1% 1W 2512	3443.16	895.22
*4222060	RES .020 OHM 1/2W 1% 1812	4564	939.93
*4222211	RES 220 OHM 5% 1/2W 2010	2054	52.88
*4222211	RES 220 OHM 5% 1/2W 2010	5000	128.72
*4222211	RES 220 OHM 5% 1/2W 2010	88	2.20
*4222220	RES 2.2K 1/4W 5% RC1210	2360	20.66
*4222710	RES 270 OHM 5% 1/2W 2010	3112	77.80
*4222710	RES 270 OHM 5% 1/2W 2010	633	15.83
*4222711	RES 270 OHM 5% 1/4W 1210	1571	25.89
*4222711	RES 270 OHM 5% 1/4W 1210	5000	82.38
*4222711	RES 270 OHM 5% 1/4W 1210	0.6	0.01
*4222711	RES 270 OHM 5% 1/4W 1210	21.42	0.35
*4222711	RES 270 OHM 5% 1/4W 1210	39	0.64
*4222711	RES 270 OHM 5% 1/4W 1210	65	1.07
*4222711	RES 270 OHM 5% 1/4W 1210	96.98	1.59
*4223300	RES 33 OHM 1 W 5% 2512	2097	65.86
*4223300	RES 33 OHM 1 W 5% 2512	40	1.26
*4223300	RES 33 OHM 1 W 5% 2512	102	3.21

*4223300	RES 33 OHM 1 W 5% 2512	51	1.61
*4223321	RES 3.3K 1/2W 5% 2010	30	0.68
*4223910	RES 39 OHM 1W 2512	-1887	(111.33)
*4224710	RES 470 OHM 1/4W 5% 1210 T/R	2986.4	30.75
*4224710	RES 470 OHM 1/4W 5% 1210 T/R	3080.6	30.81
*4224710	RES 470 OHM 1/4W 5% 1210 T/R	709	7.09
*4226811	RES 680 OHM 1/3W 5% 1210	10577.92	87.13
*4226811	RES 680 OHM 1/3W 5% 1210	73.44	0.61
*4226811	RES 680 OHM 1/3W 5% 1210	110	0.91
*4226811	RES 680 OHM 1/3W 5% 1210	3561.64	27.42
*4230006	RES 0 OHM 5% 1/10W 0805	3638	7.87
*4230008	RES 0 OHM JUMPER 1/10W 5% 0805	3013	5.58
*4230009	RES 100 OHM 5% 1/8W 0805 T/R	4850	9.49
*4231000LF	RES 10 5% 1/8W 0805 RoHS	3.12	0.01
*4231000LF	RES 10 5% 1/8W 0805 RoHS	5000	8.75
*4231000LF	RES 10 5% 1/8W 0805 RoHS	28.88	0.05
*4231002	RES 10 OHM 5% 0805 1/10W	4908.5	7.08
*4231002	RES 10 OHM 5% 0805 1/10W	331.5	1.03
*4231005	RES 10 OHM 1% 1/10W 0805	3771	6.99
*4231010	RES 100 OHM 5% 1/8W 0805 T/R	3122	5.00
*4231010	RES 100 OHM 5% 1/8W 0805 T/R	660	1.06
*4231010	RES 100 OHM 5% 1/8W 0805 T/R	200	0.32
*4231010-1LF	RES 100 OHM 1/10W 5% 0805 RoHS	4650	6.71
*4231011	RES 100 OHM 1/10W 1% 0805	1186	4.03
*4231011-1	RES 100 OHM 1/10W 1% 0805	4790	15.79
*4231014	RES 1K 5% 1/10W 0805 T/R	4700	6.29
*4231020LF	RES 1K 5% 1/10W 0805 RoHS	4849	6.99
*4231022LF	RES 1K 1% 1/10W 0805 RoHS	1185.64	2.32
*4231022LF	RES 1K 1% 1/10W 0805 RoHS	646.68	1.23
*4231022LF	RES 1K 1% 1/10W 0805 RoHS	646.68	1.23
*4231026	RES 10K 5% 1/8W 0805 T/R	789	1.71
*4231030	RES 10K 5% 1/8W 0805 T/R	137	0.19
*423103005MHGR	RES 100 OHM 5% 0805	330	0.44
*4231030LF	RES 10K 5% 1/10W 0805 RoHS	4186.4	6.04
*4231030LF	RES 10K 5% 1/10W 0805 RoHS	39.6	0.06
*4231034	RES 10K 0805 5% 1/10W	1812	2.62
*4231041-1	RES 100K 1/10W 1% 0805	2342	4.58
*4231041LF	RES 100K 1% 1/8W 0805 RoHS	3739.32	7.70
*4231041LF	RES 100K 1% 1/8W 0805 RoHS	45.84	0.09
*4231041LF	RES 100K 1% 1/8W 0805 RoHS	45.84	0.09
*4231050	RES 1M 5% 1/10W 0805 T/R	1127.64	1.39
*4231050	RES 1M 5% 1/10W 0805 T/R	30.68	0.04
*4231050	RES 1M 5% 1/10W 0805 T/R	30.68	0.04
*4231051	RES 1M 1% 0805 100MW 1/10W	2524	7.93
*4231055	RES 1M 1% 1/8W 150V 0805	4600	23.68
*4231055	RES 1M 1% 1/8W 150V 0805	312	1.56
*4231056	RES 1M 1/10W 5% 0805	4800	9.39
*4231056	RES 1M 1/10W 5% 0805	50	0.10
*4231142	RES 110K 1/10W 1% 0805	1908.38	3.93
*4231142	RES 110K 1/10W 1% 0805	324.1	0.94
*4231213	RES 120 OHM 5% 1/10W 0805	4869	8.52
*4231220	RES 1.2K 1/10W 5% 0805	133	0.15
*4231230	RES 12K 5% 1/10W 0805 T/R	1180	1.70
*4231230LF	RES 12K 1/10/W 5% 0805 RoHS	4925	6.59
*4231330	RES 13K 1/10W 5% 0805	4098	6.74
*4231330	RES 13K 1/10W 5% 0805	86	0.14
*4231330	RES 13K 1/10W 5% 0805	43	0.07
*4231341	RES 130K 1% 1/10W 0805	2318.4	9.54
*4231341	RES 130K 1% 1/10W 0805	10000	41.19
*4231341	RES 130K 1% 1/10W 0805	796.6	3.19
*4231510	RES 150 OHM 5% 1/10W 0805 T/R	3392	4.54

*4231510	RES 150 OHM 5% 1/10W 0805 T/R	5000	-
*4231512	RES 150 OHM 1% 0805	22.64	-
*4231512	RES 150 OHM 1% 0805	529.68	1.06
*4231512	RES 150 OHM 1% 0805	529.68	1.06
*4231520	RES 1.5K 5% 1/10W 0805 T/R	4798	6.42
*4231520	RES 1.5K 5% 1/10W 0805 T/R	54	0.09
*4231520LF	RES 1.5K 1/10W 5% 0805 RoHS	4582	6.60
*4231522	RES 1.5K 5% 1/10W 0805 T/R	4550	8.90
*4231523	RES 1.50K 1% 1/10W 0805	1682	3.70
*4231523	RES 1.50K 1% 1/10W 0805	5000	9.78
*4231530	RES 15K 5% 1/10W 0805 T/R	5232	7.33
*4231530	RES 15K 5% 1/10W 0805 T/R	21	0.03
*4231530LF	RES 15K 5% 1/10W 0805 RoHS	4746.28	6.84
*4231530LF	RES 15K 5% 1/10W 0805 RoHS	50.36	0.07
*4231530LF	RES 15K 5% 1/10W 0805 RoHS	50.36	0.07
*4231533	RES 15K 0805 1% 1/10W	14	1.31
*4231533	RES 15K 0805 1% 1/10W	6	0.01
*4231533LF	RES 15K 1/10W 1% 0805 RoHS	4525	9.32
*4231542	RES 150K 1% 1/10W 0805	3229	6.65
*4231560	RES 150K 5% 0805 1/10W	4850	6.49
*4231632	RES 16K 1/10W 0805 1%	3205.2	-
*4231632	RES 16K 1/10W 0805 1%	54.8	-
*4231740	RES 174K 1% 1/10W 0805	3108.88	7.04
*4231740	RES 174K 1% 1/10W 0805	64.12	0.14
*4231811	RES 180 OHM 5% 1/2W 2010	28.2	1.31
*4231811	RES 180 OHM 5% 1/2W 2010	178.8	8.05
*4231812	RES 180 OHM 5% 1/10W 0805	1944.3	2.92
*4231812	RES 180 OHM 5% 1/10W 0805	27468.7	41.20
*4231820	RES 1.8K 5% 1/10W 0805 T/R	-1653.3	(2.65)
*4232030	RES 20K 5% 1/10W 0805 T/R	4298.32	60.18
*4232030	RES 20K 5% 1/10W 0805 T/R	5000	72.08
*4232041	RES 200K 1% 0805 100MW 1/10W	1154.72	3.45
*4232041	RES 200K 1% 0805 100MW 1/10W	100.28	0.29
*4232050	RES 2 MEG 1/8W 0805 1%	3493.54	5.76
*4232050	RES 2 MEG 1/8W 0805 1%	54.98	0.09
*4232200LF	RES 22 OHM 1/10W 5% 0805 RoHS	4231	7.40
*4232208	RES 220 OHM 1/10W 5% 0805	4850	6.49
*4232211LF	RES 221 OHM 1% 1/10W 0805 RoHS	2609.8	5.11
*4232211LF	RES 221 OHM 1% 1/10W 0805 RoHS	387.2	0.74
*4232220LF	RES 2.2K 1/10W 5% 0805 RoHS	4925	7.11
*4232223	RES 2.2K 5% 0805 1/10W	4644	6.97
*4232223	RES 2.2K 5% 0805 1/10W	19	0.03
*4232230LF	RES 22K 5% 1/8W 0805 RoHS	2986.4	4.30
*4232230LF	RES 22K 5% 1/8W 0805 RoHS	49.6	0.07
*4232232	RES 22.1K 1% 1/10W 0805	643	1.66
*4232260	RES 22 MEG 10% 1/10W 0805 100PPM	3168.88	6.21
*4232260	RES 22 MEG 10% 1/10W 0805 100PPM	42.12	0.08
*4232400LF	RES 24.9 OHM 1% 1/10W 0805 RoHS	2228.24	4.35
*4232400LF	RES 24.9 OHM 1% 1/10W 0805 RoHS	126.76	0.24
*4232413	RES 249 OHM 1/8W 1% 0805	3602.72	7.43
*4232413	RES 249 OHM 1/8W 1% 0805	77.28	0.15
*4232413	RES 249 OHM 1/8W 1% 0805	31	0.06
*4232710	RES 270 OHM 5% 1/10W 0805 T/R	4801.88	14.84
*4232710	RES 270 OHM 5% 1/10W 0805 T/R	198.12	0.60
*4232730	RES 27K 5% 1/10w 0805 T/R	5801	8.12
*4233051	RES 3.01M 1% 0805	3478.54	5.74
*4233051	RES 3.01M 1% 0805	65.98	0.11
*4233300LF	RES 33 OHM 1/10W 5% 0805 RoHS	4900	7.07
*4233314	RES 332 OHM 1% 1/10W 0805	3704	8.39
*4233323	RES 3.32K 1% 1/10W 0805	781	1.61
*4233324LF	RES 3.3K 1% 1/10W 0805 RoHS	4336.92	13.84



*4233324LF	RES 3.3K 1% 1/10W 0805 RoHS	52.08	0.16
*4233330LF	RES 33K 1/10W 5% 0805 RoHS	4775	14.76
*4233391	RES 3.3 OHM 5% 1/10W 0805	209	0.27
*4233740	RES 374K 1/10W 1% 0805 100PPM	3110.88	7.04
*4233740	RES 374K 1/10W 1% 0805 100PPM	105.12	0.23
*4233940LF	RES 390K 1% 1/10W 0805 RoHS	4473.92	11.06
*4233940LF	RES 390K 1% 1/10W 0805 RoHS	41.08	0.10
*4234030	RES 40.2K 1% 1/10W 0805	3323	8.21
*4234030	RES 40.2K 1% 1/10W 0805	65	0.16
*423403048MHGR	RES 47 OHM 5% .25W 1210	440	7.70
*4234701LF	RES 47 OHM 1/10W 1% 0805 RoHS	3927.84	12.54
*4234701LF	RES 47 OHM 1/10W 1% 0805 RoHS	375.16	1.16
*4234703	RES 47.5 OHM 0805 1%	1088.16	2.18
*4234703	RES 47.5 OHM 0805 1%	695.84	1.39
*4234710LF	RES 470 OHM 1/10W 5% 0805 RoHS	4775	6.89
*4234713LF	RES 470 OHM 1/10W .1% 0805 RoHS	3971.4	490.72
*4234713LF	RES 470 OHM 1/10W .1% 0805 RoHS	55.6	6.67
*4234715	RES 470 OHM 5% 1/10W 0805 T/R	4850	6.49
*4234720LF	RES 4.7K 5% 1/10W 0805 RoHS	334	0.44
*4234720LF	RES 4.7K 5% 1/10W 0805 RoHS	32	0.04
*4234722LF	RES 4.75K 1% 0/10W 0805 RoHS	1872.04	3.66
*4234722LF	RES 4.75K 1% 0/10W 0805 RoHS	186.96	0.36
*4234723	RES 4.75K 0805 1% 1/10W	4857	17.51
*4234725	RES 4.7K 1/10W 1% 0805	4860.56	10.01
*4234725	RES 4.7K 1/10W 1% 0805	139.44	0.28
*4234730-1LF	RES 47K 1/10W 5% 0805 RoHS	4850	6.99
*4234732	RES 47.5K 1/10W 1% 0805	7327.06	13.58
*4234732	RES 47.5K 1/10W 1% 0805	77.94	0.14
*4234742	RES 475K 1/10W 1% 0805	4841	9.97
*4234910	RES 499 OHM 1% 1/10W 0805	3407.48	6.31
*4234910	RES 499 OHM 1% 1/10W 0805	1480.52	2.66
*4235103LF	RES 51 OHM 1/10W 5% 0805 RoHS	25	0.24
*4235110	RES 510 OHM 1/10W 5% 0805	3789	6.24
*4235121	RES 5.11K 1/10W 1% 0805 100PPM	3649.94	11.28
*4235121	RES 5.11K 1/10W 1% 0805 100PPM	272.06	0.82
*4235141LF	RES 511K 1% 1/8W 0805 RoHS	4621.8	25.70
*4235141LF	RES 511K 1% 1/8W 0805 RoHS	37.2	0.20
*4236400LF	RES 64.9 OHM 1% 1/8W 0805	4900	10.09
*4236800	RES 68 OHM 5% 1/10W 0805	1916.4	1.98
*4236800	RES 68 OHM 5% 1/10W 0805	53.6	0.05
*4236810	RES 680 OHM 5% 1/10W 0805 T/R	3700.04	4.95
*4236810	RES 680 OHM 5% 1/10W 0805 T/R	7.96	0.01
*4236810LF	RES 680 OHM 1/10W 5% 0805 RoHS	394.72	2.84
*4236810LF	RES 680 OHM 1/10W 5% 0805 RoHS	0.28	-
*4236820LF	RES 6.8K 1/10W 5% 0805 RoHS	4775	6.89
*4236830LF	RES 68K 1/10W 5% 0805 RoHS	4850	6.99
*4236831	RES 68K 5% 0805 1/10W	561	0.78
*4237532	RES 75K 5% 0805 1/10W	4710	9.21
*4237532	RES 75K 5% 0805 1/10W	57	0.08
*4237532	RES 75K 5% 0805 1/10W	31	0.04
*4239330	RES 93.1K 1% 1/10W 0805	3009.88	5.89
*4239330	RES 93.1K 1% 1/10W 0805	599.56	1.14
*4239330	RES 93.1K 1% 1/10W 0805	599.56	1.14
*4240004-1	RES 0 OHM JUMPER 0603	1390.92	2.86
*4240004-1	RES 0 OHM JUMPER 0603	749	1.54
*4240004-1	RES 0 OHM JUMPER 0603	282.54	0.28
*4240004-1	RES 0 OHM JUMPER 0603	233.58	0.23
*4240004LF	RES 0 OHM 1/16W 5% 0603 RoHS	1702	1.92
*4240057LF	CHIP-TF-RES 1M 1/10W 0.1% FP0603 T & R	4283	118.63
*4241001	RES 10 OHM 1% 1/16W 0603 100PPM	546.9	0.79
*4241003	RES 10 OHM 1/16W 5% 0603	3549	4.01

*4241011	RES 100 OHM 5% 1/16W 0603	4902	6.56
*4241011-1	RES 100 OHM 1/10W 5% 0603	96.5	0.20
*4241011-1	RES 100 OHM 1/10W 5% 0603	18.5	0.02
*4241013LF	RES 100 OHM 1/16W 5% 0603 RoHS	3122	4.82
*4241015	RES 100 OHM 1% 1/16W 0603	2262	5.13
*4241020-1	RES 1K 1/16W 5% 0603	1968.08	6.08
*4241020-1	RES 1K 1/16W 5% 0603	90	0.11
*4241020LF	RES 1K 1/16W 5% 0603 RoHS	185087.16	235.49
*4241020LF	RES 1K 1/16W 5% 0603 RoHS	468	0.59
*4241020LF	RES 1K 1/16W 5% 0603 RoHS	255.84	0.43
*4241022	RES 1K 1/16W 1% 0603	1938	3.19
*4241023	RES 1K 5% 1/16W 0603	2890.08	3.57
*4241023	RES 1K 5% 1/16W 0603	15000	18.00
*4241023	RES 1K 5% 1/16W 0603	70.92	0.09
*4241024	RES 1.07K 1% 1/16W 0603	685.98	1.37
*4241030LF	RES 10K 1/16W 5% 0603 RoHS	540	0.70
*4241033	RES 10K .1% 1/16W 0603	4623.8	571.35
*4241033	RES 10K .1% 1/16W 0603	48.96	6.05
*4241033	RES 10K .1% 1/16W 0603	77.2	9.26
*4241033	RES 10K .1% 1/16W 0603	12.04	1.44
*4241033	RES 10K .1% 1/16W 0603	84	10.08
*4241035	RES 10.7K 1% 100PPM 1/16W 0603	161.14	0.25
*4241035	RES 10.7K 1% 100PPM 1/16W 0603	6.86	0.01
*4241041	RES 100K 63MW 1% 0603	1270	1.97
*4241045-1	RES 100K 5% 0603 1/16W	4098	4.64
*4241045LF	RES 100K 5% 1/16W 0603 RoHS	4810	4.46
*4241050	RES 1M 1/16W 5% 0603 300PPM	4765.7	5.24
*4241050	RES 1M 1/16W 5% 0603 300PPM	2888.24	3.18
*4241051	RES 1M 1% 1/16W 0603 100PPM	4571	7.06
*4241055LF	RES 1M 1/10W 5% 0603 RoHS	16258	20.69
*4241061	RES 10 MEG 1/16W 5% 0603	2203	38.15
*4241061	RES 10 MEG 1/16W 5% 0603	408	7.06
*4241101	RES 11 OHM 1/10W 1% 0603	3295	7.12
*4241131	RES 11.5K 1/16W 1% 0603	2872	-
*4241131	RES 11.5K 1/16W 1% 0603	56	-
*4241200	RES 12.1 OHM 1/16W 1% 0603	4669	24.04
*4241221	RES 1.21K 1% 1/16W 0603 100PPM	4546	25.75
*4241223	RES 1.24K 1% 1/16W 0603 100PPM	366.98	0.62
*4241233	RES 12K 5% 1/16W 0603	3767	4.26
*4241330	RES 13.7K 1% 1/16W 0603	3577	5.53
*4241430	RES 14.3K 1/16W 1% 0603	3191.94	5.26
*4241430	RES 14.3K 1/16W 1% 0603	20.4	0.03
*4241430	RES 14.3K 1/16W 1% 0603	587.66	0.94
*4241431	RES 14.7K 1% 1/16W 0603	3790	5.86
*4241511	RES 150 OHM 1% 1/16W 0603 100PPM	2019	2.91
*4241512	RES 154 OHM 1% 1/16W 0603 100PPM/C	467.98	0.47
*4241520	RES 1.5K 1/16W 5% 0603	1022	1.27
*4241521	RES 1.5K 1% 1/16W 0603 100PPM	4073.84	6.29
*4241531	RES 15K 1/16W 1% 0603 100PPM	2344.9	4.11
*4241533LF	RES 15K 5% 1/16W 0402 RoHS	602	1.86
*4241610	RES 1.6K 5% 1/16W 0603	4111	3.81
*4241821	RES 1.87K 1% 1/16W 100PPM 0603	1624.96	2.27
*4241830	RES 18.2K 1% 1/16W 0603	1798	3.16
*4241841	RES 180K 1% 1/16W 0603 100PPM	3776	5.45
*4242012	RES 200 OHM 1% 1/16W 0603	4149	5.98
*4242022	RES 2K 1/16W 1% 0603 100PPM	1486	1.68
*4242030	RES 20K 1/16W 1% 0603	257.76	0.42
*4242041	RES 200K 1% 0603 1/16W	4895	7.56
*4242041	RES 200K 1% 0603 1/16W	28	0.06
*4242043	RES 200K .1% 25PPM 0603	3725.2	268.51
*4242043	RES 200K .1% 25PPM 0603	48.96	3.53

*4242043	RES 200K .1% 25PPM 0603	172.84	12.10
*4242050LF	RES 2M 5% 1/16W 0603 RoHS	3305	13.61
*4242204	RES 22.1 OHM 1% 1/16W 0603	2191.92	3.62
*4242210	RES 220 OHM 1/16W 5% 0603	1056	2.05
*4242210	RES 220 OHM 1/16W 5% 0603	80	0.14
*4242212	RES 221 OHM 1% 1/16W 0603 100PPM	556.96	0.58
*4242223LF	RES 2.26K 1% 1/16W 0603 RoHS	2144	3.43
*4242233	RES 22K 1% 1/16W 0603 100PPM	1790.06	3.69
*4242233	RES 22K 1% 1/16W 0603 100PPM	93.94	0.19
*4242290	RES 2.2 OHM 1% 1/10W 0603	35	5.87
*4242290	RES 2.2 OHM 1% 1/10W 0603	50	1.01
*4242330	RES 23.7K 1% 1/16W 0603	1903	4.71
*4242340	RES 232K 1% 1/16W 0603	2166	5.58
*4242410	RES 249 OHM .1W 1% 0603	117.48	0.13
*4242410	RES 249 OHM .1W 1% 0603	242.52	0.27
*4242412	RES 243 OHM 1% 1/16W 0603	2552.94	4.47
*4242422	RES 2.49K 1% 0603 100PPM	4148	6.40
*4242430	RES 24.3K 1% 1/16W 0603	1753	2.88
*4242430	RES 24.3K 1% 1/16W 0603	201	0.32
*4242630	RES 26.7K 1/16W 1% 0603	3966.96	5.72
*4242630	RES 26.7K 1/16W 1% 0603	151.04	0.21
*4242641	RES 267K .1W 1% 0603	3050.54	4.72
*4242641	RES 267K .1W 1% 0603	290.98	0.44
*4242701	RES 27.4 OHM 1% 1/16W 0603 100PPM	2588	3.99
*4242720	RES 2.74K 1% 1/16W 0603 100PPM	757.72	0.85
*4242731	RES 27.4K 1/16W 1% 0603	83	0.90
*4243010	RES 301 OHM 1/16W 1% 0603 100PPM	1717.96	2.66
*4243021LF	RES 3K 5% 1/16W 0603 RoHS	883	1.09
*4243030	RES 30.1K 1% 1/16W 0603	1599.96	1.81
*4243030LF	RES 30.1K 1% 1/10W 0603 RoHS	2518	4.15
*4243041	RES 301K 1% 1/10W 50V 0603	4500	6.95
*4243050	RES 3.0M 5% 1/16W 0603	1531.56	1.73
*4243050	RES 3.0M 5% 1/16W 0603	158.44	0.17
*4243220	RES 3.24K 1/16W 1% 0603	86	0.15
*4243300	RES 33.2 OHM 1% 1/16W 0603 100PPM	565.94	8.74
*4243312	RES 332 OHM 1% 1/16W 100PPM 0603	2287	2.59
*4243313	RES 330 OHM 5% 0603 1/10W	3565	12.66
*4243320	RES 3.32K 1/16W 1% 0603	3458	5.34
*4243322	RES 3.3K 5% 0603 1/10W	4782	8.13
*4243330	RES 33.2K 1% 1/16W 0603	4100	6.76
*4243330	RES 33.2K 1% 1/16W 0603	48	0.08
*4243331	RES 33.2K 1% 1/16W 0603	1354.52	2.87
*4243331	RES 33.2K 1% 1/16W 0603	0.48	-
*4243331LF	RES 33.2K 1% 1/10W 0603 RoHS	4460	9.19
*4243332	RES 33K 5% 1/10W 0603	253	0.43
*4243510	RES 357 OHM 1/16W 1% 0603	4916.98	6.08
*4243620	RES 3.65K 1/16W 1% 0603 100PPM	1950	2.41
*4243620	RES 3.65K 1/16W 1% 0603 100PPM	105	0.15
*4243901	RES 39.2 OHM 1/16W 0603 1% 100PPM	2622.7	3.78
*4243930	RES 39K 5% 1/10W 0603	3790	6.63
*4243930	RES 39K 5% 1/10W 0603	280	-
*4243930	RES 39K 5% 1/10W 0603	3	0.01
*4243932	RES 39.2K 1/16W 1% 0603	3946.08	8.53
*4243932	RES 39.2K 1/16W 1% 0603	20.4	0.04
*4243932	RES 39.2K 1/16W 1% 0603	332.52	0.70
*4243980	RES .39 OHM 1% 1/16W 0603	5	-
*4244010	RES 402 OHM 1% 1/16W 0603 100PPM	4967.98	5.62
*4244120	RES 4.12K 1/16W 1% 0603	2419.84	4.98
*4244120	RES 4.12K 1/16W 1% 0603	794.16	1.59
*4244310	RES 432 OHM 1% 1/16W 0603	3044	6.27
*4244421	RES 249K 1% 0603	76	1.41

*4244702	RES 47.5 OHM 1% 1/16W 0603 100PPM	1826.08	3.19
*4244702	RES 47.5 OHM 1% 1/16W 0603 100PPM	238.92	0.41
*4244703	RES 47 OHM 1/16W 5% 0603	2756	2.84
*4244703	RES 47 OHM 1/16W 5% 0603	117	0.12
*4244713	RES 470 OHM 1% 1/16W 0603 100PPM	1372	1.55
*4244714	RES 475 OHM 1% 1/16W 0603	3653.08	11.29
*4244714	RES 475 OHM 1% 1/16W 0603	47.92	0.14
*4244720	RES 4.7K 1/16W 5% 0603	3695	4.18
*4244720-1	RES 4.7K 1/10W 5% 0603	3381.72	4.18
*4244722	RES 4.75K 1% 1/16W 0603	3307	5.45
*4244722LF	RES 4.75K 1% 1/10W 0603 RoHS	58	0.09
*4244730	RES 47K 5% 0603 1/16W	1100	1.36
*4244731	RES 47.5K 1% 63mW 0603	1613.48	2.82
*4244731	RES 47.5K 1% 63mW 0603	214.52	0.36
*4244740	RES 470K 1/16W 5% 0603	3985.8	4.92
*4244740	RES 470K 1/16W 5% 0603	10.6	0.01
*4244740	RES 470K 1/16W 5% 0603	10.6	0.01
*4244741	RES 475K 1% 1/16W 0603	3	0.03
*4244741	RES 475K 1% 1/16W 0603	28	0.04
*4244900-1	RES 49.9 OHM 1/16W 1% 0603	521	0.80
*4244910	RES 499 OHM 1/16W 1% 0603	972.04	1.10
*4244910	RES 499 OHM 1/16W 1% 0603	2.96	-
*4244910	RES 499 OHM 1/16W 1% 0603	2.96	-
*4244930	RES 49.9K 1/16W 1% 0603	31	0.36
*4245103LF	RES 51 OHM 5% 1/16W 0603 RoHS	4575	6.60
*4245111	RES 511 OHM 1% 1/16W 0603	418.96	0.73
*4245111	RES 511 OHM 1% 1/16W 0603	2.02	-
*4245111LF	RES 511 OHM 1% 1/16W 0603 RoHS	1137.12	2.34
*4245111LF	RES 511 OHM 1% 1/16W 0603 RoHS	207.88	0.42
*4245121-1LF	RES 5.1K 5% 1/16W 0603 RoHS	4412	4.99
*4245140LF	RES 510K 5% 1/16W 0603 RoHS	1646	2.37
*4245320	RES 5.36K 1% 1/16W 0603	3467	5.89
*4245601	RES 56.2 OHM 1/16W 1% 0603 100PPM	655.94	2.03
*4245610	RES 562 OHM 1% 1/16W 0603	4647	7.17
*4245610	RES 562 OHM 1% 1/16W 0603	64	0.10
*4245620	RES 5.6K 1% 1/16W 0603	1701	2.62
*4246120	RES 6.19K 1/16W 1% 0603	109	0.87
*4246210LF	RES 620 OHM 5% 0603 RoHS	3096	3.41
*4246811	RES 681 OHM 1% 1/16W 0603 100PPM	3572.98	6.25
*4246820LF	RES 6.8K 1/16W 0603 RoHS	1620.92	1.83
*4246820LF	RES 6.8K 1/16W 0603 RoHS	9.08	0.01
*4246930	RES 69.8K 1% 1/16W 0603	940.98	1.88
*4247120	RES 7.15K 1% 1/16W 0603	3966	6.12
*4247310	RES 732 OHM 1% 1/16W 0603 100PPM/C	476.98	0.81
*4247330	RES 73.2K 1% 0603 1/16W	216.98	0.41
*4247500	RES 75 OHM 1/16W 5% 0603	1289.54	1.87
*4247500	RES 75 OHM 1/16W 5% 0603	186.98	0.26
*4247501	RES 75 OHM 1% 1/16W 0603 100PPM	2130.6	5.26
*4247501	RES 75 OHM 1% 1/16W 0603 100PPM	101.4	0.24
*4247510	RES 750 OHM 1/10W 5% 0603	4446	5.50
*4247511	RES 750 OHM 1% 1/16W 0603 100PPM/C	336.96	0.64
*4247840	RES 787K .1W 1% 0603	3168.54	4.90
*4247840	RES 787K .1W 1% 0603	231.98	0.35
*4248020	RES 8.06K 1/16W 1% 100PPM 0603	4341	6.70
*4248220	RES 8.25K 1% 1/16W 0603	4886	7.54
*4248240LF	RES 820K 1/16W 5% 0603 RoHS	4823	5.46
*4248620	RES 8.66K 1% 1/16W 0603	5000	8.24
*4248830	RES 88.7K 1% 1/16W 0603	5639.98	16.92
*4249020	RES 9.09K 1% 1/16W 0603	4892	15.12
*4249020	RES 9.09K 1% 1/16W 0603	1	-
*4251028	RES NETWORK 1K 8RES TSSOP	26	62.91

*4251039	RES ARRAY 10K 1/16W 1% 0402 X 4	794	5.15
*4252202	RES ARRAY 22 OHM 1/16W 5% 0603 X 4	4616	25.67
*4253301	RES NETWORK 33 OHM 1/16W 1% 0402	2169	11.17
*4254711	RES NETWORK 470 OHM ISO SMT	1102	215.60
*4254723	RES NETWORK 4.7K .031W 25V 1206	62	5.62
*4254731	RES NETWORK 47K SMT	1095	67.65
*4265010	POT 500 OHM 10% 1/4W 4MM SMD	46	50.14
*4271030	THERMISTOR 10K 1012 5%	497	173.95
*4280032	SOCKET 32 PIN PLCC	13	4.02
*4280042	CONN 41 POS 1MM	10	15.45
*4280043LF	HEADER 40 POS .05 IN IDC SMT RoHS	1	2.75
*4280043LF	HEADER 40 POS .05 IN IDC SMT RoHS	25	67.25
*4280045LF	SOCKET 44 PIN PLCC SMT RoHS	8	6.69
*4280054	HDR 50 PIN COMPACT FLASH R/A	24	119.12
*4280072	CONN UNSHIELDED LOW PROFILE R/A SMT 7POS	787.4	460.54
*4280072	CONN UNSHIELDED LOW PROFILE R/A SMT 7POS	39	22.15
*4280072	CONN UNSHIELDED LOW PROFILE R/A SMT 7POS	56.6	32.15
*4280072	CONN UNSHIELDED LOW PROFILE R/A SMT 7POS	39	22.15
*4280072	CONN UNSHIELDED LOW PROFILE R/A SMT 7POS	10	5.68
*4280072	CONN UNSHIELDED LOW PROFILE R/A SMT 7POS	7	3.98
*4280100	RECP FFC-FPC 10 PIN 1MM R/A ZIF TOP CONT	366	97.99
*4280102	HEADER 10 POS SHRD STR SMT TOP ENTRY	170	69.15
*4280211	CONN FPC ZIF 20 POS 1MM R/A SMD	718.88	155.45
*4280211	CONN FPC ZIF 20 POS 1MM R/A SMD	11.12	2.34
*4280241LF	CONN 24 POS R/A FFC ZIF TOP CONTACT RoHS	168	134.91
*4280400LF	HEADER HORIZONTAL 4X1 10 U GOLD SMT	2	1.03
*4280400LF	HEADER HORIZONTAL 4X1 10 U GOLD SMT	59	29.38
*4280402	RECP FFC-FPC 4PIN 1MM R/A ZIF TOP CONTAC	26	12.58
*4280402	RECP FFC-FPC 4PIN 1MM R/A ZIF TOP CONTAC	7	1.56
*4280403	HEADER 4PIN SHRD/TABS SIDE ENTRY SMT	2	0.71
*4280404	HEADER 4 POS SHRD STR SMT TOP ENTRY	26	7.23
*4280500	CONN FFC 5 PIN R/A ZIF TOP CONTACT	634.04	151.54
*4280500	CONN FFC 5 PIN R/A ZIF TOP CONTACT	130	31.07
*4280500	CONN FFC 5 PIN R/A ZIF TOP CONTACT	69.96	16.72
*4280502	HEADER 5 PIN SHRD/TABS SIDE ENTRY SMT	18	6.32
*4280503	HEADER 5 POS SHRD TOP ENTRY	24	18.36
*4280609LF	CONN 30 POS X 2 ROW BD-BD STACKING RoHS	16	61.44
*4280804LF	HEADER 8P RJ45 R/A SMT KEYED RoHS	1	0.62
*4281400LF	HEADER 14 PIN 2MM SHROUDED SMT RoHS	14	4.90
*4281501LF	HEADER 15 POS SINGLE ROW VERT RoHS	20	11.12
*4281502LF	HEADER 15 POS 1.2MM R/A SMT RoHS	1	0.96
*4282032	SOCKET 32 POS PLCC	32	12.39
*4283000	CONN FPC ZIF 30 POS 1MM R/A SMD	63.04	103.39
*4283000	CONN FPC ZIF 30 POS 1MM R/A SMD	8.96	14.70
*4295015	TESTPOINT MINIATURE	-181	(25.34)
*4420304LF	POLYSWITCH RESETTABLE FUSE 30V 1812 RoHS	1800	289.14
*4420501	RESETTABLE FUSE 30V 50MA SMT	14	9.95
*4420502	RESETTABLE FUSE 60V 500MA SMT	5	1.04
*4420502	RESETTABLE FUSE 60V 500MA SMT	150	38.61
*4420503LF	FUSE RESETTABLE 500mA SMD RoHS	1762	304.81
*4423000	BATTERY HOLDER 1061 (SMD)	154.92	98.91
*4423000	BATTERY HOLDER 1061 (SMD)	21.08	11.61
*4470002	LED SMD TRUE RED HI-PERFORM	100	40.78
*4470005	LED RED 631N 54MC CLAR 130DEG 0805	1165.36	52.80
*4470005	LED RED 631N 54MC CLAR 130DEG 0805	1100	49.63
*4470005	LED RED 631N 54MC CLAR 130DEG 0805	25.5	1.15
*4470005	LED RED 631N 54MC CLAR 130DEG 0805	77.14	3.39
*4470022	LED SUPER GREEN SMD MSD4	777	81.58
*4470022	LED SUPER GREEN SMD MSD4	1	0.11
*4470023	LED GREEN 1206	15	1.70
*4470027	DIODE LED GREEN 1206	2089	73.12

*4470029	LED TRU GREEN HI-PERFORM MSD2a	1375	417.69
*4470043	LED GREEN GUL	206.84	16.83
*4470043	LED GREEN GUL	279.16	20.66
*4470047LF	LED GREEN CLEAR THIN 0603 RoHS	498	18.98
*4470049	LED GRN/RED SMD	4	5.85
*4470050	LED GREEN 1206	2831	137.01
*4470051	LED YELLOW 1206	30	10.54
*4470132	LED YELLOW 1206	139	7.01
*4470135	LED YELLOW LONG LEAD MSD3	213.2	26.34
*4470135	LED YELLOW LONG LEAD MSD3	13.8	3.04
*4470141LF	LED YELLOW CLEAR 0603 RoHS	1623	60.17
*4470500LF	LED 120 DEG WHITE SMT RoHS, NSSW100DTB34	1250	553.48
*4470550LF	LED SUPER RED CLR THIN 0805 SMD RoHS	-46	(5.06)
*4470600	LED ORANGE 1.7V 20mA 11.7mcd	1943	88.03
*4478000	INDICATOR LED RED CHIP 0805	1662	55.11
*4478001	LED RED HI-EFF PLCC2	330.88	51.11
*4478001	LED RED HI-EFF PLCC2	248.12	37.22
*4478002	LED RED MINIATURE LEADED AXIAL	5823.72	1,259.33
*4478002	LED RED MINIATURE LEADED AXIAL	285.6	61.76
*4478002	LED RED MINIATURE LEADED AXIAL	51	3.67
*4478002	LED RED MINIATURE LEADED AXIAL	250.84	52.68
*4478002	LED RED MINIATURE LEADED AXIAL	250.84	52.68
*4478008LF	LED HYPERBRIGHT RED SMT RoHS	1054.96	86.91
*4478008LF	LED HYPERBRIGHT RED SMT RoHS	0.04	-
*4520024LF	FERRITE BEAD 100MA EMI 0603 RoHS	2849	47.82
*4520030	FERRITE BEAD 1A 30 OHM/100MHZ 0603	3417	40.47
*4520031	FERRITE BEAD 1A 30 OHM 100MHZ 0805	247	10.18
*4520044	FERRITE BEAD SMT	58	6.57
*4520052	FERRITE BEAD 1K @ 100MHz .4A 0603	2127.12	35.04
*4520052	FERRITE BEAD 1K @ 100MHz .4A 0603	204	3.36
*4520052	FERRITE BEAD 1K @ 100MHz .4A 0603	343.88	5.50
*4520064LF	FERRITE BEAD 3A 3MI 1206 RoHS	457	29.65
*4520077LF	INDUCTOR PWR 77uH LCI-44 RoHS	20	13.92
*4520080LF	INDUCTOR 80 OHM FERRITE 1206 RoHS	1187	40.21
*4520100	FERRITE BEAD 31 OHM 100MHZ	1698.64	80.46
*4520121	FERRITE 120 OHM EMI FILTER 0603	1079	22.22
*4520160	INDUCTOR 1.6UH 16A 3.7M OHM DCR	312	317.74
*4520180	INDUCTOR 1.8UH 10% 900mA SMD	296	52.27
*4520182	INDUCTOR CHIP 1.8UH	2598.98	223.51
*4520182	INDUCTOR CHIP 1.8UH	1.02	0.09
*4520820	INDUCTOR 8.2UH 10% 1812	63.16	13.01
*4520820	INDUCTOR 8.2UH 10% 1812	137.84	27.57
*4521000	INDUCTOR 1.0UH 150MA 0603	9	0.98
*4521000	INDUCTOR 1.0UH 150MA 0603	280	-
*4521005	INDUCTOR 10UH 10% 1812	562	69.45
*4521008	INDUCTOR 10UH 30% 50MA 0603	49	4.57
*4521008	INDUCTOR 10UH 30% 50MA 0603	1	0.03
*4521008	INDUCTOR 10UH 30% 50MA 0603	1	0.03
*4521013-1	INDUCTOR POWER 100UH 1.8A 20% SMD	145	46.40
*4521013-1	INDUCTOR POWER 100UH 1.8A 20% SMD	49	15.68
*4521014	INDUCTOR POWER 100UH 10% SMD	32	14.50
*4521022	INDUCTOR 1000UH 1812	237	84.20
*4521050	INDUCTOR 100UH 20% SMD	15	6.95
*4521211	INDUCTOR 120UH 5% 70mA SMD	16.54	3.07
*4521211	INDUCTOR 120UH 5% 70mA SMD	20.46	3.68
*4521511LF	INDUCTOR 150UH 20% POWER RoHS	352	204.16
*4521520	INDUCTOR PWR SMD SDR0805 1.5uH 1A	294.28	75.75
*4521520	INDUCTOR PWR SMD SDR0805 1.5uH 1A	51	9.93
*4521520	INDUCTOR PWR SMD SDR0805 1.5uH 1A	25.5	6.57
*4521520	INDUCTOR PWR SMD SDR0805 1.5uH 1A	101.22	25.31
*4521523LF	INDUCTOR 1500UF 10% RoHS	33	18.48

*4521523LF	INDUCTOR 1500UF 10% RoHS	15	8.40
*4521523LF	INDUCTOR 1500UF 10% RoHS	14	7.84
*4521530	INDUCTOR PWR 15UH 15% SMT	139	83.02
*4521812LF	FERRITE INDUCTOR 180 OHM 0603 RoHS	2535	46.99
*4522213	INDUCTOR SHIELDED 220UH	50	49.43
*4522215LF	FERRITE BEAD 220 0805 RoHS	2490	46.15
*4522234	INDUCTOR 220UF 1812	74	-
*4522241LF	INDUCTOR 220UH 100MA 1812 RoHS	200	23.27
*4522410	INDUCTOR POWER 248UH	10	7.00
*4522410	INDUCTOR POWER 248UH	2	1.40
*4522410	INDUCTOR POWER 248UH	2	1.40
*4522722	INDUCTOR 2.7UH 14.7A 10.8DCR	315	681.16
*4523301	PWR INDUCTOR 33UH SMT	35	49.74
*4523302LF	INDUCTOR 33UF 2.3A SMT RoHS	450	203.89
*4523303	INDUCTOR FERRITE EMI 33 OHM 25% 1206	980.04	52.48
*4523303	INDUCTOR FERRITE EMI 33 OHM 25% 1206	125.96	6.55
*4523305	INDUCTOR 33UH 1608	568	403.57
*4523311	INDUCTOR 330NH 10% 1008CS 2520	5623.76	694.90
*4523311	INDUCTOR 330NH 10% 1008CS 2520	883.16	136.41
*4523311	INDUCTOR 330NH 10% 1008CS 2520	78	12.05
*4523311	INDUCTOR 330NH 10% 1008CS 2520	1543.54	231.53
*4523311	INDUCTOR 330NH 10% 1008CS 2520	1543.54	231.53
*4523390LF	INDUCTOR 3.3UH 1210 500mA RoHS	690	151.11
*4524700-1	INDUCTOR 4.7UH 10% PWR SMT	1369	66.25
*4524702LF	INDUCTOR 4.7UH 20% CHOKE 1210 RoHS	710	56.80
*4524720	INDUCTOR 4.7UH 5%	11.4	3.42
*4524720	INDUCTOR 4.7UH 5%	7.6	2.28
*4524741	POWER INDUCTOR 470uH SMT	4	5.68
*4524820	INDUCTOR 4.8H 9.3A 12.0 DCR	45	116.77
*4526803	INDUCTOR TOROID 68UH HCI-68	3	4.02
*4526820	INDUCTOR PWR 6.8UH 20%	2999	1,080.83
*4526820	INDUCTOR PWR 6.8UH 20%	130	45.50
*4620200	RELAY 2A 12V 2 FORM C SMD	2	2.70
*4622400	RELAY DC PC 2PDT 24V 3A	39	51.48
*4640015	BUZZER MAGNETIC	650.52	757.60
*4640015	BUZZER MAGNETIC	12.48	21.22
*4660100	DIP SWITCH 10 POS SPST ULTRA-COMPACT SMD	47	35.33
*4660200	PUSHBUTTON NO	700	79.29
*4660304LF	SWITCH 4 POS DIP SMT RoHS	30	32.13
*4661000LF	SWITCH TACTILE 160G RoHS	5	1.96
*4661002	SWITCH TACT MOM 6MM SPST	373	41.10
*4661002	SWITCH TACT MOM 6MM SPST	3	0.32
*4661002	SWITCH TACT MOM 6MM SPST	3	0.32
*4690008	TRANSFORMER CCFL 2KV 6W SMT	1.92	4.45
*4690008	TRANSFORMER CCFL 2KV 6W SMT	2	4.26
*4690008	TRANSFORMER CCFL 2KV 6W SMT	0.04	0.09
*4690008	TRANSFORMER CCFL 2KV 6W SMT	0.04	0.09
*4690025	TRANSFORMER 3.3V TO 5V 1CT:2.1CT	3	11.03
*4690031	TRANSFORMER 10B-T/100B-TX SMD	127	143.85
*4690031	TRANSFORMER 10B-T/100B-TX SMD	9	9.90
*4690031	TRANSFORMER 10B-T/100B-TX SMD	9	9.90
*4690042LF	TRANSFORMER DC-DC 8 PIN SMD RoHS	0.4	3.30
*4690042LF	TRANSFORMER DC-DC 8 PIN SMD RoHS	0.8	6.40
*4690042LF	TRANSFORMER DC-DC 8 PIN SMD RoHS	0.8	6.40
*6100030-2.2LF-B	STENCIL - EMERSON 3100030-2.2LF	1	278.02
*6102707D-T	STENCIL - ITW/HOBART 3102702D	1	278.02
*6102707D-T	STENCIL - ITW/HOBART 3102702D	1	278.02
*6104354-01-T	STENCIL - LEXMARK 3104354-01	1	-
*6104354-01-T	STENCIL - LEXMARK 3104354-01	1	-
*6104356-01-T	STENCIL - LEXMARK 3104356-01	1	-
*6104356-01-T	STENCIL - LEXMARK 3104356-01	1	-

*AVIDLABEL	LABEL FOR UNIT BOX INPLUSCU IN	202	5.20
*EDI DUMMY PART	EDI DUMMY PART	1	-
*HC440803	PACK LABEL KIT U2000/UWS/CLA FIRMWARE	42	-
*HC440803	PACK LABEL KIT U2000/UWS/CLA FIRMWARE	12	-
*NEM-547A0004	LCD DISPLAY, 2 LINE X 20 CHARACTER	1	-
*REPAIR	REPAIR CHARGES	7	27.24
*REPAIR	REPAIR CHARGES	2	7.56
*REPAIR	REPAIR CHARGES	1	38.65
*REPAIR	REPAIR CHARGES	1	21.41
*REPAIR	REPAIR CHARGES	2	21.44
*REPAIR	REPAIR CHARGES	14	54.48
*REPAIR	REPAIR CHARGES	2	348.83
*REPAIR	REPAIR CHARGES	16	62.26
*REPAIR	REPAIR CHARGES	7	144.07
*REPAIR	REPAIR CHARGES	1	9.08
*REPAIR	REPAIR CHARGES	7	81.64
*REPAIR	REPAIR CHARGES	1	11.64
*REPAIR	REPAIR CHARGES	15	58.37
*REPAIR	REPAIR CHARGES	10	123.32
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	62.43
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	2	-
*REPAIR	REPAIR CHARGES	9	15.94
*REPAIR	REPAIR CHARGES	1	9.61
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	6	19.21
*REPAIR	REPAIR CHARGES	1	97.79
*REPAIR	REPAIR CHARGES	2	-
*REPAIR	REPAIR CHARGES	3	28.37
*REPAIR	REPAIR CHARGES	2	3.90
*REPAIR	REPAIR CHARGES	8	18.65
*REPAIR	REPAIR CHARGES	47	35.78
*REPAIR	REPAIR CHARGES	71	421.07
*REPAIR	REPAIR CHARGES	28	166.05
*REPAIR	REPAIR CHARGES	1	6.81
*REPAIR	REPAIR CHARGES	2	23.38
*REPAIR	REPAIR CHARGES	1	6.81
*REPAIR	REPAIR CHARGES	1	18.92
*REPAIR	REPAIR CHARGES	1	6.81
*REPAIR	REPAIR CHARGES	1	20.65
*REPAIR	REPAIR CHARGES	1	17.02
*REPAIR	REPAIR CHARGES	2	22.70
*REPAIR	REPAIR CHARGES	1	6.81
*REPAIR	REPAIR CHARGES	1	11.35
*REPAIR	REPAIR CHARGES	1	18.16
*REPAIR	REPAIR CHARGES	1	87.25
*REPAIR	REPAIR CHARGES	1	89.52
*REPAIR	REPAIR CHARGES	2	176.76
*REPAIR	REPAIR CHARGES	1	88.39
*REPAIR	REPAIR CHARGES	1	89.52
*REPAIR	REPAIR CHARGES	1	89.52
*REPAIR	REPAIR CHARGES	1	34.91
*REPAIR	REPAIR CHARGES	3	16.78
*REPAIR	REPAIR CHARGES	4	-
*REPAIR	REPAIR CHARGES	2	-
*REPAIR	REPAIR CHARGES	30	196.92
*REPAIR	REPAIR CHARGES	8	31.14
*REPAIR	REPAIR CHARGES	30	196.92
*REPAIR	REPAIR CHARGES	10	19.49



*REPAIR	REPAIR CHARGES	15	34.98
*REPAIR	REPAIR CHARGES	3	2.28
*REPAIR	REPAIR CHARGES	1	3.46
*REPAIR	REPAIR CHARGES	2	12.59
*REPAIR	REPAIR CHARGES	58	83.06
*REPAIR	REPAIR CHARGES	5	84.93
*REPAIR	REPAIR CHARGES	3	46.81
*REPAIR	REPAIR CHARGES	2	15.16
*REPAIR	REPAIR CHARGES	1	7.26
*REPAIR	REPAIR CHARGES	4	126.15
*REPAIR	REPAIR CHARGES	2	11.35
*REPAIR	REPAIR CHARGES	21	137.84
*REPAIR	REPAIR CHARGES	40	34.30
*REPAIR	REPAIR CHARGES	3	-
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	14.59
*REPAIR	REPAIR CHARGES	1	9.08
*REPAIR	REPAIR CHARGES	1	10.02
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	2	0.63
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	3.46
*REPAIR	REPAIR CHARGES	5	-
*REPAIR	REPAIR CHARGES	1	6.81
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	7.68
*REPAIR	REPAIR CHARGES	1	17.45
*REPAIR	REPAIR CHARGES	1	16.94
*REPAIR	REPAIR CHARGES	3	42.58
*REPAIR	REPAIR CHARGES	1	27.23
*REPAIR	REPAIR CHARGES	2	69.81
*REPAIR	REPAIR CHARGES	2	30.95
*REPAIR	REPAIR CHARGES	1	21.46
*REPAIR	REPAIR CHARGES	3	-
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	2	22.70
*REPAIR	REPAIR CHARGES	-2	-
*REPAIR	REPAIR CHARGES	7	-
*REPAIR	REPAIR CHARGES	-7	-
*REPAIR	REPAIR CHARGES	1	20.48
*REPAIR	REPAIR CHARGES	2	2.40
*REPAIR	REPAIR CHARGES	1	5.96
*REPAIR	REPAIR CHARGES	2	29.16
*REPAIR	REPAIR CHARGES	3	71.67
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	11.64
*REPAIR	REPAIR CHARGES	1	13.50
*REPAIR	REPAIR CHARGES	3	136.14
*REPAIR	REPAIR CHARGES	1	15.59
*REPAIR	REPAIR CHARGES	1	9.77
*REPAIR	REPAIR CHARGES	2	15.59
*REPAIR	REPAIR CHARGES	2	9.77
*REPAIR	REPAIR CHARGES	1	5.82
*REPAIR	REPAIR CHARGES	1	17.45
*REPAIR	REPAIR CHARGES	1	1.86
*REPAIR	REPAIR CHARGES	5	74.61
*REPAIR	REPAIR CHARGES	2	11.69
*REPAIR	REPAIR CHARGES	1	13.53
*REPAIR	REPAIR CHARGES	1	13.50
*REPAIR	REPAIR CHARGES	1	17.45
*REPAIR	REPAIR CHARGES	2	17.45

*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	2	23.27
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	4	17.03
*REPAIR	REPAIR CHARGES	1	13.24
*REPAIR	REPAIR CHARGES	2	3.86
*REPAIR	REPAIR CHARGES	1	7.49
*REPAIR	REPAIR CHARGES	1	15.21
*REPAIR	REPAIR CHARGES	1	17.03
*REPAIR	REPAIR CHARGES	1	9.34
*REPAIR	REPAIR CHARGES	1	13.17
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	1	11.35
*REPAIR	REPAIR CHARGES	2	26.49
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	9	-
*REPAIR	REPAIR CHARGES	1	-
*REPAIR	REPAIR CHARGES	2	46.52
*REPAIR	REPAIR CHARGES	1	14.41
*REPAIR	REPAIR CHARGES	2	20.75
*REPAIR	REPAIR CHARGES	1	105.52
*REPAIR	REPAIR CHARGES	2	20.03
*REPAIR	REPAIR CHARGES	1	12.53
*REPAIR	REPAIR CHARGES	1	12.53
*REPAIR	REPAIR CHARGES	1	50.08
*REPAIR	REPAIR CHARGES	1	33.56
*REPAIR	REPAIR CHARGES	1	33.56
*REPAIR	REPAIR CHARGES	1	50.08
*REPAIR	REPAIR CHARGES	1	16.94
*REPAIR	REPAIR CHARGES	1	25.04
*REPAIR	REPAIR CHARGES	1	35.06
*REPAIR	REPAIR CHARGES	1	4.10
*REPAIR	REPAIR CHARGES	1	8.74
*REPAIR	REPAIR CHARGES	26	11.44
*REPAIR	REPAIR CHARGES	1	10.02
*REPAIR	REPAIR CHARGES	1	12.84
*REPAIR	REPAIR CHARGES	10	119.62
*REPAIR	REPAIR CHARGES	3	49.60
*REPAIR	REPAIR CHARGES	6	14.20
*REPAIR	REPAIR CHARGES	4	10.65
*REPAIR	REPAIR CHARGES	2	3.46
*REPAIR	REPAIR CHARGES	1	15.59
*REPAIR	REPAIR CHARGES	1	13.17
*REPAIR	REPAIR CHARGES	1	147.08
*REPAIR	REPAIR CHARGES	1	51.69
*REPAIR	REPAIR CHARGES	1	91.79
*REPAIR	REPAIR CHARGES	1	50.49
*REPAIR	REPAIR CHARGES	1	149.76
*REPAIR	REPAIR CHARGES	1	34.77
*REPAIR	REPAIR CHARGES	1	23.84
*REPAIR	REPAIR CHARGES	1	30.04
*REPAIR	REPAIR CHARGES	1	20.04
*REPAIR	REPAIR CHARGES	2	131.84
*REPAIR	REPAIR CHARGES	1	864.22
*REPAIR	REPAIR CHARGES	1	20.03
*REPAIR	REPAIR CHARGES	1	37.57
*REPAIR	REPAIR CHARGES	1	25.04
*REPAIR	REPAIR CHARGES	1	50.08
*REPAIR	REPAIR CHARGES	1	31.53
*REPAIR	REPAIR CHARGES	1	35.05

*REPAIR	REPAIR CHARGES	1	20.04
*REPAIR	REPAIR CHARGES	2	22.90
*REPAIR	REPAIR CHARGES	1	21.03
*REPAIR	REPAIR CHARGES	1	0.25
*REPAIR	REPAIR CHARGES	1	35.06
*REPAIR	REPAIR CHARGES	2	75.12
*REPAIR	REPAIR CHARGES	2	40.07
*REPAIR	REPAIR CHARGES	1	40.07
*REPAIR	REPAIR CHARGES	1	17.54
*REPAIR	REPAIR CHARGES	1	15.03
*REPAIR	REPAIR CHARGES	1	15.03
*REPAIR	REPAIR CHARGES	1	25.04
*REPAIR	REPAIR CHARGES	1	15.03
*REPAIR	REPAIR CHARGES	3	15.03
*REPAIR	REPAIR CHARGES	2	20.03
*REPAIR	REPAIR CHARGES	2	50.08
*REPAIR	REPAIR CHARGES	1	130.54
*REPAIR	REPAIR CHARGES	1	75.12
*REPAIR	REPAIR CHARGES	1	19.32
*REPAIR	REPAIR CHARGES	29	62.43
*REPAIR	REPAIR CHARGES	1	3.46
*REPAIR	REPAIR CHARGES	1	11.65
*REPAIR	REPAIR CHARGES	1	80.26
*REPAIR	REPAIR CHARGES	4	239.43
*REPAIR	REPAIR CHARGES	1	31.90
*REPAIR	REPAIR CHARGES	1	69.77
*REPAIR	REPAIR CHARGES	1	16.08
*REPAIR	REPAIR CHARGES	2	129.93
*REPAIR	REPAIR CHARGES	1	19.31
*REPAIR	REPAIR CHARGES	3	152.75
*REPAIR	REPAIR CHARGES	1	87.52
*REPAIR	REPAIR CHARGES	1	70.11
*REPAIR	REPAIR CHARGES	1	20.03
*REPAIR	REPAIR CHARGES	1	20.03
*REPAIR	REPAIR CHARGES	50	1,060.39
*REPAIR	REPAIR CHARGES	3	58.18
*REPAIR	REPAIR CHARGES	1	31.41
*REPAIR	REPAIR CHARGES	2	41.46
*REPAIR	REPAIR CHARGES	1	128.28
*REPAIR	REPAIR CHARGES	3	101.36
*REPAIR	REPAIR CHARGES	10	128.70
*REPAIR	REPAIR CHARGES	1	66.23
*REPAIR	REPAIR CHARGES	1	69.88
*REPAIR	REPAIR CHARGES	50	188.41
*REPAIR	REPAIR CHARGES	1	31.82
*REPAIR	REPAIR CHARGES	1	138.86
*REPAIR	REPAIR CHARGES	3	826.40
*REPAIR	REPAIR CHARGES	52	192.53
*REPAIR	REPAIR CHARGES	2	105.96
*REPAIR	REPAIR CHARGES	35	379.04
*REPAIR	REPAIR CHARGES	8	338.84
*REPAIR	REPAIR CHARGES	7	214.22
*REPAIR	REPAIR CHARGES	2	69.21
*REPAIR	REPAIR CHARGES	3	5.85
*REPAIR	REPAIR CHARGES	5	671.20
*REPAIR	REPAIR CHARGES	70	398.58
*REPAIR	REPAIR CHARGES	5	706.32
*REPAIR	REPAIR CHARGES	18	724.46
*REPAIR	REPAIR CHARGES	1	240.05
*REPAIR	REPAIR CHARGES	10	781.63
*REPAIR	REPAIR CHARGES	5	452.47

*REPAIR	REPAIR CHARGES	10	855.47
*REPAIR	REPAIR CHARGES	9	707.82
*REPAIR	REPAIR CHARGES	36	1,088.69
*REPAIR	REPAIR CHARGES	12	1,348.73
*REPAIR	REPAIR CHARGES	1	-
*WELOE30-1086-10	LED PIRANHA RED HPWT-MH00-F4000	12800	-
*WELOE30-1086-10	LED PIRANHA RED HPWT-MH00-F4000	10400	-
*WELOE30-1086-10	LED PIRANHA RED HPWT-MH00-F4000	2400	-

Sum of TOTAL_AMOUNT	Column Labels			
Row Labels	FG	RM	tool	Grand Total
AFCO		430.22		430.22
AVID (Erico)		417.10		417.10
Biometric	348.07			348.07
Copeland	828.52	228.61	278.02	1,335.15
Creation Technologies	619.42			619.42
Eaton	13.40	65.91		79.31
Erico		1,749.48		1,749.48
ETS (Simclar)		3,671.96		3,671.96
Gem City		15.79		15.79
Hexagon / Sheffield	5,421.14	272.60		5,693.74
High End Systems	350.42	15,980.33		16,330.75
Hobart Brothers		4.23		4.23
Hunter	4,029.91			4,029.91
IDS (Intelligent Design)		2,503.01		2,503.01
In-Source	283.19	2,837.62		3,120.81
Invacare	257.61	4,565.29		4,822.90
ITW/Hobart Food Equipment	35,111.31	192,142.44	556.04	227,809.79
Kaba Mas / Kaba Ilco	1,273.67	9,040.80		10,314.47
Lenco Marine		7,956.26		7,956.26
Lexmark (IBM)		919.34	-	919.34
Marsh Electronics	-			-
Miller Electric Mfg. Co.	405.00			405.00
MultiCustomer	-	3,921.84		3,921.84
Nematron / Auto Cont	161.38	5,592.57		5,753.95
Obsolete		-		-
Paxar	2,742.60	912.50		3,655.10
Privatizer		(23.64)		(23.64)
Ritron Inc	1,980.72	7.04		1,987.76
Saftronics		1,884.04		1,884.04
SPX	229.70	7,584.99		7,814.69
Staco		2,125.48		2,125.48
Standard Change		13,492.29		13,492.29
Tark		(5.06)		(5.06)
Trilthic (TRICORDER / SEARCHER)		374.07		374.07
TST	7,339.82	24,669.00		32,008.82
US Thermal Amp	1,343.80			1,343.80
Vanner		1,512.69		1,512.69
Weldon	1,257.49	1,413.19		2,670.68
Winchester Electronics	363.43	1,453.42		1,816.85
(blank)	-	21,282.39		21,282.39
<b>Grand Total</b>	<b>64,360.60</b>	<b>328,997.80</b>	<b>834.06</b>	<b>394,192.46</b>