

GLOBAL ONLINE AUCTION

STARTING: May 21, 7:00 am **ENDING:** May 22, 10:00 am EDT

J.M. Smucker LLC

Processing and Packaging Equipment

Surplus to the Ongoing Operations of the Iconic Foods Brand.
Including a Rademaker / Den Boer Gas Powered,
Stainless Steel, Ten (10) Zone Oven.



RADEMAKER/DEN BOER OVEN



TANKS, 825 GALLON, STAINLESS STEEL, VERTICAL

On Behalf of:

JM Smucker LLC

AUCTION DATES:

Starting: May 21, 2013 - 7:00 am EDT

Ending: May 22, 2013 - 10:00 am EDT

AUCTION & PREVIEW LOCATION:

1 Strawberry Lane, Orrville, OH 44667 - USA
Scottsville, KY and Chico, CA - USA

PUBLIC INSPECTION:

Monday, May 20th, 2013 (Orrville Only)

10:00 am – 4:00 pm Local Time or by appointment.

AUCTIONEER'S NOTE:

HGP is pleased to be selected to conduct this Global Online Auction for JM Smucker LLC.

This Global Online Auction features Processing and Packaging Equipment Surplus to the Ongoing Operations of the Iconic Foods Brand including a Rademaker / Den Boer Gas Powered, Stainless Steel, Ten (10) Zone Oven.

Please view our website at www.hgpauction.com for the bidding instructions and the full terms of the sale. Thank you for your interest, and we look forward to providing you quality equipment sales and World Class Service.

ADDITIONAL INFORMATION:

For more information including a photo gallery, equipment list, terms and conditions of sale and more, please visit www.hgpauction.com.

CONTACT:

Brandon Smith

Email: bsmith@hgpauction.com

Tel: +1.973.265.4090



Heritage Global Partners

ASSET ADVISORY AND AUCTION SERVICES
A Legacy Since 1937

A Counsel RB Capital Company

www.hgpauction.com

KEY ASSETS



RADEMAKER/DEN BOER OVEN

1 – This 236 ft. long by 13.6 ft. wide stainless steel oven has ten (10) modular burner zones and four (4) steam moisture control zones. All operations manuals, maintenance manuals, historical maintenance records, specs/drawings, lube maps, etc. available. PLUS: Large inventory of new Rademaker Oven Spare Parts, including additional conveyor belt. Model Number: 63340/6341; Manufactured: 2003; Installed: April, 2004; Serial Number: 2003.0002/11650; Belt Speed Range: 2.6 ft/min to 10.5 ft/min; Temperature Range: 104 degrees Fahrenheit to 660 degrees Fahrenheit; There are 10 burners (each zone has its own temperature controls); Each zone approx 1MMBTU's; Each zone has two convection fans to help distribute heat evenly; Dimensions: 13 ft 6 in. width by 11 ft 4 in. height (without burners), approximately 15 ft. height (with burners); Baking size of the conveyor: Total pan surface is 2.5 x 70 meters or roughly 8 ft. x 230 ft. The area of the belt actually inside the burners is 2.5 x 67.5 meters or roughly 8 ft. x 221 ft.

RADEMAKER/DEN BOER OVEN



SUN ULTRA 450 SERVER



HAMILTON HV VACUUM COOKER KETTLE, 250 GAL.



KETTLES

1 – Crepaco Processor Kettle, Approximate 450 Gallon, Stainless Steel. Vertical. Approximate 50" diameter x 42" straight side. Flat top with (2) 1/3 covers, coned bottom. Jacket rated 108 psi at 400 degrees F. Fixed stainless steel agitator bridge with a bottom supported anchor agitator with side and bottom deflector blades and scrapers, driven by a 3hp, 3/60/230/460 volt, 1720 rpm gear motor, ratio 67.65 to 1. 3" Center bottom outlet. Mounted on 4 stainless steel legs.

- 5** – Hamilton HV Vacuum Cooker Kettle, 250 Gallons, Stainless Steel, Vertical. 52" Diameter x approximate 82" overall height. Hemispherical top, jacketed hemispherical bottom, internal rated Full Vacuum at 303 degrees F., jacket rated 70 psi at 303 degrees F. Fixed internal steam immersion heater. Openings 18" side man way with cover, 8" top vapor outlet, approximate 3" center bottom outlet. Mounted on legs.
- 2** – Groen Inclined Non-Tilt Agitated Kettle, 300 Gallon, Model INA-300, Stainless Steel. Approximate 54" diameter x 36" deep, open top with (2) 1/3 covers, jacketed hemispherical bottom, rated 90 psi at 338 degrees F. Single motion top mounted inclined fixed agitator with a bottom supported 1/2 anchor agitator with scrapers, top entering baffle. Driven by a 5hp, 3/60/230/460 volt, 1680 rpm gear motor, ratio 88.01 to 1. 3" Bottom outlet. Mounted on 4 stainless steel legs.
- 5** – Groen Inclined Non-Tilt Agitated Kettle, 250 Gallon, Model INA-250, 316 Stainless Steel. Approximate 52" diameter x 36" deep, open top with (2) 1/3 covers, jacketed hemispherical bottom, rated 90 psi at 338 degrees F

LARGE SELECTION OF STAINLESS STEEL KETTLES



FLEETWOOD ACCUMULATION TABLE, APPROXIMATE 96" WIDE X 240"

PREVIEW (ORRVILLE ONLY MAY 20.)

KEY ASSETS

DOUBLE SPIRAL RIBBON BLENDER, APPROXIMATE 250 GALLON



GROEN PADDLE MIXER, APPROXIMATE 350 GALLON (46 CUBIC FEET), STAINLESS STEEL



ASSORTED LARGE STORAGE TANKS



ECOLAB INLINE CIP CLEAN IN PLACE SYSTEM



PADDLE MIXERS

2 – Groen Paddle Mixer, Approximate 350 Gallon (46 Cubic Feet), Stainless Steel. Bottom jacketed trough approximate 32" wide x 89" long x 40" deep, rated 25 psi at 300 degrees F. 2" Diameter shaft with (14) paddles. Chain driven with motor, and reducer. 3" End bottom outlet.

BLENDERS

4 – Double Spiral Ribbon Blender, Approximate 250 Gallon (33 Cubic Feet), Stainless Steel. Jacketed trough approximate 31" wide x 72" long x 33" deep, no rating. 3-1/2" Diameter shaft, inner, and outer ribbon 2" wide x 3/8" thick, welded to 1-1/2" diameter posts. Driven by a 3hp gear motor. 3" End bottom outlet.

ACCUMULATION TABLE

1 – Fleetwood Accumulation Table. Approximate 96" wide x 240" long plastic belt, stainless steel frame.



LARGE SELECTION OF STAINLESS STEEL TANKS

TANKS

- 1 – Engineering Equipment Tank, Approximate 50 Gallon, Stainless Steel, Horizontal. Approximate 20" diameter x 36" straight side, flat ends.
- 1 – Tank, Approximate 30 Gallon, Stainless Steel, Vertical. Flat top with a cover, flat bottom. Includes a Grundfos Centrifugal Pump, Stainless Steel. Driven by a 1/3hp motor.
- 1 – Tank, Approximate 40 Gallon, Stainless Steel, Vertical. Approximate 20" diameter x 30" straight side. Open top, no cover, flat bottom.
- 1 – Tank, Approximate 50 Gallon, Stainless Steel, Vertical. Flat top, flat bottom. 1-1/2" Bottom outlet.
- 4 – Tank, 825 Gallon, Stainless Steel, Vertical. Approximate 45" diameter x 118" straight side. Flat top with a 1 piece cover, slight coned bottom. Approximate 2" NPT Center bottom outlet.



TANKS, 825 GALLON, STAINLESS STEEL, VERTICAL

PACKAGING • FACILITY SUPPORT EQUIPMENT

WRAPPING

1 – Arpac Model CM60-28, Voltage 460Volts. Overall Dimensions: 28' long X 5' 6" wide x 7' 6" high. Wrap roll hoist 9' 6" high. Wrapper 12' 6", Tunnel 15.4 feet. Bolt together frame. Infeed indexer assembly. 20" x 66" long infeed section runs slower than 84" long seal bar to tunnel section. Tunnel is 27' 7" wide x 184" long. Conveyor materials: Intralox series 900 nylon mat-top chain. Operation: Pneumatic seal bar with DC motor drives on infeed and seal bar section conveyors. TB Woods VFD on tunnel conveyor. Controls: AB SLC 5-01 PLC & AB DTAM HMI. Previously ran 24 pack cans and 12 pack 750 mL bottles at 20 cases per minute until replaced with registered film capable machine at the end of 2011.

LABELING

1 – Arpac Model CM60-28, Voltage 460Volts. Overall Dimensions: 28' long X 5' 6" wide
1 – Nordson 2302 Glue Unit

PACKAGING

1 – ABC Packaging Machine 230HM Case Erector

CAPPER

1 – Fowler 12 Head Rotary Capper. Approximate 5-1/2" centers. Includes a cap chute, no feeder.



ABC PACKAGING MACHINE 230HM CASE ERECTOR



(5) SHELL & TUBE HEAT EXCHANGER



BECKMAN COULTER ORCA ROBOT ARM



(2) STAINLESS STEEL CONTROL PANEL



ARPAC MODEL CM60-28A



DIVILVISS DROP CASE PACKER

HEAT EXCHANGERS

1 – APV Crepaco Plate & Frame Heat Exchanger, Model SR15 S. 1-1/2" Inlet/outlets, expandable stainless steel frame.

5 – Shell & Tube Heat Exchanger, Approximate Square Feet, Vertical. Carbon steel shell, approximate 118" long stainless steel tubes, stainless steel heads.

SCREENERS

1 – Midwestern Screener, 24" Diameter, Model MR24S4-4, Stainless Steel. Single deck, 2 separation, no top cover. Driven by a 0.33hp, 3/60/230/460 volt motor. Mounted on a carbon steel base.

1 – Sweco Screener, 18" Diameter, Model LS18S53, Stainless Steel. Double deck, 3 separation, no top cover. Driven by a 0.25hp, 3/60/220 volt, 1140 rpm motor. Mounted on a carbon steel base.

LARGE SELECTION OF BELT CONVEYORS



KRONES SOLOMATIC 30 STATION GLUE LABELER



APV CREPACO PLATE & FRAME HEAT EXCHANGER



MIDWESTERN SCREENER, MODEL MR24S4-4

FACILITY SUPPORT EQUIPMENT

SAFETY CAGES

2 – Carbis Rail Car / Truck Access Safety Cage. 500 Pound capacity



CONDENSING UNIT

1 – Heatcraft 80hp Condensing Unit, Model LOD8000H2D



HYDRASIEVE

1 – Sprout-Bauer HS Hydrasieve, Stainless Steel. Approximate 72" Wide x 55" tall wedge wire screen section. Mounted on a carbon steel frame. Includes (2) Hydromatic carbon steel pumps, model 40MP

HOISTS

2 – Lodestar 1/4 Ton Hoist
1 – Lodestar 1/4 Ton Hoist

WATER SOFTENER SYSTEM

1 – Pentair Water Softener System, Consisting Of: (2) Polyethylene Tanks, rated 150 psi at 150 degrees F., and (1) Salt storage tank.

PUMPS

1 – APV Crepaco Rotary Positive Displacement Pump, Model M-3S/107/10, Stainless Steel. Approximately 203 gallons per minute at 720 rpm, 28.3 gallons per minute per 100 revolutions. 3" Tri-clamp inlet/outlet. Driven by a 15hp, 3/60/230/460 volt, 1750 rpm gear motor.

1 – APV Crepaco Centrifugal Pump, Model 6V2, 316 Stainless Steel. 2-1/2" inlet, 2" outlet. Approximate capacity 100 gallons per minute at 30' head, approximate 4" impeller.

1 – Mayno Progressive Cavity Pump, Model Frame 26, Type SSQ. Driven by a 5hp motor

4 – Tri-Clover Tri-Flo Centrifugal Pump, Model C114-D56T-S, Stainless Steel. Driven by a 1hp motor.



APV CREPACO ROTARY POSITIVE DISPLACEMENT PUMP



LODESTAR 1/2 TON HOIST



SPROUT-BAUER HS HYDRASIEVE

PLEASE NOTE: You Must Be Registered For The Auction Prior To and In Order To Gain Access To Smuckers' Facilities.

ASSET ADVISORY AND AUCTION SERVICES




Heritage Global Partners

ASSET ADVISORY AND AUCTION SERVICES

A Legacy Since 1937

A Counsel RB Capital Company



Global Headquarters:

12625 High Bluff Drive
San Diego, CA 92130

For further information, please contact:

Ph: +1 (877) 303.8040

Fx: +1 (866) 388.8595

or visit www.hgpauction.com

Forwarding Service Requested

BUYER'S PREMIUM: 15% cash buyers;
18% for credit card purchasers

(Refer to Term 7 in the Auction Terms and Conditions for details)

This Sale is Conducted in Partnership with:



Buying and Selling Process Equipment Made Easy!

GLOBAL ONLINE AUCTION : MAY 21, 2013 - 7:00 AM EDT

J.M. Smucker LLC



Processing and Packaging Equipment Surplus to the Ongoing Operations of the Iconic Foods Brand:
Featuring a Rademaker / Den Boer Gas Powered, Stainless Steel, Ten (10) Zone Oven.
Orrville, OH, Scottsville, KY and Chico, CA - USA

TERMS & CONDITIONS

Buyers are responsible for all shipping and rigging charges. • All items are sold **AS IS, WHERE IS AND WITH ALL FAULTS**. • Heritage Global Partners shall charge and collect from each successful bidder a 15% on site cash buyers; 18% on site buyers using credit cards. Purchasers who pay in the form of certified funds or wire transfer shall receive a discount from the buyer's premium equal to 3% of the purchase price. • Each successful bidder must pay a 25% deposit toward the purchase price immediately following the successful bid. • Applicable taxes will be added to the purchase price of all taxable items. • Acceptable means of payment include certified funds, wire transfers, *Visa*®, *American Express*® and *Mastercard*®. • The complete terms and conditions that govern this auction will be distributed at the auction site and/or are available on our website at www.hgpauction.com. The complete terms and conditions may include terms unique to this particular auction. Please read them carefully before you bid in the auction. If you participate in the auction, you will be deemed to have read and consented to all of the Terms & Conditions.

UPCOMING SALES CALENDAR



May 22, 2013
7:00 am PDT

Second Event In A Series
Of State Of The Art Surplus
BioPharma R&D Lab Asset Sales
From The World's Largest
Pharmaceutical Manufacturer.
Foster City, CA - USA



May 28, 2013
4:00 pm PDT

A Three Day Global Online Auction
Featuring Machine Tools And
Facility Support Equipment Of
A World's Leading Cutting And
Welding Manufacturer.
Preston, Australia



June 18, 2013
9:30 am CDT

Surplus Assets to the Continued
Operation of North Dakota
Natural Beef. Major
Meat Processing and
Packaging Facility.
Fargo, ND - USA

©2013 HERITAGE GLOBAL PARTNERS, A COUNCIL RB CAPITAL COMPANY, ALL RIGHTS RESERVED

Complete Terms & Conditions are contained in the Sale Catalog and on the website at www.hgpauction.com.
Please review the Terms and Conditions prior to placing bids on any items. Global Headquarters: San Diego, California

AFFILIATIONS



INDUSTRIAL
AUCTIONEERS
ASSOCIATION

