

776 Acre Cement Production Facility Including Machinery, Equipment, Steel Building Structures, Copper Wiring, Transformers and Support Equipment.









DAY ONE

- Processing Machinery
- Steel Buildings
- · Parts Stores Room
- Rolling Stock
- Toolroom
- Support Equipment
- Scrap

DAY TWO

- Electrical Equipment
- Motors
- · Support Equipment
- Scrap

Large amounts of Scrap, Shop and Support Equipment will be sold both days. See auction catalog on website for lot listings for each day.





Contact Information

Nick Dove. Tel: 858.847.0659 Email: ndove@hgpauction.com



Inspection: Monday, September 23rd and Tuesday, September 24th From 10:00 am - 4:00 pm.

Live Public Preview

Scan this QR Code with your smartphone for More Information.

For more information including a photo gallery, equipment list, and more, please visit



Items subject to prior sale. Buyers are advised & encouraged to inspect equipment and read all Terms and Conditions prior to auction.





STARTING: September 25, 10:00 am CST





PENNSYLVANIA SIZE 72" X 60" HAMMER MILL PRIMARY QUARRY CRUSHER



NORDBERG 9'6" DIA. X 34'L STEEL DRUM TWO-COMPARTMENT RAW MILL



NORDBERG 9' DIA. X 34' L STEEL DRUM TWO-COMPARTMENT FINISH MILL



PARTIAL VIEW LARGE QUANTITY OF AGGREGATE CONVEYORS TO 60" WIDE AND 310'LONG

Anyone who plans on entering the premises of Lafarge will be required to adhere to the safety policies which include wearing hard hats, steel toe boots and safety glasses, being over the age of 18 and execution of a hold harmless agreement. Other requirements maybe presented to you upon arrival.



PENNSYLVANIA SIZE 18" X 68" HAMMER MILL SECONDARY QUARRY CRUSHER

QUARRY CRUSHERS

» Pennsylvania Size 72" X 60" Hammer Mill Primary Quarry Crusher: S/N 2213. Capacity 475 TPH, 800 HP General Electric Motor, Universal Engineering Model 60 X 22 Bar C 11-1/2 Wobbler Feeder, S/N 424 X 365, Faulk Enclosed Gear Drive Model 100FC2A an 30.19 Ratio, Louis Allis 30 HP Type TR Flex Torque Motor Reduces Limestone to

a 6" Minus SEE PHOTO

» 72" X 72" 30 HP Micropul 81- 5-12-TR-C Dust Collector with Syntron Vibratory System, 25' X 25' Steel Fabricated **Cooling Hopper** Pennsylvania Size 18" X 68" **Hammer Mill Secondary** Quarry Crusher; S/N N/A, Capacity 475 TPH, 600 HP General Electric Custom 8000 Motor, Allis Chalmers Model SH 6'X 20' Riplo-Flo Vibratory Screens, Reduces Limestone to 3/4" SEE PHOTO

» 54" X 54" FMC Dust Collector with Trans-Flo Model 2,000 HP

Valving System, 20 HP Blower, Micropal 49-S-12-TR-C **ROTARY KILNS**

» 11' Dia. X 425' Long (K-2) F.L. Smith Rotary Kiln System; 350 HP Model 5KF511N427P Main Drive Motor with Falk Gear Reducer, Detroit Diesel Auxiliary Drive Motor, Outer Shell Ranges From 7/8" to 3" Thick Steel, 400 HP I.D. Fan with Zarn Industries Fan, S/N 366E, Mid-Kiln Dust Collec-

tor with Conveyor Kopper Electrostatic Precipitator with (4) Augers at Discharge End **SEE PHOTO**

11'-3" Dia. Discharge / 10' Dia. Feed End X 335' Long (K-1) Vulcan Rotary Kiln System; 350 HP Main Drive Motor with Falk Gear Reducer, Detroit Diesel Auxiliary Back-Up Drive Motor, Outer Steel Shell Rages From 3/4" to 3"Thick Steel, 300 HP Louis Allis I.D. Fan Motor, with (4) 64 KVA Transformers, (5) Turning Roll Piers, (2) 15' Wide Steel Mid-Kiln Hopper with 24" Wide X 20' Long Conveyor and (1) 24" Wide X 190' Long Rubber Belt Incline Conveyor

SEE PHOTO

- » Approx. 20 Tons of Stainless Steel (20% Chrome, 9.5% Nickel) and 60 Tons of Steel Chains in each Kiln
- » Approx. (55) Pallets of New Fire and Refractory Brick From Manufactures Refratechnik, RHI, Unifrax & Magnesita
- » (2) Fire Brick Insertion **Fixtures For Rotary Kilns**

COAL MILLS AND RELATED

- » C.E. Raymond Model 593 Coal Mill; S/N 73145, 250 HP at 900 RPM, Rated At 10 STPH, with Exhauster Fan SEE PHOTO
- » C.E. Raymond Model 493 Coal Mill; S/N 55228, 100 HP at 1,200 RMP, Rated At 7 STPH **SEE PHOTO**
- » 100 HP C.E. Raymond Coal **Dust Exhauster Fan**
- » (2) Merrick Coal Mill In-Line Weight Belt Systems
- » (3) Raymond Model 493 Roll **Assemblies**

HUGE SCRAP OPPORTUNITY

» APPROX. 6,000 TON STEEL SCRAP » HUGE QUANTITIES OF HEAVY ELECTRICAL WIRING, TRANSFORMERS AND SWITCHGEAR » PRE FAB STEEL BUILDING STRUCTURES LIKELY TO BE SOLD FOR SCRAP SCRAP BUYERS WILL BE ALLOWED TO PROCESS SCRAP STEEL ON SITE AND USE EXISTING RAIL SPUR TO LOAD RAIL CARS FOR SHIPMENT.

Large amounts of Scrap, Shop and Support Equipment will be sold both days. See auction catalog on website for lot listings for each day.


DAY ONE

- Processing Machinery
- Steel Buildings
- Parts Stores Room
- Rolling Stock
- ToolroomSupport Equipment

DAY TWO

- Electrical Equipment

- Support Equipment











11' DIA. X 425' LONG (K-2) F.L. SMITH ROTARY KILN SYSTEM

RAW MATERIAL MILLING SYSTEMS

- » Nordberg 9'6" Dia. X 34' L Steel Drum Two-Compartment Raw Mill; 1,500 HP General Electric Drive Motor at 180 RPM. Rated at 99 STPH, Equipped with DSM Screen System, (2) 200 HP Wilfley Slurry HO Pumps (Size 4' X 8') Steel Drum is Approx. 1"Thick, This System Mixes Crushed Limestone, Sand, Clay and Iren Oil to Produce Remont Slurry, Mill Liners are Included SEE PHOTO
- » Nordberg 9' Dia. X 34' L Steel **Drum Two-Compartment Finish** Mill; 1,500 HP General Electric Motor at 180 RPM, Rated at 335 STPH, (7) 16' Sturderent Separator with 150 HP Drive Motor, (7) 75 HP F.L. Smith 6'6" X 17'7" Cement Coolers,

(7) 150 HP Fuller-Kenyon Dry Remant Pump**Note Main Gear Train and Pinion Have Been Removed** SEE PHOTO

SECONDARY FINISHING MILLS AND RELATED

- » Hercules (Bradley) Model 6000 Roller Screen Type Pulverizer; 300 HP Motor at 392 RPM, Rated 30-35 TPH SEE PHOTO
- » (2) 6' Dia. X 20' L Allis-Chalmers Finish Mills; 400 HP Drive Motors at 180 RPM » 7' Dia. X 22' L Traylor Finish
- Mill; 450 HP Drive Motor at 180 RPM » 16' Studenvent 100 HP
- Separation System » 75 HP F.L. Smith 6'6" X 17'7"
- Cement Cooler
- » Approx. 95 Tons of Steel Media Balls Used in Process-

ing Mills, Size Range From 1/2" to 3"

» 4-Stage Ball Separator/ Screener; Side Dump Hopper with 15'L Rotating Interchangeable 4-Station Screener

INLINE MAGNETIC SEPARATORS AND OTHER

» Eriez Model SE1300 Rotary Discharge Suspended Electromagnet; 36"L X 48" W Magnetic Plate, 50" Belt, 24" Drums Eriez Model SE750 Rotary Discharge Suspended Electromagnet; 40"L X 48" W Magnetic Plate, 3 HP, 12" Drums Dings Model 28384 Suspended Magnetic Separator; S/N 20RMR60 » (7) Eriez Vibrating Above

Conveyor Belt Feeders; 12" X

24" Dis-Charge Chutes.





HERCULES (BRADLEY) MODEL 6000 ROLLER SCREEN TYPE PULVERIZER





C.E. RAYMOND MODEL 593 COAL MILL







PARTIAL VIEW INLINE SCALE, METAL DETECTOR AND MAGNETIC SEPARATOR SYSTEMS







STARTING: September 25, 10:00 am CST









PARTIAL VIEW LARGE QUANTITY OF AGGREGATE CONVEYORS TO 60" WIDE AND 310' LONG



NORDBERG 9'6" DIA. X 34' L STEEL DRUM TWO-COMPARTMENT RAW MILL



NORDBERG 9' DIA. X 34' L STEEL DRUM TWO-COMPARTMENT FINISH MILL



PARTIAL VIEW LARGE QUANTITY OF AGGREGATE CONVEYORS TO 60" WIDE AND 310' LONG

AGGREGATE CONVEYOR SYSTEMS

- » 30"W X 310'L Rubber Belt Incline Conveyor; Plylok 2-220 RMA Grade II Belting, Rated at 100 STPH, 29'Lift/Drop, Speed 251 FPM, 40 HP
- » 36"W X 290'L Rubber Belt Incline Conveyor; Georgia Duck Plylok Supreme 3-450 RAM Grade II, 3.16" X 1/16" Belting, Rated at 600 STPH, 78' Lift/ Drop, Speed 284 FPM, 125 HP Drive Motor, Take-Up System
- » 36" W X 260' L Rubber Belt Incline Conveyor; Georgia Duck Plylok 3-330 RMA Grade II 3/16" X 1/16" Belting, Rated at 600 STPH, 56' Lift/Drop, Speed 365 FPM, 100 HP Drive Motor, Take-Up System » (1) 30" W X 145' L and (1) 30" W X 93' L Rubber Belt Elevated Tube Conveyors; Plylok 2-220 RMA Grade II Belting, Rated at 600 STPH, Speed 653 and 685 FPM, 50 HP and 15 HP
- » 36"W X 103'L Rubber Belt Incline Coveyor; Georgia Duck Plylok 330 RMA Grade II Belters, Rated at 200 STPH, Speed 312 FPM, 30 HP, 18' Lift/Drop, Take-Up System 60"W X 46'L Rubber Belt Horizontal Conveyor; Plylok Supreme 3-600 RMA Grade II Belting, Rated at 600 STPH, Speed 228 FPM, 10 HP **Various Add-ons Connected to Conveyor Not Included with the Sale of Conveyor. Some Systems Have Integrated Weighing Load Cells, See Website for Conveyor Dimensions and Specification at Lafarge **

CLINKER COOLERS AND DUST COLLECTORS

- » 6'Wide X 35' Long Dodge (No.1) Clinker Cooler; with Chain Drag System, Stainless Steel Grated Segmented Floor, (1) 250 HP, (2) 75 HP Fuller Cooling Fans and 15 HP Motors SEE PHOTO
- (2) 12' X 12' Buell Steel Fabricated Bag House
 Type Dust Collectors with 200 HP Fan Motor
 (3) 50 HP Auxiliary Heat Exchanger Cooling Fans
- 7'Wide X 44'L Modified Fuller (No.2) Clinker Cooler; IKN Inlet, Incline Style with Walking Floor, Stainless Steel Grated Segmented Floor, 40 HP Motor, 50 HP Clinker, Breaker at Exit End, » (2) Baron Industries 75 HP Series H30A Cooling Fans SEE PHOTO » (4) 10'X 12' Micro-Pul Steel Fabricated Bag

House Type Dust Collectors with 400 HP Fan Motor » (2) 100 HP Barron Ind. Cooling Fans

STAND ALONE MATERIAL LOADING HOPPERS

- » 11'Wide X 15' High Steel Fabricated Agregate
 Hopper with Dust Collector; (at Secondary to Tower)
 with Integrated 24" X 32' Belt Conveyor; 10 HP, 10'
 X 12' Plattoc Electric Dust Collector, with Bachelor
 Controls (See AA), 24" Wide X 90' Long Incline Belt
 Conveyor
- (3) 14' Wide Loading Hoppers System (See BB Area) Ding Stationary Hanging Magnet; S/N 28384 (3) 15' Long Horizontal Belt Conveyors
- (2) Syntron Model V-51-D1 Magnetic Vibrators with Electric Controller (In RR West Hopper)

WASTE DUST TREATMENT SYSTEM

- » Waste Dust Treatment System Consisting of the Following Major Components; Davis Model 500-B Davis Pug Mill; S/N 1301-50, 40 HP Mixing Motor at 1,800 RPM, Transfer Screw Conveyor, DCL Model CFM155-14 Over Truck Mixer; S/N 9938102, DCL Model UN800EV0621WA1112 Truck Dispenser, Tank Connection Accumulation Hopper, All Components Housed in Elevated Drive Under Steel Frame Structure STORAGE TANKS
- (2) 23,500 Gal. Steel Fuel Storage Tanks; 10' Dia. X 40' L, with elevated Stands and (1) Common Electric Gas/Diesel Pump, Empty SEE PHOTO
- Tank and Pump Station Battery Consisting Of; (2) 12' Dia. X 15' H and (1) 12' Dia. X 25' H Steel Storage Tanks, (7) 10 HP Circulation Pumps and Related Pipes

RAILCAR SHAKER SYSTEM

Hewitt Robbins Model HDV Railcar Shaker System; S/N KD-1807, Robbins & Meyers Model F3 A/Z Twin Hook Car Shakeout Hoists; S/N 41889SR1, (2) 1 Ton Cable Hoists on a 15'X 5' Free Standing H-Frame Steel Structure SEE PHOTO

AIR COMPRESSORS AND VACUUM PUMPS

Gardner Denver D190 Portable Air Compressor Model D0190JD7A; S/N 1904146, 190 CFM, 4-Cyclinder John Deere Model 4239DF Diesel Engine



C.E. RAYMOND MODEL 593 COAL MILL



C.E. RAYMOND MODEL 593 COAL MILL





For additional information, Contact: **Nick Dove Tel:** 858.847.0659 **Email:** ndove@hgpauction.com









40" X 204" AMERICAN PACEMAKER STYLE J-6 GEARED

24" X 148" LEBLOND REGAL GEARED HEAD ENGINE LATHE

(3) MUSTANG COMPACT LOADER SKID STEERS

- » **185DP02WPE**; S/N 004-89000DHE, 4-Cyclinder PerkinsDiesel Engine, 4,747 Hours
- » 200 HP Fuller Company Size C-200 Low Pressure Air Compressor; S/N 81-20427-103, 47 PSIG 150 HP Fuller Company Size C-200 Low Pressure
- Air Compressor; S/N 74-21303-103-1, 47 PSIG » (2) 75 HP Fuller Company Size C-120 Low Pressure Air Compressors; S/N 73-20479-101-1 and 36672-R, 47 PSIG
- » 50 HP Fuller Company Size C-100 Low Pressure Air Compressor; S/N 16141, 47 PSIG
- » Fuller Company Size C-200 Low Pressure Air Compressor; S/N 750, 47 PSIG, *Rebuild, No Motor*
- » Fuller Company Size C-250 Low Pressure Air Compressor; S/N 968D, 47 PSIG *No Motor, Compressor Damaged*
- » (3) 2 HP Gast Model 7HDD-10-M853X Vacuum Pumps

CONSTRUCTION EQUIPMENT AND RELATED

- » 1996 Volvo Model BM-A40 Off Road Dump Truck; S/N A40V110K, 295 kW Engine Net Power, 3-Speed Automatic Transmission, 10,353 **Not In Service**SEE PHOTO
- » Mustang Model 2032 Compact Loader Skid Steer; S/N SL04E000512, 3,245 Hours, 4' Bucket, 1,250 Lb. Rated Capacity, 36 HP Diesel Engine (New 2004)
- » (2) Mustang Model 2026 Compact Loader Skid Steers; S/N MMC02026A00002027, 411 Hours, MMC02026J00001178, 1,505 Hours, 4' Bucket, 1,050 Lb. Rated Capacity, 35 HP Diesel Engine (New 2009) SEE PHOTO
- » 20,000 Lb. Magliner 75" X 30'All Aluminum Frame
- » Portable Loading Lamp Model MV5208430; S/N 7-S1- 3710 SEE PHOTO
- » Pressurized Truck Washing Station; 9'H X 17'W Truck Clearance, 70'L X 10'H Elevated Walkway with Front and Back Staircases, 10 HP Motor,



(2) JOHN DEERE 4X2 GAS POWERED GATORS



- » **(2) John Deere 4X2 Gas Powered Gators**; 1,665 and 4,593 Hours **SEE PHOTO**
- » Tennant Model 800 Gas Powered Sweeper; S/N 800- 1326, 377 Hours
- » 300 Gallon Turbo Turf Hydro Seeding Systems Gas Powered Sprayer; Honda GX240 Engine Large Quantity of New Caterpillar Parts including Radial Seal Air Filters, Alternator, Spare Engine Parts, and Electrical Parts
- » Misc. Construction Related Equipment Consisting of: (2) Lifting Technologies Fork Type Safety Baskets, 8,000 Lb. Caldwell Model FB-80 Extendable Arm Lift Truck Jib, 7-1/4 Cubic Yard Caterpillar Smooth and Tooth Edge Loader Buckets, Essick Model 120 Electric Mortar Mixer; S/N 82200314, 125 PSI Sanstorm Model ARW9D72 Sand Blast Pot, 72" Manual Dock Plate with Rite Hite Model VG-1044 Safe-T-Gate, 12" X 20" Steel Car Port, (6) Caterpillar and Volvo Used Tires

TRUCKS

- » 1980 Ford LT-8000 Diesel Dual Tire Tandem AxleVacuum Truck; VIN# U81DVV90345, 210 HP DieselEngine, 6 Speed Transmission, GVWR 44,800, 39,260 Miles Showing, PTO System, Guzzler Model 3012 AE 92" Dia. X 88"L Tank, John Deere Model 6359T Motor Pump, 1,602 Hrs, Rockford Power Take-Off 3ISG, Assn. No. 4-24829 SEE PHOTO
- » 1995 Ford F-Series Gas Single Axle Dual Tire Winch Truck; VIN# 1FDNF70J1TVA13123, 17,958 Miles Showing, 24,500 GVWR, PTO System, 5-Speed Transmission
- » 1988 Ford F-Series Diesel Single-Axle Dump Truck; VIN# 1FDPK74P6JVA55965, 170,387 Miles, 16,000 Lb. Gross Weight, 10' Dump Bed
- » 1995 Ford F700 Gas Single Axle Dual Tire Flat BedTruck; VIN# 1FDXF70J7TVA11014, 39,887 Miles, 33,000 GVWR, 6-Speed Transmission, PTO System, 20' Bed, Air Brakes SEE PHOTO
- » 2001 Ford F150 XL Pick-Up Truck; VIN# 1FT2X17231KF24586, 58,815 Miles



(3) VARIOUS PORTABLE AIR COMPRESSORS BY



1996 VOLVO MODEL BM-A40 OFF ROAD DUMP TRUCK



1980 FORD LT-8000 DIESEL DUAL TIRE TANDEM AXLE VACUUM TRUCK



1995 FORD F700 GAS SINGLE AXLE DUAL TIRE FLAT BED TRUCK







STARTING: September 25, 10:00 am CST



STEEL STRUCTURES & FREESTANDING CRANE

- » 20 Ton X 35' Span X 500' Long X 40' High Free-Standing Crane System and Building Structure; Reading Double Girder Top Running Overhead Crane, 6-Way Remote Control and Pendant, 12" X 24" I-Beam Up Rights **Note: No Sheeting on Building Related Wall, Call For Removal Instructions, Crane Over Kiln #2**
- » 32'Wide X 60' Long Steel Fabricated Shop and Office Building
- » 52'Wide X 140' Long X 30' High Steel Building Over Kiln + 1 Fire Chamber
- » 60'Wide X 480' Long X 25' High Steel Building Over Raw / Finishing Mill Area
- » 95' X 30'Three-Sided Panel Storage Building
- » 28' X 25' Free Standing Lean-To
- » 98" X 22'Two-Sided Corrugated Sided Storage Building Other Steel Structures and Framework and Supports
- **All Heavy Electrics and Wiring to Be Sold Separate of Building, Frameworks, and Conveyors, All Asbestos Siding and Roofing Materials will Be Removed By Lafargo**

COPPER WIRE

- » Approx. 75,000' of MC500 Grade Copper Wire Housed in Large Conduit, To Be Sold As Scrap in Large Lots
- » Huge Quantity of Other Various Sized and Grade Copper Wire, To Be Sold As Scrap in Large Lots

ELECTICAL EQUIPMENT

- » (7) Romac Model 308242 Switch Gears; 2,000 AMP, Each Equipped with GE Multiline 350 Feeder Protection System **Plant MCC Building** (New 2004)
- » 5.5 KV PCI 6-Station Type PCL10502 Switch Gear System w/ 600 Amp PCI Power Factor Capacitor Disconnect Station **End of Mills Finish** (New 2008) » (2) Rockwell Automaton 900 KVAR
- Transformers; Part No. 33270028 Rated at 4160/2400 Volts (New 2011)
- » 600 AMP Sunbelt Transformer Interrupter Switch; Rated at 5/15 KV Load, 40 KRMS (New 2011)
- » Allis-Chalmers Main Disconnect Switch Gear Equipped with General Electric 750 Feeder Management Relay; (2) Sub Switch Gears Each Equipped with Crompton Model Intergra 1540 PRO and (3) General Electric Relays
- » General Electric Main Disconnect System
 Consisting of: (5) Switch Gears Equipped with
 Relays and an Overall General Electric 750 Feeder
 Management Relay **Substation**
- » PCI Type PCL10502 Metal Enclosed Switch Gear; Max Voltage 5 kV, Nominal Voltage 4.16 kV, 200 Continuous AMPs ** K2 Drive Room** (New 2008)
- » (20) Motor Control Center Panels by General Electric, Allen Bradley and Others to 25-Switch
- » Huge Quantity of Other Electric Equipment Including: Variable Speed Drives, Small and Large Disconnect Panels, Electrical Switchgear, Control Cabinets and Many Other Related Items, See Auction Catalog for Complete Listing

TRANSFORMERS

- » 1,500 KVA GEC Alsthom Wet Type Transformer; S/N PZA-0048, HV 2,400, LV 480Y **K2 Precip. Room**
- » 1,000 KVA Dry Type Transformer
- » (2) 900 KVA Rockwell Automation Dry Type Transformer; 41 60/2400V, 95 kV
- » **750 KVA General Electric Wet Type Transformer**; S/N L244250, 2,400 480Y/277 Voltage Rating ** Between Coal Mills**
- » **750 KVA Wet Type Transformer**; 2300-480Y Voltage Rating **Raw Mill Room**
- » 500 KVA General Electric Silicone Fluid Transformer; S/N M126666, 2400-480Y/277 Voltage Rating
- » **500 KVA Westinghouse Dry Type Transformer**; S/N 092905-CB, 2,400 480Y/277 Voltage Rating
- $_{\mbox{\scriptsize N}}$ (50) Other Wet and Dry Type Transformers Ranging from 15 KVA to 300 KVA

Electrical Components Including Wire, Switch Gear, Transformers and Related





















Pre-Fab Steel Structures Including: 20 Ton X 35' Span X 500' Long X 40' High Free-Standing Crane





















Live Public Preview

Monday, September 23rd & Tuesday, September 24th From 10:00 am - 4:00 pm





\$1,700,000.00 Replacement Parts Inventory Including Electric Motors, Hydraulic, Pneumatic, Electrical and Mechanical Components



















Large Quantity Shop and Support Equipment Including Dust Collectors, Pumps, Tanks, Lab, Facilitating Tools and Related



















STORE ROOM / SPARE PARTS / MACHINERY COMPONENTS

- » Huge Quantity of Spare Parts and Surplus Machinery Components Consisting of; Bearings, Bearing Blocks, Motors, Copper Motor Windings, Machinery and Motor Housings, Brass Bushings, Shafts, Gears, Electrical Components, Diagnostic Sensors, Breakers, Fuses, Surplus Wire and Cable on Reels, Engine Parts, Truck and Forkliff Repair Parts, Valves, Blowers Safety Equipment and Etc.
- » Conveyor Components Consisting of; Trough Conveyor Roll Sections (to 60"), New Rolls of conveyor Belting, Drive Motors, Variable Speed Drives
- **See Website for Complete Listing Approx. \$1,700,000.00 Cost**

ELECTRIC MOTORS

» Approx. (200) Surplus AC/DC Electric Motors to 800 HP; (1) 800 HP, (1) 600 HP, (1) 350 HP, (2) 300 HP, (1) 250, (4) 200 HP, (6) 150 HP, (1) 130 HP, (1) 125 HP, (19) 100 HP, (7) 75 HP, (8) 60 HP, (2) 50 HP, (3) 40 HP, (6) 30 HP, (2) 25 HP and large amount of motors under 25HP

SHOP AND SUPPORT EQUIPMENT

- » 9' W x 145' L X 112" H (Approx. Dimensions) L-Shaped Steel Constructed Galvanized Mezzanine System; (2) Staircases, 90" Under Clearance
- » (2) 1 Ton X 11'Arm 360 Degree Rotating Jib Cranes
- » 20 Ton X Approx. 75' Span Toledo
- » No. 385 Fish Belly Double Girder Overhead Bridge Crane (No Hoist)
- » 5 Ton X Approx. 75' Single Girder Overhead Bridge Crane
- » Motorola Model Radius GR500 25W
- » Repeater Station w/ (40) Motorola Handsets
- » Large Quantity Raw Plate, Angle, Round Steel Stock Lab and Test Equipment Consisting of: Oxford Model LZ3125NTS LabX-3000 X-Ray Machine; S/N LZ1837, X-Ray Tube Model TF2501; S/N 11487, 60,000 Lb. Capacity Forney Model LT-30-2 Core Sample Compression Tester w/ DRO, 6′ X 56″ X 45″ 4-Door 21-Station Stainless Steel Curing Chamber, 5.5 Gal. American Brand Ultrasonic Cleaner, Boeker 18 Kilowatt Dual Heater Autoclave; S/N 93-82-20, 350 PSI, NTL.BD.NO.83, Labconco Fumehood, Oxygen Bomb Calorimeter; S/N 1312, Item No. 1241, Nikon Microscope, Large
- Quantity of Lag Glassware, Crucibles and Related Items » Large Quantity Shop and Support Equipment Consisting of; Schumacher Battery Charger, Adjustable Arm Fork Type Jib, (20) Safety Cans, Numerous Flammable Storage Cabinets, Shop Fans, Two-Wheel Dollys, Hand and Power Tools, Two-Door Storage Cabinets, C-Clamps, Saw Horses, Portable Shop Scales, Shop Vacuums, Safety Cones, Heavy-Duty Hopper, Adjustable Beam Pallet Racks, Various Sized Pulleys, Fiberglass Ladders, Platform Ladders, 48" Pexto Style Sheet Roller, Banding Carts, Natural Gas Radiant Heaters, Upright Aerial Platform, (25) Sections Various Size and Style Pallet Rack, (24) 24" X 36" X 7' Adjustable Steel Shelving, Scaffolding, Aluminum Walk Boards, Steel Welding Tables, Acetylene Outfits, Welding Supplies, (3) Low Speed Descenders, Carts, Racks, Office Furniture And Many Other Related Items

Anyone who plans on entering the premises of Lafarge will be required to adhere to the safety policies which include wearing hard hats, steel toe boots and safety glasses, being over the age of 18 and execution of a hold harmless agreement. Other requirements maybe presented to you upon arrival.









KEY ASSETS

Approx. 6,000 Ton Steel Scrap • Huge Quantities Heavy Duty Electrical Wiring, Transformers and Switchgear • All Steel Building Structures are to be Sold • 800 HP Penn Hammer Mill Primary Crusher • 600 HP Penn Hammer Mill "Bulldog" Secondary Crusher w/ Vibratory Screens & Hoppers • Kiln Reclaim Hopper Systems to Include Conveyors Dust Collectors • 1,500 HP Norberg Raw Mill • 1,500 HP Norberg Finish Mill Hercules Primary Roll Mill Raymond Model 593 & 493 Coal Mills • (3) Ball Mill Finishers • (2) 10' Dia. X 350' Long Rotary Kilns with Drag Thru Chain Conveyors • Huge Quantities Rubber Belt Trough Conveyor & Steel Holding Bins • Weigh Belt Conveyor Systems, Air Compressors • 48" X 204" American Pacemaker Toolroom Lathe · Misc. Toolroom Machinery, Trucks, Skid Steer Loaders · Huge Quantity Spare Electric Motors to 1,000 HP • 1,500,000 Book Value Replacement Parts • Bridge Cranes & Many Other Related Items SHAUDT, DECKEL and other major manufacturers • Air Compressors, racks, trolleys and office equipment • And Much More!



Scan this QR Code with your smartphone for More Information.

Contact Information

Nick Dove, Tel: 858.847.0659 Email: ndove@hgpauction.com **BUYER'S PREMIUM: 15%** cash buyers; **18%** for credit card purchasers (Refer to Term 7 in the Auction Terms and Conditions for details)



776 Acre Cement Production Facility Including Machinery, Equipment, Steel Building Structures, Copper Wiring, Transformers and Support Equipment.



GLOBAL WEBCAST AUCTION

Starting: September 25, 2013 - 10:00 am CDT

AUCTION LOCATION

1400 Cement Rd. Fredonia, KS 66736

AUCTION PREVIEW

Monday, September 23rd and Tuesday, September 24th from 10:00 AM to 4:00 PM or by appointment.

AUCTIONEER'S NOTE

HGP is pleased to be selected to conduct this Global Webcast Auction for:

LAFARGE MIDWEST, INC.

This Online Auction features Machinery, Equipment, Steel Building Structures, Copper Wiring, Transformers and Support Equipment and More. Please view our website at www.hgpauction.com for the bidding instructions and the full terms of the sale. Thank you for your interest.

NORTH AMERICAN OFFICES

Atlanta, Baltimore, Boca Raton, Dallas, Detroit, Los Angeles, San Diego, San Francisco, White Plains, Toronto

GLOBAL OFFICES

Barcelona, Dusseldorf, London

For complete Terms of Sale, visit our website at

GLOBAL HEADQUARTERS

Hacienda Del Mar 12625 High Bluff Drive San Diego, CA 92130 Phone: (877) 303.8040 Fax: (866) 388.8595

FIRST CLASS MAIL

POSTMASTER: Dated Material. Please Deliver Promptly.

Presorted First Class Mail U.S. Postage PAID

San Diago, CA Permit No. 00





















