

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	2			SENSOR KEYENCE LM10 LASER THRU-BEAM 5MM WITH MOLEX CONNECTOR P TOOL
KEYENCE	4			CABLE, DNET TRUNK EXTENSION, MINI 0.5 METER
KEYENCE	4			DEVICENET, CABLE/CORDSET MINI
KEYENCE	7	KEYENCE		KEYENCE, FU-35TZ, FIBER OPTIC SENSOR, DIFFUSE REFLECTIVE
KEYENCE	7			SMA MODULE TEMPERATURE SENSOR
KEYENCE	2			SMA MODULE TEMPERATURE SENSOR
KEYENCE	1			SMA MODULE TEMPERATURE SENSOR
KEYENCE	3			SMA MODULE TEMPERATURE SENSOR
KEYENCE	12	AIRPOT	GLPC-1	SENSOR, PROXIMITY, GMR
KEYENCE	6	BALLUFF	BES-M08MI-PSC20B-S49G	SENSOR,PROXIMITY
KEYENCE	2	BALLUFF	BCS-012-PS-1-L-S4	SENSOR,CAPACITIVE PROXIMITY,12MM, PNP
KEYENCE	8	BANNER	RK4.4T-10M	CABLE, 10 METER M12 4 PIN EUROFAST
KEYENCE	4	BANNER	QS30RQ	SENSOR,RECEIVER,BIPOLAR,5 PIN QD
KEYENCE	2	BANNER	QS18VP6LAFQ5	SENSOR,LASER
KEYENCE	3	BANNER	SLM50P6Q	SENSOR,HORSE SHOE
KEYENCE	2	BANNER	QS18VP6RQ	PHOTOELECTRIC RECEIVER WITH PICO PIGTAIL
KEYENCE	4	CAMPBELL&GEORGE	CX-411-Z	SENSOR, OPTICAL PRESENCE, THRU-BRAM, VISIBLE RED, 30M RANGE
KEYENCE	1	COX AUTOMATION	PE00022227	CABLE/CORDSET,DEVICENET, MINI-FAST MALE, MINI-FAST FEMALE , 2 PAIR (16 AWG/20 AWG), PVC OUTER JACKET, FOIL SHIELD, 3 METER
KEYENCE	1	DIGI-KEY	290-1016-ND	BNC CABLE (15FT)
KEYENCE	6	FIBEROPTIC SYSTEMS	50-2940-8	FIBER OPTICAL 600UM 750 IN UV GRADE
KEYENCE	2	GASBARRE PRODUCTS, INC	A2-99-12053	ACTUATOR,MAGNETIC
KEYENCE	1	GASBARRE PRODUCTS, INC	A2-99-12121-1	SWITCH,PROXIMITY
KEYENCE	1	IDEC	HW1K-2AF11,KEY=A	SWITCH,KEYED,2P SELECTOR,22MM
KEYENCE	20	KEYENCE	OP-84259	BRACKETS,MOUNTING, FOR KEYENCE LIGHT CURTAIN

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	1	KEYENCE	SL-V80HM	LIGHT CURTAIN,SAFETY,DURABLE 80 BEAM,AXES 1580MM/62.2IN
KEYENCE	1	KEYENCE	SL-V80HM	LIGHT CURTAIN,SAFETY,DURABLE 80 BEAM,AXES 1580MM/62.2IN
KEYENCE	1	KEYENCE	LK-G3001V	CONTROLLER W/DISPLAY, LASER DISPLACEMENT SENSOR, KEYENCE LK-G3001V
KEYENCE	2	KEYENCE	N410	BARCODE READER, MASTER UNIT, MURATA, Z078644300
KEYENCE	1	KEYENCE	SZ-01S	SAFETY SCANNER,SZ,SIMPLE,LASER
KEYENCE	1	KEYENCE	SZ-01S	SAFETY SCANNER,SZ,SIMPLE,LASER
KEYENCE	13	KEYENCE	SL-VPC5PM	CABLE,5M,PNP (T&R) 1 PAIR, MULTI CONNECTION
KEYENCE	24	KEYENCE	LV-S41L	LASER SENSOR, COLLET OPEN
KEYENCE	1	KEYENCE	LK-G87	CCD DISPLACEMENT HEAD HI RES
KEYENCE	3	KEYENCE	FU-18M	FIBER OPTIC SENSOR, FU SERIES
KEYENCE	10	KEYENCE	FU-41TZ	FIBER OPTIC SENSOR, FU SERIES
KEYENCE	6	KEYENCE	LV-11SAP	SENSOR AMP, COLLET OPEN, MAIN
KEYENCE	22	KEYENCE	LV-12SAP	SENSOR AMP, COLLET OPEN, SUB
KEYENCE	6	KEYENCE	GV-H45	LASER HEAD, 20-45MM
KEYENCE	3	KEYENCE	LV021AP	SENSOR,DIGITAL LASER OPTIC,MASTER 2 OUTPUT,PNP LOGIC
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC
KEYENCE	2	KEYENCE	LV-21AP	SENSOR,DIGITAL LASER OPTIC,MASTER, 2 OUTPUT, PNP LOGIC
KEYENCE	1	OMRON	ZS-XC5BR	EXTENSION CABLE, 5M, ROBOTIC
KEYENCE	53	OMRON	EE-SX914-R	OMRON U-SHAPED PHOTOMICROSENSOR PN: EE-SX914-R
KEYENCE	1	OMRON	D4NS-3BF	SWITCH, DOOR SAFETY
KEYENCE	3	OMRON	CJ1W-ID211	MODULE, 16 PT PNP INPUT
KEYENCE	3	OMRON	CJ1W-OD212	MODULE,OUTPUT CJ1 DC24V 16PT PNP
KEYENCE	4	OMRON	MC-S2SXCP3	SWITCH,COMPACT CODED MAGNETIC SAFETY INTERLOCK AND CONTROL UNIT
KEYENCE	3	OMRON	CJ1M-CPU13-ETN	CPU,CJ1M PLC W/BUILD IN ETHRNT
KEYENCE	1	OMRON	G7SA-2A2B-DC24	RELAY,DPDT,24VDC COIL
KEYENCE	1	OMRON	STI MC-S2	SWITCH, SAFETY
KEYENCE	1	OMRON	DST1-MD16SL-1	TERMINALS, SAFETY I/O, 8 INPUTS, 8 OUTPUTS
KEYENCE	2	OMRON	FNY-W6022	CONNECTOR,M2 TERMINATION
KEYENCE	3	OMRON	CJ1W-PA205R	POWER SUPPLY, PLC
KEYENCE	1	OMRON	ZS-LD80-05M	HEIGHT SENSOR HEAD, DIFFUSE REFLECTIVE, 80MM+/- 15MM, .5M CABLE
KEYENCE	4	POWERMATIC ASSOCIATES	0091-30084	PHOTOSENSOR ASSY, CARRIER DETECT, PICO DIST
KEYENCE	12	POWERMATIC ASSOCIATES	0091-30084	PHOTOSENSOR ASSY, CARRIER DETECT, PICO DIST
KEYENCE	4	RAYTEK CORPORATION	CI2A	SENSOR, TEMPERATURE, INFRARED, TYPE K OUTPUT
KEYENCE	2	SCHMERSAL	TZKM/E 24VDC	SWITCH,SAFETY INTERLOCK,SOLENOID LATCHING
KEYENCE	2	SICK	7122703	LIGHT CURTAIN,C4000 BASIC PLUS

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	1	SICK	7122730	LIGHT CURTAIN,C4000 BASIC PLUS
KEYENCE	22	SIGMA INSTRUMENTS	900-037-B310FS10-25	EIES SENSOR FILAMENT FOR ILDS
KEYENCE	2	SMC	ISE30-T1-25-L	PRESSURE SWITCH, NPN
KEYENCE	1	STI	44531-0250	SENSOR,TYPE 2 REED SWITCH CODED MAGNET
KEYENCE	8	STI/OMRON	82375-0614	SAFETY BUMPER 25MM X 25MM X 1750MM PROFILE. 4M CABLE WITH PICOFAST CONNECTOR WIRED TO PINS 1 & 4
KEYENCE	4	STI/OMRON	82375-0614	SAFETY BUMPER 25MM X 25MM X 1750MM PROFILE. 4M CABLE WITH PICOFAST CONNECTOR WIRED TO PINS 1 & 4
KEYENCE	1	STI/OMRON	OS3101-2-PN-10PT-2C	SAFETY LASER SCANNER 180 DEGREE SWEEP, 12 FOOT RANGE, CAT 3 SAFETY RATED.
KEYENCE	2	STI/OMRON	OS3101-2-PN-10PT-2C	SAFETY LASER SCANNER 180 DEGREE SWEEP, 12 FOOT RANGE, CAT 3 SAFETY RATED.
KEYENCE	2	STI/OMRON	44510-1221	EXPANSION UNIT, SAFETY RELAY, 8-CONTACTS
KEYENCE	4	SUNX	FT-WZ8	SENSOR,PROX,RECTANGULAR HEAD, FRONT SENSING
KEYENCE	1	THORLABS	BFH48-600-CUSTOM	FIBER OPTIC
KEYENCE	5	THORLABS	ADAF2	ADAPTER, FIBER OPTIC CABLE, FC TO FC, PANEL MOUNT
KEYENCE	1	TURCK	RSC RKC 572-1M	CABLE, DNET DROP EXTENSION 1 METER
KEYENCE	1	TURCK	RSC RKC 572-0.5M	CABLE, DNET DROP EXTENSION 0.5 METER
KEYENCE	5	TURCK	PKG 3Z-2-PSG 3/S760-S771	CABLE, PICO STRIGHT FEMALE TO PICO MALE BLK, 2 METER
KEYENCE	4	TURCK	PKG 3Z-2-PSG 3/S760-S771	CABLE, PICO STRIGHT FEMALE TO PICO MALE BLK, 2 METER
KEYENCE	76	TURCK	PKG 3M-3-PSG 3M	CABLE EXTENSION, PICOFAST(8MM), 3-WIRE, 3M, TURCK
KEYENCE	1	TURCK	RKM RSM 5711-1M	CABLE, MINI, MALE/FEMALE 1 METER
KEYENCE	5	TURCK	WSM WKM 5711-0.5M	CABLE, DEVICENET TRUNK, 90 DEG, M/F, 0.5 M
KEYENCE	3	TURCK	WSM WKM 5711-0.5M	CABLE, DEVICENET TRUNK, 90 DEG, M/F, 0.5 M

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	5	TURCK	PKG 3M-2 /S760	CABLE ASSY, M8 PICOFAST, 3-PIN FEMALE TO FLYING LEADS, 2M
KEYENCE	3	TURCK	RK 4.5T-4	CORDSET, 12MM EUROFAST FEMALE TO FLYING LEADS. 4 METER LENGTH.
KEYENCE	2	TURCK	RSM RKM 5731-1M	CABLE,MINIFAST 1M PATCH
KEYENCE	1	TURCK	RSM RKM 5711-3M	CABLE, MINIFAST, DNET EXT, 5 PIN, M TO FEM, 3M
KEYENCE	2	TURCK	RSM RKM 5711-6M	CABLE, MINIFAST, DNET EXT, 5 PIN, M TO FEM, 6M
KEYENCE	2	TURCK	RSM RKM 5711-6M	CABLE, MINIFAST, DNET EXT, 5 PIN, M TO FEM, 6M
KEYENCE	1	TURCK	VB 1003-0.6-BSMK 14/S653	JUNCTION BOX 10 PORTS WITH 14PINS RED CONNECTOR
KEYENCE	1	TURCK	BI4-M12-AP6X-H1141	SWITCH 12MM PRX EMBEDABLE
KEYENCE	1	TURCK	VB2-PKGV 4M-2/2PSG 3/0.6	SPLITTER, 4 PIN FEMALE 2 METER TO 2 3 PIN MALE 0.6 METER
KEYENCE	5	TURCK	B 4151-0/13,5	DEVICENET, MINIFAST, FIELD WIREABLE, 5-PIN RECEPTACLE , SCREW TERMINAL, 16AWG.
KEYENCE	1	TURCK	RSM RKM 5711-10M	CABLE, MINIFAST, DNET EXT, 5 PIN, M TO FEM, 10M
KEYENCE	40	TURCK	NI12U-EM18-AP6X-H1141	TURK INDUCTIVE PROXIMITY SENSOR- NONEMBEDDABLE, 18MM THREADED BARREL, 12 MM SENSING RANGE, 3-WIRE DC PNP, EUROFAST 12MM THREADED CONNECTOR, NI12U-EM18-AP6X-H1141
KEYENCE	5	TURCK	WSM WKM 5711-3M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 3M
KEYENCE	8	TURCK	PKG 3Z-3-PSG 3/S760-S771	CABLE, PICO STRIGHT FEMALE TO PICO MALE BLK, 3 METER
KEYENCE	4	TURCK	PKG 3Z-3-PSG 3/S760-S771	CABLE, PICO STRIGHT FEMALE TO PICO MALE BLK, 3 METER
KEYENCE	4	TURCK	PKG 3Z-3-PSG 3/S760-S771	CABLE, PICO STRIGHT FEMALE TO PICO MALE BLK, 3 METER
KEYENCE	3	TURCK	PKG 3Z-3-PSG 3/S760-S771	CABLE, PICO STRIGHT FEMALE TO PICO MALE BLK, 3 METER
KEYENCE	5	TURCK	FKM FS 57/M12	DEVICENET BULKHEAD EUROFASTSTRAIGHT MALE/FEMALE FEED THROUGH M12

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	20	TURCK	RKC-6T-15M	TURCK RKC-6T-15M 15 METER CABLE FOR 4 PIGTAIL SQUID.
KEYENCE	4	TURCK	RKC-6T-15M	TURCK RKC-6T-15M 15 METER CABLE FOR 4 PIGTAIL SQUID.
KEYENCE	2	TURCK	VB80-N7X9-5	JUNCTION BOX, EUROFAST, 8 PORT, NPN LED
KEYENCE	1	TURCK	WSM WKM 5711-4M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 4M
KEYENCE	3	TURCK	WSM WKM 5711-4M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 4M
KEYENCE	1	TURCK	WSM WKM 5711-4M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 4M
KEYENCE	4	TURCK	WSM WKM 5711-4M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 4M
KEYENCE	1	TURCK	WSM WKM 5711-4M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 4M
KEYENCE	1	TURCK	WSM WKM 5711-15M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 15M
KEYENCE	1	TURCK	WSM WKM 5711-15M	CABLE DEVICENET TRUNK 90 DEG M/90 DEG F 15M
KEYENCE	2	TURCK	PKG 3Z-0.6-PSG 3/S760/S7	CABLE, 0.6M EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	8	TURCK	PKG 3Z-0.6-PSG 3/S760/S7	CABLE, 0.6M EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	3	TURCK	PKG 3Z-0.6-PSG 3/S760/S7	CABLE, 0.6M EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	2	TURCK	PKG 3Z-0.6-PSG 3/S760/S7	CABLE, 0.6M EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	4	TURCK	PKG 3Z-0.6-PSG 3/S760/S7	CABLE, 0.6M EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	2	TURCK	RSC RKC 572-0.5M	CABLE, 0.5 METER EXT MALE/FEMALE 5 PIN EUROFAST
KEYENCE	1	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	1	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	4	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	1	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	3	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	4	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	4	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	1	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	1	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	5	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	2	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	5	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	4	TURCK	PKG 3Z-1.0-PSG 3/S760/S7	CABLE, 1 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	2	TURCK	RSC RKC 572-2M	CABLE, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST
KEYENCE	2	TURCK	RSC RKC 572-2M	CABLE, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST
KEYENCE	3	TURCK	RSC RKC 572-2M	CABLE, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST
KEYENCE	6	TURCK	RSC RKC 572-2M	CABLE, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST
KEYENCE	5	TURCK	BS 5133-0	CON, MALE 3 PIN PICOFAST FIELD-WIRABLE IP67 SCR TERM
KEYENCE	1	TURCK	PKG 3Z-4.0-PSG 3/S760/S7	CABLE, 4 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	4	TURCK	PKG 3Z-5.0-PSG 3/S760/S7	CABLE, 5 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	1	TURCK	PKG 3Z-5.0-PSG 3/S760/S7	CABLE, 5 METER EXT MALE/FEMALE 3 PIN PICOFAST
KEYENCE	4	TURCK	RSC RKC 572-5M	CABLE, 5 METER EXT MALE/FEMALE 5 PIN EUROFAST
KEYENCE	2	TURCK	RSM-2RKM57	TEE, MINIFAST DN

## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	5	TURCK	RSM-2RKM57	TEE, MINIFAST DN
KEYENCE	2	TURCK	RSM-2RKM40	TEE, AUX POWER MINIFAST-1
KEYENCE	8	TURCK	PKG 3M-6-PSG 3M	CABLE,PICOFAST STANDARD DUTY EXTENSION,6M LONG,STRAIGHT FEMALE,STRAIGHT MALE
KEYENCE	1	TURCK	WSC WKC 572-2M	CABLE, D-NET, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST RT ANGLE
KEYENCE	5	TURCK	WSC WKC 572-2M	CABLE, D-NET, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST RT ANGLE
KEYENCE	3	TURCK	WSC WKC 572-2M	CABLE, D-NET, 2 METER EXT MALE/FEMALE 5 PIN EUROFAST RT ANGLE
KEYENCE	2	TURCK	BWS 8151-0	CONN, FIELDWIREABLE, EUROFAST(F), 5P, REV. KEY
KEYENCE	2	TURCK	B4151-0/9	FEMALE MINI-FAST FIELD WIREABLE FOR MID CABLE
KEYENCE	2	TURCK	BS4151-0/9	MALE MINI-FAST FIELD WIREABLE FOR MID CABLE
KEYENCE	5	TURCK	RSC RKC 572-1.5M	CABLE, EXTENSION, DNET, MALE/ FEMALE, 1.5 METER
KEYENCE	3	TURCK	WAKW-4.5T-2M	CABLE ASM DEVICENET 5 PIN POWE
KEYENCE	4	TURCK	PSG 3M-2	CABLE ASM PICOFAST 3 PIN 8MM M
KEYENCE	1	TURCK	BSMV BKFDV 14-755-2/S65	CABLE, MULTIFAST, 16MM, 14 PIN, M TO FEM BLKHD, 2M, GREY
KEYENCE	2	TURCK	BSMV BKFDV 14-755-1/S65	CABLE, MULTIFAST, 16MM, 14 PIN, M TO FEM BLKHD, 1M, GREY
KEYENCE	1	TURCK	RF50968-30M	CABLE,4 WIRE,PROX,30M FLEXLIFE-20
KEYENCE	4	TURCK	WK 4.4T-6	CABLE, EUROFAST, 4 PIN, 4 WIRE, 6 M, RIGHT ANGLE
KEYENCE	2	TURCK	CABLE 5722-30M	CABLE,DEVICENET MID,FLEX RATED 30 METERS (TRUNK LINE)
KEYENCE	2	TURCK	RB51296-30M	CABLE, DEVICENET, THIN BULK 5732 30M FLEXLIFE
KEYENCE	1	TURCK	JBBS-57-E811	TURK BLOCK DEVICE NET HUB W/ VOLTAGE MONITOR



## Keyence & Sensors 5047

<u>GROUPING</u>	<u>Qty</u>	<u>MFG</u>	<u>MFG Part #</u>	<u>Description</u>
KEYENCE	1	TURCK	BIM-EG08-AP6X-V1131	MAGNETIC INDUCTIVE SENSOR, PNP, NO, M8X1, PICOFAST CONNECTOR, 3-WIRE
KEYENCE	1	TURCK	BIM-EG08-AP6X-V1131	MAGNETIC INDUCTIVE SENSOR, PNP, NO, M8X1, PICOFAST CONNECTOR, 3-WIRE
KEYENCE	7	TURCK	BIM-EG08-AP6X-V1131	MAGNETIC INDUCTIVE SENSOR, PNP, NO, M8X1, PICOFAST CONNECTOR, 3-WIRE
KEYENCE	11	XYRATEX	0916518-01	THRUBEAM SENSOR, 3MM
KEYENCE	1	YAMATAKE	HPQ-D32-002	SENSOR, OPT LEAK DETECT W/ AMP, PNP
KEYENCE	2	YAMATAKE	HPQ-D32-002	SENSOR, OPT LEAK DETECT W/ AMP, PNP
KEYENCE	1	YASAKAWA	USN-0024	SENSOR,PROX,INDUCTIVE,20MM RANGE,CAROUSEL CDS FAB 2
KEYENCE	1	STI/OMRON	OS3101-2-PN-10PT-2C	SAFETY LASER SCANNER 180 DEGREE SWEEP, 12 FOOT RANGE, CAT 3 SAFETY RATED.