

4990 Allen Bradley

| Qty | MFG | MFG Part # | Description |
|-----|----------------|------------------|------------------------------------------------------------------------------|
| 7 | ALLEN BRADLEY | 1756-OW16I | MODULE,OUTPUT,16 POINT RELAY, ISOLATED,CONTROLLOGIX |
| 1 | RDO | SWIT0490 | SWITCH,DP,4-43PSI,COOLING WATER CIRCUIT |
| 2 | ALLEN BRADLEY | 1794-IF4I | MODULE,ANALOG INPUT, FLEX I/O,4-CHANNEL, ISOLATED |
| 1 | ALLEN BRADLEY | 2094-BC02-M02S | MODULE,AXIS,INTEGRATED,460V, SAFE-OFF OPTION,KINETIX 6000 |
| 4 | COX AUTOMATION | PE00022188 | POWER SUPPLY,AS-I, 8.0A,115VAC,INTEGRATED DATA DECOUPLING,1 PER AS-I CHANNEL |
| 1 | ALLEN BRADLEY | MPL-B230P-VJ42AA | MOTOR,SERVO,END RAIL TRANSFER,FRAME PNP,STA 6 |
| 1 | ALLEN BRADLEY | 1794-IF4I | MODULE,ANALOG INPUT, FLEX I/O,4-CHANNEL, ISOLATED |
| 2 | ALLEN BRADLEY | 1489-A2D030 | CIRCUIT BREAKERS, 2 POLE, 3AMP |
| 2 | COX AUTOMATION | PE00020663 | CIRCUIT BREAKER, UL489 1P 10A |
| 3 | COX AUTOMATION | PE00020656 | CIRCUIT BREAKER, UL489 2P 6A |
| 2 | COX AUTOMATION | PE00020657 | CIRCUIT BREAKERS, UL489 1P 3A |
| 1 | ALLEN BRADLEY | 1492-CB1H040 | CIRCUIT BREAKER, 4A, 1 POLE |
| 1 | ALLEN BRADLEY | 1492-CB1H100 | CIRCUIT BREAKER, 10 AMP, 1 POLE. |
| 1 | ALLEN BRADLEY | 1492-CB1H080 | CIRCUIT BREAKER, 1 POLE, H CURVE, 8AMP |
| 2 | COX AUTOMATION | PE00022116 | CIRCUIT BREAKER,1 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 1 | ALLEN BRADLEY | 1492-CB3H080 | CIRCUIT BREAKER, 3 POLE, 8A, H CURVE |
| 1 | ALLEN BRADLEY | 1489-A3D080 | CIRCUIT BREAKER,8 AMP HIGH INDUCTIVE, 3 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1489-A2D100 | CIRCUIT BREAKER, 10 AMP HIGH INDUCTIVE, 2 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1489-A2D150 | CIRCUIT BREAKER 15 AMP HIGH INDUCTIVE, 2 POLE, UL LISTED |
| 2 | COX AUTOMATION | PE00022380 | CIRCUIT BREAKER 25 AMP HIGH INDUCTIVE, 2 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1489-A2D300 | CIRCUIT BREAKER 30 AMP HIGH INDUCTIVE, 2 POLE, UL LISTED |
| 2 | COX AUTOMATION | PE00022148 | CIRCUIT BREAKER 40 AMP HIGH INDUCTIVE, 2 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1492SP2D060 | CIRCUIT BREAKER, 2 POLE, 6 AMP,480 VAC, "H" TRIP CHARACTERISTICS |
| 2 | ALLEN BRADLEY | 1492SP2D100 | CIRCUIT BREAKER, 2 POLE, 10 AMP, 480 VAC, H TRIP CURVE, DIN RAIL MOUNT |
| 2 | ALLEN BRADLEY | 1492SP2D300 | CIRCUIT BREAKER, 30 AMP H CURVE, TWO POLE, DIN MOUNT |
| 2 | ALLEN BRADLEY | 1492SP2D400 | CIRCUIT BREAKER H CURVE 40AMP TWO POLE |
| 1 | ALLEN BRADLEY | 100-C16DJ10 | CONTACTOR, IEC 3P 16A, W/N.O. AUX, 24VDC COIL W/DIODE |
| 1 | ALLEN BRADLEY | 1489-A3C020 | CIRCUIT BREAKER,3-POLE,2 AMPS |
| 1 | ALLEN BRADLEY | 1489-A1C020 | CIRCUIT BREAKER,1-POLE,2 AMPS |
| 1 | ALLEN BRADLEY | 1489-A3C150 | CIRCUIT BREAKER,3-POLE,15 AMPS |
| 1 | ALLEN BRADLEY | 1489-A1C200 | CIRCUIT BREAKER,1-POLE,20 AMPS |
| 1 | ALLEN BRADLEY | 1489-A1D015 | CIRCUIT BREAKER,1-POLE,1.5 AMPS |
| 1 | ALLEN BRADLEY | 700-CF400DJ | RELAY,CONTROL |
| 1 | ALLEN BRADLEY | 100-C09DJ10 | CONTACTOR,MOTOR |
| 1 | ALLEN BRADLEY | 193-ED1EB | OVERLOAD,MOTOR |

4990 Allen Bradley

| Qty | MFG | MFG Part # | Description |
|-----|----------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | ALLEN BRADLEY | 193-ED1CB | OVERLOAD,MOTOR |
| 2 | ALLEN BRADLEY | 1489-A1D200 | CIRCUIT BREAKER 20 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1492SP3D150 | CIRCUIT BREAKER, 15 AMP, H-CURVE, 480 VAC & 65 VDC |
| 2 | ALLEN BRADLEY | 1756-HSC | MODULE, HSC, 1 MHZ MAX. |
| 1 | ALLEN BRADLEY | 2094-PRS2 | RAILPOWER,230 OR 460 VOLT AC,2 AXIS,KINETIX 6000 SERO AMP SLIM |
| 1 | COX AUTOMATION | PE00009814 | MODULE,SCANNER,DEVICENET BRIDGE |
| 2 | ALLEN BRADLEY | 1756-HSC | MODULE, HSC, 1 MHZ MAX. |
| 1 | ALLEN BRADLEY | 855T-DM1BPM25C | POLE MOUNT BASE W/DEVICENET |
| 3 | ALLEN BRADLEY | MPL-B320P-SJ22AA | MOTOR,SERVO,AB7032054102 |
| 2 | COX AUTOMATION | PE00022558 | CONTACTOR,SAFETY,43 AMP,3 POLE,4 NC AUX CONTACTS,120 VAC COIL |
| 2 | ALLEN BRADLEY | MPL-B210V-VJ44AA | MOTOR,SERVO,460VAC |
| 2 | ALLEN BRADLEY | MPL-B1510V-VJ44AA SE | MOTOR,SERVO,8000 RPM MAX,460V |
| | | | Cable for pump |
| | | | |
| | ALLEN BRADLEY | | Cables |
| | ALLEN BRADLEY | | Cables |
| | | | |
| 3 | ALLEN BRADLEY | 1489-A1C030 | CIRCUIT BREAKER,1POLE,3AMPS |
| 1 | COX AUTOMATION | PE00022211 | RELAY, SAFETY, 6 N.O. 2 N.C., 24VDC COIL 6W (NO SURGE SUPPRESSION) |
| 3 | COX AUTOMATION | PE00022211 | RELAY, SAFETY, 6 N.O. 2 N.C., 24VDC COIL 6W (NO SURGE SUPPRESSION) |
| 2 | COX AUTOMATION | PE00018075 | FUSE,PLUG,5 X 20 MM, LED BLOWN FUSE INDICATION, 10-36 VAC/VDC WORKING VOLTAGE, FOR USE WITH 1492-L SERIES TERMINAL |
| 1 | ALLEN BRADLEY | 1769-L35E | AB COMPACTLOGIX PLC,CPU MODULE,1.5MB W/BUILTIN ETHERNET AND SERIAL PORTS |
| 2 | ALLEN BRADLEY | 1794-TB3G | CLAMP,TERMINAL BASE UNIT, 36 I/O / 2 COM / 2 V+ / 10 GROUND, SCREW,WIRE TERMINATION |
| 4 | ALLEN BRADLEY | 440K-T11206 | SWITCH,INTERLOCK SAFETY,TROJAN 5 SERIES STANDARD GUARD DOOR,2 NC & I NO, SEMI-FLEXIBLE GUIDE, QUICK DISCONNECT |
| 7 | COX AUTOMATION | PE00004839 | MODULE,DIGITAL OUTPUT,1794 SERIES,SOURCING,16 PT,24 VDC |
| 1 | COX AUTOMATION | PM00038436 | MOTOR, SERVO, 1.6 NM, 6000 RPM, MULTI, 460 V |
| 1 | COX AUTOMATION | PE00022112 | MOTOR,SERVO,MP SERIES, LOW INERTIA, 460 VAC, FRAME SIZE IEC 72-1 NUMBER 2, 5000 RPM, MULTI TURN HIGH RESOLUTION ENCODER (ABSOLUTE), DIN RIGHT ANGLE CO |
| 3 | COX AUTOMATION | PE00011607 | AB CONTROLLOGIX,REMOVABLE TERMINAL BLOCK, 36 PIN, SCREW CLAMP |
| 1 | ALLEN BRADLEY | 100S-C23DJ14BC | CONTROL RELAY |

4990 Allen Bradley

| Qty | MFG | MFG Part # | Description |
|-----|----------------|----------------|----------------------------------------------------------------------------------------------|
| 1 | ALLEN BRADLEY | 1790-T16BV0X | MODULE,INPUT,EXPANSION,16-POINT,RED,LDX,COMPACTBLOCK |
| 6 | COX AUTOMATION | PE00008349 | ADAPTER, DEVICENET, I-O FLEX |
| 2 | ALLEN BRADLEY | 1794-OV16P | OUTPUT MODULE, DEVICENET, 16 SINK DO |
| 4 | ALLEN BRADLEY | 1769-IF8 | 8-CHANNEL ANALOG INPUT MODULE FOR COMPACTLOGIX PLC,1769 SERIES |
| 8 | COX AUTOMATION | PE00004898 | MODULE,INPUT,FLEX I/O, 1794 SERIES |
| 1 | ALLEN BRADLEY | 1769-ARM | MODULE,ADDRESS RESERVE,1769 SERIES,60MA,1.38"WIDE |
| 2 | ALLEN BRADLEY | 1794-IV16 | MODULE 16X NPN FLEXIO INPUT |
| 2 | ALLEN BRADLEY | 1794-OB16P | OUTPUT MODULE,FLEX I/O,16PT DC SOURCING PROTECED |
| 1 | ALLEN BRADLEY | 1756-OF8 | MODULE,CONTROL LOGIX, ANALOG OUTPUT,8 PTS,20 PIN,CURRENT/VOLTALGE |
| 1 | ALLEN BRADLEY | 1606-XLS120E | POWER SUPPLY,24VDC,5A,DIN RAIL MT |
| 1 | ALLEN BRADLEY | 1606-XLSDNET8 | POWER SUPPLY,DEVICENET,24VDC,8 AMP,DEVICENET DIN RAIL MOUNT |
| 1 | COSEL | P100E-24-N | POWER SUPPLY,24VDC OUTPUT,120VAC INPUT |
| 1 | ALLEN BRADLEY | 2090-U3BB-DM12 | BREAKOUT I/O BOARD FOR SERCOS DRIVE |
| 1 | ALLEN BRADLEY | 1769-OF8V | MODULE,ANALOG OUTPUT,1769 SERIES,8 CHANNEL |
| 2 | COX AUTOMATION | PE00017131 | FILTER,LINE,3 PH. 500 VAC, 30 A |
| 2 | ALLEN BRADLEY | 1489-A1D050 | CIRCUIT BREAKER 5 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 1 | ALLEN BRADLEY | 1492-CB3H200 | CIRCUIT BREAKER, 3 POLE, 20 AMPS, H CURVE, DIN RAIL MOUNT, 480 VAC |
| 2 | ALLEN BRADLEY | 1498-A1D020 | CIRCUIT BREAKER,2 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1498-A1D150 | CIRCUIT BREAKER,15 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 2 | COX AUTOMATION | PE00020658 | CIRCUIT BREAKER,2 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1489-A1D080 | CIRCUIT BREAKER,8 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 1 | COX AUTOMATION | PE00022117 | CIRCUIT BREAKER,4 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 1 | COX AUTOMATION | PE00022149 | CIRCUIT BREAKER,15 AMP HIGH INDUCTIVE, 1 POLE, UL LISTED |
| 2 | COX AUTOMATION | PE00022381 | CIRCUIT BREAKER,20 AMP HIGH INDUCTIVE, 3 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1489-A3D150 | CIRCUIT BREAKER 15 AMP HIGH INDUCTIVE, 3 POLE, UL LISTED |
| 2 | ALLEN BRADLEY | 1492SP1D050 | CIRCUIT BREAKER 1 POLE 5A SLOW-BLOW |
| 2 | ALLEN BRADLEY | 1492SP3D300 | CIRCUIT BREAKER, 3 POLE, 30 AMPS, H TRIP CURVE |
| 2 | COX AUTOMATION | PE00019030 | BACKPLANE,DUAL,AS-I MASTER FOR CONTROLLOGIX PLC PLATFORMS |
| 2 | ALLEN BRADLEY | 140M-C2E-C10 | PROTECTOR,MOTOR,6.3 -10 AMP ADJUSTABLE RANGE, USED FOR MANUAL STARTER IN GROUP INSTALLATIONS |
| 4 | COX AUTOMATION | PE00009816 | MODULE,INPUT,1756 SERIES,10-31VDC, 32PT., SINKING |
| 2 | ALLEN BRADLEY | 22A-A1P4N113 | DRIVE,AC FREQUENCY, W/LINE FILTER, 1/4 HP, 1 PHASE, 200-240 VAC INPUT |
| 1 | ALLEN BRADLEY | 100S-C37D14C | RELAY,CONTROL |
| 1 | ALLEN BRADLEY | 100-C23DJ10 | CONTACTOR, 3 POLE, 23 AMP RATING, 24VDC COIL |

4990 Allen Bradley

| Qty | MFG | MFG Part # | Description |
|-----|----------------|--------------------|-------------------------------------------------------------------------------------|
| 3 | COX AUTOMATION | PE00026273 | MP-SERIES SERVO MOTOR FEEDBACK CABLE, NON-FLEX, 25 METER LENGTH, FLYING LEADS |
| 1 | ALLEN BRADLEY | 2090-XXNFMF-S40 | CABLE,SERVO,40M,FEEDBACK |
| 1 | ALLEN BRADLEY | 2090-XXNPMF-16S40 | CABLE,SERVO,40M,POWER |
| 1 | ALLEN BRADLEY | 2090-XXNPMP-16S40 | CABLE,SERVO,40M,POWER |
| 2 | FLEX CABLE | FC-XXFPMF-16S-E070 | CABLE,MP-SERIES SERVO MOTOR POWER ,HIGH-FLEX, 16 GAGE,7 METER LENGTH,FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-XXNFMP-S30 | CABLE,MP-SERIES SERVO MOTOR FEEDBACK,NON-FLEX, 30 METER LENGTH, FLYING LEADS |
| 2 | COX AUTOMATION | PE00022401 | CABLE,MP-SERIES SERVO MOTOR POWER,NON-FLEX, 16 GAGE, 30 METER LENGTH, FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-XXNPMP-16S20 | CABLE,MP-SERIES SERVO MOTOR POWER,NON-FLEX, 16 GAGE, 20 METER LENGTH, FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-XXNPMP-16S25 | CABLE,MP-SERIES SERVO MOTOR POWER,NON-FLEX, 16 GAGE, 25 METER LENGTH, FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-XXNPMP-16S30 | CABLE,MP-SERIES SERVO MOTOR POWER,NON-FLEX, 16 GAGE, 30 METER LENGTH, FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-SCEP7-0 | CABLE,7.0 M (22.7 FT) SERCOS FIBER OPTIC PLASTIC, ENCLOSURE ONLY |
| 2 | COX AUTOMATION | PE00022402 | CABLE,MP-SERIES SERVO MOTOR FEEDBACK,NON-FLEX, 30 METER LENGTH, FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-XXNFMP-S20 | CABLE,MP-SERIES SERVO MOTOR FEEDBACK,NON-FLEX, 20 METER LENGTH, FLYING LEADS |
| 2 | ALLEN BRADLEY | 2090-XXNFMP-S25 | CABLE,MP-SERIES SERVO MOTOR FEEDBACK,NON-FLEX, 25 METER LENGTH, FLYING LEADS |
| 3 | FLEX CABLE | FC-XXFPMF-16S-M040 | CABLE,MOTOR,40M,FLEXIBLE |
| 9 | FLEX CABLE | FC-XXFPMF-16S-M030 | CABLE,MOTOR,30M,FLEXIBLE |
| 2 | FLEX CABLE | FC-UXFFBMF-S-M040 | CABLE,FEEDBACK,40M,FLEXIBLE |
| 1 | FLEX CABLE | FC-UXFBMP-18S-M040 | CABLE,BRAKE,40M,FLEXIBLE |
| 2 | FLEX CABLE | FC-UXFFBMF-S-M030 | CABLE,FEEDBACK,30M,FLEXIBLE |
| 1 | FLEX CABLE | FC-UXFFBMP-S-M040 | CABLE,FEEDBACK,40M,FLEXIBLE |
| 2 | FLEX CABLE | FC-XXFPMP-16S-M030 | CABLE,MOTOR,30M,FLEXIBLE |
| 2 | FLEX CABLE | FC-XXFPMP-16S-M040 | CABLE,MOTOR,40M,FLEXIBLE |
| 1 | ALLEN BRADLEY | 2090-XXNPMF-16S25 | MP-SERIES SERVO MOTOR POWER CABLE, NON-FLEX, 16 GAGE, 25 METER LENGTH, FLYING LEADS |
| 2 | FLEX CABLE | FC-XXFFMP-S-M040 | CABLE,SERVO,40M,FEEDBACK |
| 1 | FLEX CABLE | FC-XXFFMF-S-M25 | CABLE,SERVO,25M,FEEDBACK |

4990 Allen Bradley

| <u>Qty</u> | <u>MFG</u> | <u>MFG Part #</u> | <u>Description</u> |
|------------|---------------|-------------------|---------------------------------------------------------------------------------|
| 1 | FLEX CABLE | FC-XXFPMF-16S-M25 | CABLE,SERVO,25M,POWER |
| 1 | FLEX CABLE | FC-XXFEFMP-S-M03 | CABLE,SERVO,3M,FEEDBACK |
| 1 | FLEX CABLE | FC-XXFPMF-16S-M20 | CABLE,SERVO,20M,POWER |
| 4 | ALLEN BRADLEY | 2090-XXNFMP-S07 | CABLE,MP-SERIES SERVO MOTOR FEEDBACK,NON-FLEX, 7 METER LENGTH,FLYING LEADS |
| 3 | ALLEN BRADLEY | 2090-XXNPMF-16S07 | CABLE,MP-SERIES SERVO MOTOR POWER,NON-FLEX, 16 GAGE,7 METER LENGTH,FLYING LEADS |
| 4 | ALLEN BRADLEY | 2090-XXNFMF-S07 | CABLE,MP-SERIES SERVO MOTOR FEEDBACK,NON-FLEX, 7 METER LENGTH,FLYING LEADS |
| 2 | ALLEN BRADLEY | 889D-F8AB-5 | CABLE,SAFETY,8-PIN,5M,RED |
| 2 | ALLEN BRADLEY | 889N-F5AFC-20F | CABLE,QUICK DISCONNECT,FOR LIMIT SWITCH |