

GLOBAL ONLINE AUCTION

3 COMPLETE PACKAGING LINES AVAILABLE



Global Online Auction of Quality and Late Model Pharmaceutical Packaging and Processing Equipment, Formerly of Impax Laboratories.

Starting: Feb. 15th, 2016 (7am EST) | **Ending:** Feb. 17th, 2016 (12pm EST)



HERITAGE
GLOBAL PARTNERS
ASSET ADVISORY & AUCTION SERVICES

For more information including a photo gallery,
equipment list, and more, please visit

www.hgpauction.com

Items subject to prior sale. Buyers are advised &
encouraged to inspect equipment and read
all Terms and Conditions prior to auction.

FORMERLY OF IMPAX LABORATORIES, A GLOBAL PHARMACEUTICAL LEADER

QUALITY AND LATE MODEL PHARMACEUTICAL PACKAGING AND PROCESSING EQUIPMENT

3 COMPLETE PACKAGING LINES

PACKAGING LINE A



CVC CVC1204 STAINLESS STEEL 6 SPINDLE CAPPER, S/N 312454, WITH LARGE CAPACITY FLOOR LEVEL STAINLESS STEEL CAP HOPPER AND APPROX. 79" H CAP CONVEYOR FEEDER. CAN ACCOMMODATE BOTH ROUND AND IRREGULAR BOTTLES AND CONTAINERS WITH HEIGHTS BETWEEN 60 AND 250 MM, AND DIAMETERS BETWEEN 22 AND 120 MM, AND CAP DIAMETER: 22 TO 66 MM. SPEEDS TO 120 BOTTLES/MIN



KAPS-ALL AU-3C STAINLESS STEEL AUTOMATIC BOTTLE UNSCRAMBLER, S/N 6730 WITH ELEVATOR/HOPPER ASSEMBLY, 30 CU FT HOPPER, 36" PRE-FEEDER BOWL, IONIZED AIR CLEANER WITH VACUUM, AND INTEGRATED CONTROL PANEL, 30CC TO 750CC BOTTLE CAP



GARVENS E3 CHECKWEIGHER, S/N 332739 WITH INFEEED SIDE TRANSFER BELTS FOR STABLE TRANSFER OF BOTTLES OR TALL UNSTABLE PRODUCT, SIDE BELTS ARE 2 INCHES WIDE X 27 INCHES LONG, OUTFEED SIDE TRANSFER BELTS FOR STABLE TRANSFER FROM WEIGH BELT TO DOWNSTREAM SYSTEM, WEIGHS PRODUCT UP TO 300 GRAMS



BARRY-WEHMILLER/ZEPF SPH2000 PACKAGING AND SHRINK WRAP SYSTEM WITH HEAT TUNNEL



KING SC4 AUTOMATED SLAT COUNTER/FILLER, S/N 202803, WITH CONTROL PANEL, STAINLESS STEEL, RATED UP TO 60 BOTTLE/MINUTE OF A 100 COUNT FILL, SLAT COMES WITH A 133" L X 4" W BELT CONVEYOR



AUTOMATE AM-250 AUTOMATIC AIR-COOLED INDUCTION FOIL CAP SEALER



KAPS-ALL FS-S-36 STAINLESS STEEL ACCUMULATION 36" DIAMETER CONVEYOR TABLE



SLAUGHTER BACK AT15 PORTABLE HOT MELT GLUE SYSTEM

GLOBAL ONLINE AUCTION : FEB. 15TH, 7AM - FEB. 17TH, 12PM EST

PREVIEW: PREVIEWS BY APPOINTMENT ONLY - CONTACT AUCTIONEER FOR FURTHER INFORMATION

PACKAGING LINE 5



NJM/CLI UNI300VA PRESSURE SENSITIVE DIGITAL PRINT/APPLY/INSPECT SYSTEM W/OPTEL VISION SYSTEM, VIDEOJET THERMAL TRANSFER AND UV DETECTOR, S/N 23971-01, SETUP RATED FOR 90 BOTTLES A MIN



KING SC4 AUTOMATED SLAT COUNTER/FILLER, S/N 202801, WITH CONTROL PANEL, STAINLESS STEEL, RATED UP TO 60 BOTTLE/MINUTE OF A 100 COUNT FILL, SLAT COMES WITH A 133"L X 4"W BELT CONVEYOR



KING SC4 AUTOMATED SLAT COUNTER/FILLER, S/N 202801, WITH CONTROL PANEL, STAINLESS STEEL, RATED UP TO 60 BOTTLE/MINUTE OF A 100 COUNT FILL, SLAT COMES WITH A 133"L X 4"W BELT CONVEYOR



KAPS-ALL AU-3C STAINLESS STEEL AUTOMATIC BOTTLE UNSCRAMBLER, S/N 6392 WITH ELEVATOR/HOPPER ASSEMBLY, 30 CU FT HOPPER, 36" PRE-FEEDER BOWL, IONIZED AIR CLEANER WITH VACUUM, AND INTEGRATED CONTROL PANEL, 30CC TO 750CC BOTTLE CAPABILITY



GARVENS E3 CHECKWEIGHTER WITH AUTO REJECTER WITH INFEEED SIDE TRANSFER BELTS FOR STABLE TRANSFER OF BOTTLES OR TALL UNSTABLE PRODUCT, SIDE BELTS ARE 2 INCHES WIDE X 27 INCHES LONG, OUTFEED SIDE TRANSFER BELTS FOR STABLE TRANSFER FROM WEIGH BELT TO DOWNSTREAM SYSTEM, WEIGHS PRODUCT UP TO 300 GRAMS



KAPS-ALL E4 PORTABLE SPINDLE CAPPER. MACHINE HAS 4-ROTARY SPINDLES FOR SPEEDS UP TO 80 CONTAINERS PER MINUTE



AUTOMATE AM-250 AUTOMATIC AIR-COOLED INDUCTION FOIL CAP SEALER, CAN RUN UP TO APPROXIMATELY 100 BOTTLES PER MINUTE



AUTOMATE AM-250 AUTOMATIC AIR-COOLED INDUCTION FOIL CAP SEALER, CAN RUN UP TO APPROXIMATELY 100 BOTTLES PER MINUTE



KING STAINLESS STEEL ACCUMULATION 36"TABLE

FORMERLY OF IMPAX LABORATORIES, A GLOBAL PHARMACEUTICAL LEADER

QUALITY AND LATE MODEL PHARMACEUTICAL PACKAGING AND PROCESSING EQUIPMENT

PACKAGING LINE B



KING SC4 AUTOMATED SLAT COUNTER/FILLER, S/N 75, WITH CONTROL PANEL, STAINLESS STEEL, RATED UP TO 60 BOTTLE/MINUTE OF A 100 COUNT FILL, SLAT COMES WITH A 133" L X 4" W BELT CONVEYOR



METTLER-TOLEDO XE3 HIGH SPEED CHECKWEIGHER, CHECK WEIGHING RANGE UP TO 6000G, THROUGHPUT (PCS./MINUTE) MAX. 200 WITH AUTO REJECT



KAPS-ALL AU-3C STAINLESS STEEL AUTOMATIC BOTTLE UNSCRAMBLER, S/N 6391 WITH ELEVATOR/HOPPER ASSEMBLY, 30 CU FT HOPPER, 36" PRE-FEEDER BOWL, IONIZED AIR CLEANER WITH VACUUM, AND INTEGRATED CONTROL PANEL, 30CC TO 750CC BOTTLE CAP.



NJM/CLI UNI300VA-S023 ANALOG PRESSURE SENSITIVE PRINT/APPLY/INSPECT SYSTEM W/OPTEL VISION SYSTEM, VIDEOJET THERMAL TRANSFER AND UV DETECTOR, S/N 20120-1, RATED FOR 90 BOTTLES A MIN, (SETUP FOR ROUND BOTTLES ONLY)



KAPS-ALL E4 PORTABLE SPINDLE CAPPER. MACHINE HAS 4-ROTARY SPINDLES FOR SPEEDS UP TO 80 CONTAINERS PER MINUTE (DEPENDING ON CONTAINER AND CAP SIZE). HAS A SIZE RANGE VARYING FROM VIALS UP TO 2-1/2 GALLON CONTAINERS. HAND CRANK SIZE ADJUSTMENTS. TOP-MOUNTED SORTING BOWL, S/N 4337 WITH VERTICAL CAP FEEDER CONVEYOR AND TOP-MOUNTED SORTING BOWL



AUTOMATE AM-250 AUTOMATIC AIR-COOLED INDUCTION FOIL CAP SEALER



KING U36 STAINLESS STEEL AIR-CUMULATION 36" TABLE



SLAUGHTER BACK KB20H HOT MELT GLUE SYSTEM, WITH TEMPERATURE CONTROLLER

GLOBAL ONLINE AUCTION : FEB. 15TH, 7AM - FEB. 17TH, 12PM EST
PREVIEW: PREVIEWS BY APPOINTMENT ONLY - CONTACT AUCTIONEER FOR FURTHER INFORMATION



VIDEOJET 1520 CONTINUOUS INK JET PRINTER (NEVER USED), MAX LINES OF PRINT 5, MAX LINE SPEED 279 M/MIN (914 FT./MIN) S/N 1230678C22ZH WITH 37" L X 2-1/2" W CONTROL PRINT CONVEYOR SIDE BELT TRANSFER MODEL M400TRANS, S/N 209495. RATED 50 TO 250 CONTAINERS PER MINUTE, 1" TO 7"



GLATT GCX-1000 40" COATING PAN S/N 101 473 WITH MARLO AIR HANDLER UNIT AND ANCILLARY EQUIPMENT, STEAM GENERATOR MDL LB-30 S/N 36077



BARRY-WEHMILLER/ZEPF SPH2000 PACKAGING AND SHRINK WRAP SYSTEM WITH HEAT TUNNEL



AUTOMATE AM-20 INDUCTION CAP SEALER, S/N A5504, SMART SEAL CONTROL PAD, APPROX. 3 INCH WIDE BY 21 INCH LONG SEALING HEAD, ADJUSTABLE HEAD HEIGHT: 27 INCHES TO 39 INCHES FLOOR TO SEALING HEAD CLEARANCE, SEALS ALL CAP MATERIALS INCLUDING PLASTIC AND METAL, 220 VOLT



MFT 250IP FRICTION FEEDER, MINIMUM PRODUCT SIZE 25MM(W) X 38MM(L), MAX PRODUCT WIDTH 200MM(W), MINIMUM PRODUCT THICKNESS 0.05MM, MAX PRODUCT THICKNESS 25MM, MAX BELT SPEED 200,000 MM/MIN [656 FEET/MIN] WITH CONVEYOR AND NORDSON PROBLUE 4 ADHESIVE MELTER

CONTACT

Nick Dove

Tel: (858) 847.0659 Email: ndove@hgpauction.com

AUCTIONEER'S NOTE

HGP is pleased to be selected to conduct this Global Online Auction for:

Impax Laboratories

ABOUT THE SALE

This sale features Quality and Late Model Pharmaceutical Packaging and Processing Equipment, Formerly of Impax Laboratories, a Global Pharmaceutical Leader. Philadelphia, PA.

Please view our website at www.hgpauction.com for the bidding instructions and the full terms of the sale. Thank you for your interest, and we look forward to providing you quality equipment sales and World Class Service.

KEY ASSETS

Unscramblers • Cappers • Chackweighers with Auto Rejects • Labeler w/ Optel Vision System • Heat Indudor wilh upstream foll detector • Gluers • Conveyors • Tablet Counter • Fillers • (3) Little David Tapers • MGS Machine Label Rewinder • (4) Rotary Tables • Bottle Blower • Quadrel Labeler • Shrink Wrappers • Palace Desciccant • Scales • (2) Torrit Dust Collectors • And More



Scan this QR Code with your smartphone for More Information.

Contact Information

Nick Dove, Tel: (858) 847.0659
Email: ndove@hgpauction.com

A BUYER'S PREMIUM WILL APPLY AT THIS SALE

For more information including a photo gallery, equipment list, and more, please visit us online at www.hgpauction.com. Items subject to prior sale. Buyers are advised & encouraged to inspect equipment and read all Terms and Conditions prior to auction.



Formerly of Impax Laboratories, A Global Pharmaceutical Leader

Global Online Auction of Quality and Late Model Pharmaceutical Packaging and Processing Equipment - Philadelphia, PA

GLOBAL ONLINE AUCTION

Starting: February 15, 2016 – 7:00 am EST
Ending: February 17, 2016 – 12:00 pm EST

AUCTION LOCATION

3735 Castor Ave., Philadelphia, PA 19124

AUCTION PREVIEW

By Appointment Only. Contact Auctioneer Above.
Auction Removal: Feb. 22nd, 8:00am EST - Feb. 25th, 5:00pm EST. All Items must be removed. NO EXCEPTIONS.

For more information including a photo gallery, equipment list, and more, please visit us online at www.hgpauction.com
Items subject to prior sale. Buyers are advised & encouraged to inspect equipment and read all Terms and Conditions prior to auction.

WOULD YOU LIKE TO SELL AN ASSET?

Simply call 1.650.207.0627 and speak with Kirk Dove, Managing Partner for more information. We will be glad to listen to your specific needs and from that HGP can prepare a detailed solution for your review that will maximize the returns for you're assets for the company and It's Shareholders.

GLOBAL HEADQUARTERS

Hacienda Del Mar
12625 High Bluff Drive
San Diego, CA 92130
Phone: (877) 303.8040
Fax: (866) 388.8595

FIRST CLASS MAIL

POSTMASTER: Dated Material.
Please Deliver Promptly.

Presorted First Class Mail
U.S. Postage
PAID
San Diago, CA
Permit No. 00

Starting: February 15, 2015 – 7:00 am EST
Ending: February 17, 2015 – 12:00 pm EST
Location: 3735 Castor Ave., Philadelphia, PA

For complete Terms of Sale, visit our website at:

www.hgpauction.com

AFFILIATIONS

