Inventory Num.	Description
2241219	Rectifier Power Supply. Controlled Power Co. RXPO Series 50 E-Coat Rectifier Power Supply,AC Input: 480v, 3-Ph, 60Hz, 49KVA, DC Output: 400V, 100 Amps, 5% Ripple, (25-100%Output). Circuit Voltage: 115V. Including Controlled Power Co. 6-Anode, 2-Position Switch Box Controller. SN# E-10-11194-96-1.
2241220	Rectifier Power Supply. Controlled Power Co. E-Coat Rectifier Power Supply, AC Input: 480v,3-Ph, 60Hz, 49KVA, DC Output: 400V, 100 Amps, 5% Ripple, (25-100% Output). Circuit Voltage: 115V. SN# E-10-11194-96-1.
2241225	Heat Exchanger. SuperChanger S3-HP-42 Heat Exchanger, MAWP: 115 psi @ 225F, MDMT: 20F @ 115 psi. SN# SC 17208. Asset# KC-10111-21.
2241226	Heat Exchanger. SuperChanger S3-HP-42 Heat Exchanger, MAWP: 115 psi @ 225F, MDMT: 20F @ 115 psi. Asset# KC-10111-19.
2241227	Heat Exchanger. SuperChanger S3-Hj-22 Heat Exchanger, MAWP: 75 psi @ 225F, MDMT: 20F @ 75 psi. SN# SC 17207. Asset# KC-10111-15.
2241228	Heat Exchanger. SuperChanger S3-HP-32 Heat Exchanger, MAWP: 75 psi @ 225F, MDMT: 20F @ 75 psi. SN# SC 17205. Asset# KC-10111-12.
2241229	Heat Exchanger. SuperChanger S3-HJ-20 Heat Exchanger, MAWP: 100 psi @ 225F, MDMT: 20F @ 100 psi. SN# SC 17210. Asset# KC-10111-6.
2241230	Heat Exchanger. SuperChanger UX-0660UJ-31 Heat Exchanger, MAWP: 115 psi @ 225F, MDMT: 20F @ 115 psi. SN# SC 17202. Asset# KC-10111-2.
2241231	Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Asset# KC-10111-10.
2241232	Column Filtration Vessel. Rosedale Products Inc. Triple Filter Column Filtration Vessel, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Asset# KC-10111-13.
2241233	Column Filtration Vessel. Rosedale Products Inc. Triple Filter Column Filtration Vessel, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi.
2241234	Column Filter System. Rosedale Products Inc. Single Column FilterVessel, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. SN# RD-1019.
2241235	Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi.
2241236	Package Filtration System. Ebbco Inc. Package Filtration System.
2241237	Package Filtration System. Ebbco Inc. Package Filtration System.
2241238	15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Asset# KC-11326.
2241239	20-HP Fluids Pump. Gusher Pumps Inc. 20-HP Fluids Pump, 1725 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-5.
2241240	15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-8.
2241241	20-HP Fluids Pump. Gusher Pumps Inc. 20-HP Fluids Pump, 1775 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-11.

Noverhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi . Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset WKC-1007 ms. Ruh Stafety Guard Fencing. Asset WKC-1007 ms.		<u> </u>
2241243 Asset# KC-10111-17. 20-HP Fluids Pump, Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-18. 20-HP Fluids Pump, Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-12. 210-HP Fluids Pump, Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241245 Asset# KC-10111-24. 2241246 Asset# KC-10111-24. 2241247 15-HP Fluids Pump, Gusher Pumps Inc. 15-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven. With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Tone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Tune Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qry1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qry1) Twin City 50-HP, 1800 rpm, 20,000 CFM, (Qry1) Twin City		-HP Fluids Pump. Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz.
2241243 Asset# KC-10111-17. 20-HP Fluids Pump, Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-18. 10-HP Fluids Pump, Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-22. 7.5-HP Fluids Pump, Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241246 Asset# KC-10111-24. 2241247 15-HP Fluids Pump, Gusher Pumps Inc. 15-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. 2241249 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing, Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (City1) Twin City 50-HP, 1800 rpm, 4200 CFM, (City2) Twin City 50-HP, 1800 rpm, 4200 CFM, (City2) Twin City 50-HP, 1800 rpm, 4200 CFM, (City2) Twin City 50-HP, 1800 rpm, 420 CFM, City2) Twin City 50-HP, 1800 rpm, 420 CFM, City2) Twin City 50-HP, 1800 rpm, 52-MP, 52-M	2241242 Ass	set# KC-10111-14.
2241243 Asset# KC-10111-17. 20-HP Fluids Pump, Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-18. 10-HP Fluids Pump, Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-22. 7.5-HP Fluids Pump, Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241246 Asset# KC-10111-24. 2241247 15-HP Fluids Pump, Gusher Pumps Inc. 15-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. 2241249 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing, Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (City1) Twin City 50-HP, 1800 rpm, 4200 CFM, (City2) Twin City 50-HP, 1800 rpm, 4200 CFM, (City2) Twin City 50-HP, 1800 rpm, 4200 CFM, (City2) Twin City 50-HP, 1800 rpm, 420 CFM, City2) Twin City 50-HP, 1800 rpm, 420 CFM, City2) Twin City 50-HP, 1800 rpm, 52-MP, 52-M		
20-HP Fluids Pump. Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-18. 10-HP Fluids Pump. Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-22. 7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241246 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 3.0 Mm BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 3.0 Mm BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 3.0 Mm BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 3.0 Mm BTU/Hr. Zone-3 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 3.14 690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-2054C Video Camera & 5'x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Sporth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' f	10-	-HP Fluids Pump. Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz.
2241244 Asset# KC-10111-18. 2041245 Asset# KC-10111-22. 2241246 Asset# KC-10111-22. 2241246 Asset# KC-10111-24. 2241247 7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241247 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing, Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Full Inlet Pres: Natural Gas 10 PSI, With Clty11 Twin City So-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4250 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hz. SN# 1314-691-5-C &	2241243 Ass	set# KC-10111-17.
2241244 Asset# KC-10111-18. 2041245 Asset# KC-10111-22. 2241246 Asset# KC-10111-22. 2241246 Asset# KC-10111-24. 2241247 7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241247 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing, Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Full Inlet Pres: Natural Gas 10 PSI, With Clty11 Twin City So-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4250 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hz. SN# 1314-691-5-C &		
10-HP Fluids Pump. Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-22. 7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241246 Asset# KC-10111-24. 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-2054C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14" ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 3' x 12" ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 1ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Double Doorways, (Qty30)	20-	-HP Fluids Pump. Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz.
Asset# KC-10111-22. 7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241247 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. RKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50- HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max	2241244 Ass	set# KC-10111-18.
Asset# KC-10111-22. 7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. Asset# KC-10111-24. 2241247 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. RKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50- HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max		
7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz. 2241247		
2241247 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hz. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tail. To Include: Approx. (Qty5) 4' x 14' Wall Panels, Approx. (Qty73) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inter Pres: Natural Gas 1	2241245 Ass	set# KC-10111-22.
2241247 15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 Psi, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60h2. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tail. To Include: Approx. (Qty5) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Dryi		
15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM & (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM & (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM & (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Vicin Linet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 40-HP, 1800 rpm, 22		
Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) S-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Vision Identification System. Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm. 22,000 CFM, (Qty1) Twin City 25-HP, 180	2241246 Ass	Set# KC-10111-24.
Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) S-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Vision Identification System. Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm. 22,000 CFM, (Qty1) Twin City 25-HP, 180		
2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas	2241247 15-	-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz.
2241248 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Oty1) Twin City 50- HP, 1800 rpm, 22,000 CFM. (Qty1) Twin City 50-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. D	Tw	vin Column Filter System Rosedale Products Inc. Twin Column Filter System Vessel
Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-690-5-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-2054C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm. 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
2241249 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,	2241240	essure. 150 psi @ 4001, Temp20, Fressure. 150 psi.
2241249 Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,	Tw	vin Column Filter System Rosedale Products Inc. Twin Column Filter System Vessel:
Overhead Conveyor System. TKF Conveyors Overhead Chain Drive Conveyor System. To Include Approx. 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24,000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
2258877 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50- HP, 1800 rpm, 24000 CFM & (Qty2) 5- HP, 1800 rpm, 4425 CFM & (QTY1) 3- HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty2) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-691-2-C. Asset# KC-10129,	2211213	255 arc. 156 ps. @ 1661, 1611p. 26, 11655arc. 156 ps.
2258877 2,600 ft. With Overhead Safety Guard Fencing. Asset# KC-10079 & KC-10080. E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50- HP, 1800 rpm, 24000 CFM & (Qty2) 5- HP, 1800 rpm, 4425 CFM & (QTY1) 3- HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty2) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-691-2-C. Asset# KC-10129,	Ov	verhead Conveyor System, TKF Conveyors, Overhead Chain Drive Conveyor System, To Include Approx.
E-Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		i i i i i i i i i i i i i i i i i i i
Coat Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		, · · · · ·
Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,	E-C	Coat Drying Oven. DURR Industries Inc. Drawing # E636000 (Type: CIBXK & RDB Zon) 2-Zone Powder E-
Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50- HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 50- HP, 1800 rpm, 24000 CFM & (Qty2) 5- HP, 1800 rpm, 4425 CFM & (QTY1) 3- HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. 2241217 Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,	Coa	at Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.
50-HP, 1800 rpm, 24000 CFM & (Qty2) 5-HP, 1800 rpm, 4425 CFM & (QTY1) 3-HP, 1800 rpm, 1200 CFM Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-691-2-C. Asset# KC-10129,	Ou	tput: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr.
Blower Fans. Each Zone Includes. Power Distribution Control Panel. 480v, 3-pH, 60hZ. SN# 1314-691-5-C & 1314-6905-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		· · · · · · · · · · · · · · · · · · ·
& 1314-6905-R. Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		· · ·
Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		1314-6905-R .
2245675 Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & 5' x 5' Pass-By Light Board. Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
Asset# KC-12279. Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Paint Spray Booth, Approx. Dims: 48' x 72' x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		· · · · · · · · · · · · · · · · · · ·
x 14' ft. Tall. To Include: Approx. (Qty50) 4' x 14' Wall Panels, Approx. (Qty72) 3' x 12' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
(Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways, (Qty3) 4' x 4' ft Windows & Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
Fluorescent Lighting. Currently Configured For (2) Nordson Powder Coat Sprayers. Back Wall is Assigned To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
To Clear Coat Booth. 2258867 Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		• • • • • • • • • • • • • • • • • • • •
Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
Drying Oven. DURR Industries Inc. Drawing # E635000/E638000 2-Zone Frame Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		Gical Code Bootin
Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max.Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		ving Oven. DURR Industries Inc. Drawing # E635000/F638000 2-7one Frame Powder Drving Oven With
Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,	·	, -
Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		
Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10129,		· · · · · · · · · · · · · · · · · · ·
NC-10130.	KC-	-10130.
2241203	2241203	

Inventory Num.	Description
2245676	Powder Coat Spray Booth. Nordson Excel 2002L Electrostatic Clear Powder Coating SprayBooth System With Nordson Smart Coat Controller System Cabinet & Sure Coat Central Control Unit, Allen Bradley Model 1500P Touch Screen Controller, (Qty14) Adjustable Position Spray Heads, UV Fire Detection System With (Qty2) Detectors, (Qty3) AZO Ingredient Automation Model E-240-B1 Powder Supply Feed Pumps. (Qty2) Danfoss Variable Speed Drives. Min. Air Flow: 5700. 460V, 3-Ph, 60Hz. Booth is On Wheels. SN# 81-097-106. Asset# KC- 10147.
2243070	Powder Coat Spray Booth. DURR Industries Inc. Powder Clear Coat Spray Booth With (2) Prep Zones, Approx. Dims: 30' x 72' x 14' ft. Tall. To Include: Approx. (Qty34) 4' x 14' Wall Panels, Approx. (Qty24) 3' x 12' ft, (Qty12) 3' x 7' ft. & (Qty12) 3' x 5' ft Ceiling Panels, (Qty3) Standard Double Doorways, (Qty3) Standard Single Doorways & (Qty3) 4' x 4' ft Windows & Lighting. Includes: Paint Supply Storage Room.
2258868	
	Drying Oven. DURR Industries Inc. Drawing # E635000 2-Zone Clearcoat Powder Drying Oven With Direct Fired Heater Box, Zone-1 Burner Type: Eclipse 200 RM-FA, Burner Max. Output: 2.0 MM BTU/Hr. Zone-2 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 40-HP, 1800 rpm, 22,000 CFM, (Qty1) Twin City 25-HP, 1800 rpm Blower Fans, & (Qty2) 5-HP, 1800 rpm Blower Fans. SN# 1314-693-1-R, 1314-691-2-C. Asset# KC-10127, KC-10128.
2241204	
2245680	Vision Identification System. Interactive Design Inc. Vision Identification System With 13" x 10" in. Touch Screen Controller, Point Grey Research Model FL2-20S4C Video Camera & Approx. 5' x 6' Pass-By Light Board. Asset# KC-12269.
2258870	Floor Track & Trolley Conveyor System. TKF Conveyors Floor Track & Trolley Conveyor System. To Include Approx. (Qty 330) Vertical Parts Holding Trolley Carriers. With Approx. 1,329' ft. of Trolley Track With System Controls Panel. Asset# KC-10131.
2258869	Powder Coat Spray Booth. DURR Industries Inc. Powder Coat Spray Booth, Approx. Dims: 25' x 17' x 10' ft Tall. To Include: (Qty16) 4' x 10' ft Tall Wall Panels, (Qty7) 3' x 12' & (Qty14) 3' x 6' ft Ceiling Panels. (Qty1) Standard Double Doorway. Front & Side Panels Only, 14' ft Tall Backwall Panels Assigned to Powder Coat Paint Booth.
2258800	15-HP Fluids Pump. 15-HP Fluids Pump With Gusher Pump Booster, 1750 rpm, 460V, 3-Ph, 60Hz.
2258801	Pneumatic Diaphragm Pump. Graco Husky 1500 Pneumatic Diaphragm Pump.
2258802	Pneumatic Diaphragm Pump. Yamada America Inc. NDP-40BST (SCS 14) Pneumatic Diaphragm Pump.
2258804	Diaphragm & Dosing Pumps. (Lot of 5) Diaphragm & Dosing Pumps To Include: (Qty2) Graco Husky-515 Air Diaphragm & (Qty3) Pulsatron Model LPD35A Metering Dosing Pumps.
2258805	Dosing-Metering Pumps. Pulsatron LPD35A (Lot of 7) Metering Dosing Pumps.
2258810	8,000 Gallon Holding Tank. Edwards Fiberglass Inc. 8,000 Gallon Capacity Holding Tank. (E-Coat Storage). SN# 42488. Asset# KC-21.
2258811	DI Water Storage Tank. Pentair Water- Evoqua Vantage DI Water Storage Tank, Tank Size: 36" x 72" in., Tank Capacity 264-Gallons, Max Pressure: 150 psi, Max Temp: 120F. SN# 18214007.
2258812	Drum Mixing Pump. (Lot of 2) Pumps To Include (1ea) Drum Top Pneumatic Mixing Pump & Graco Husky 515 Diaphragm Pump.
2258813	Pneumatic Piston Pump. Ingersoll Rand ARO 650313-4 Pneumatic Piston Pump.
2258814	20-HP Fluids Pump. Gusher Pumps Inc. 20-HP Fluids Pump, 1765 rpm, 460V, 3-Ph, 60Hz.

Inventory Num.	Description
2258815	15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz.
2258816	15-HP Fluids Pump. Gusher Pumps Inc. 15-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz.
2258817	2-HP Fluids Pump. Gusher Pumps Inc. 2-HP Fluids Pump, 1750 rpm, 460V, 3-Ph, 60Hz.
2258818	Fluid Pumps. Gusher Pumps Inc. (Lot of 2) 1-HP Fluid Pumps, 1750 rpm, 460V, 3-Ph, 60Hz.
2258819	Heat Exchanger. SuperChanger UX-066-UJ-56 Heat Exchanger, MAWP: 75 psi @ 225F, MDMT: 20F @ 115 psi, . SN# SC 17212.
2258822	Hydraulic Lift Table. Advance Lifts PVWDH 1500 LB. Capacity Hydraulic Lift Table, Table Size: 4' x 5' ft x (Approx.) 8' ft. Height Reach.
2258826	Pneumatic Diaphragm Pump. Yamada America Inc. NDP-40BST (SCS 14) Pneumatic Diaphragm Pump. Asset# KC-10114-26.
2258827	Column Filter System. Rosedale Products Inc. Single Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. SN# RD-4018.
2258828	Column Filter System. Rosedale Products Inc. Single Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. SN# RD-4018.
2258829	Twin Column Filter System. Rosedale Products Inc. Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. SN# RD-4014.
2258830	Twin Column Filter Systems. Rosedale Products Inc. (Lot of 2) Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi.
2258831	Twin Column Filter Systems. Rosedale Products Inc. (Lot of 3) Twin Column Filter System, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi. SN# RD-4013, RD-4012.
2258832	SS U.F. Wash & Rinse Station. Stainless Steel E-Coat U.F. Wash & Rinse Station With 3-HP Gusher Pump & U.F. Cleaner Recirculation System. Asset# KC-10114-6, KC-10114-7.
2258833	Column Filtration Vessel. Rosedale Products Inc. Triple Filter Column Filtration Vessel, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi.
2258834	Column Filtration Vessel. Rosedale Products Inc. Triple Filter Column Filtration Vessel, Vessel: Pressure: 150 psi @ 400F, Temp: -20, Pressure: 150 psi.
2258835	7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz.
2258836	10-HP Fluids Pump. Gusher Pumps Inc. 10-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz.
2258837	7.5-HP Fluids Pump. Gusher Pumps Inc. 7.5-HP Fluids Pump, 1770 rpm, 460V, 3-Ph, 60Hz.
2258838	5-HP Blower Fan. Twin City Blower Co. 5-HP Blower Fan, 1800 rpm, 10,600 CFM, 460v, 3-Ph, 60Hz. Asset# KC-10111-31.
2258839	Blower Fan. Twin City Fan & Blower Co. 3-HP Blower Fan, 1800 rpm, 6000 CFM. Asset# KC-10114-17.
2258840	Blower Fan. Twin City Fan & Blower Co. 3-HP Blower Fan, 1800 rpm, 5400 CFM. Asset# KC-10111-30.

Inventory Num.	Description
2258841	Blower Fan. Twin City Fan & Blower Co. 2-HP Blower Fan, 1800 rpm, 2700 CFM. Asset# KC- 10114-18.
2241216	Phosphate Frame Dry Off Oven. DURR Industries Inc. Drawing # E637000 Phosphate Frame Type CIBXF Dry Off Oven, Burner Type Eclipse 300 RM FA, Burner Max Output: 2.5 MM BTU/hr., Power Distribution Panel With Allen Bradley Panel View Plus Touch Screen Controller, Fuel Inlet Pres: Natural Gas: 10 psi. With (Qty1) Twin City Blower Co. 40-HP, 1800 rpm, 22,000 CFM Blower Fan, (Qty2) Twin City Co. 5-HP, 1800 rpm, 4500 CFM & (Qty1) Twin City Co. 3-HP, 1800 rpm, Blower Fans. 480V, 3-Ph, 60Hz.DOM: 2-97. SN# 1314-691-6-C. Asset# KC-10118.
	Paint Spray Booth. DURR Industries, Inc. High Performance Paint Spray Booth With Approx. 10' x 25' d x 11' Tall Manual 4-Station Sand Prep. With (Qty4) Pneumatic Hose Supply Reels With Trolleys, Water Flow Paint Particle Separation & Collection Flooring, Double Entrance & Single Side Door Access, (Qty1) 10' x 6' x 11' Vision Part Identification System Section With Interactive Design Inc. Vision System With (Qty2) Digital Video Cameras, Light Board & ELO Touch Screen Controller, (Qty1) 10' x 7.5' x 11" Wash Section, (Qty1) 10' x 7.5' x 11" Tack Section, (Qty1) 16' x 25' d x 11' Tall Robot Area / Spray Section, & (Qty1) 10' x 7.5' d x 11' Tall Exit Inspection With (Qty4) SICK Model EXE-09C6403B120 Laser Entrance Intrusion Light Curtain Bars. Central Air Handling System With (Qty1) Twin City Fan & Blower Co. 125-HP, 1800 rpm, 38,700 CFM, & (Qty1) Twin City 100-HP, 1800 rpm, 53,000 CFM Air Handling Blowers. Overall Paint Booth Dims: 80' x 10'/16'/10' ft. x 11' ft. Tall (Not Including Air Handling System Above the Booth-Robots In Some Photos Are Not Included With Booth)). Asset# KC- 12222.
2241197	
2241202	Drying Oven. Thermal Innovations / DURR Ind. Drawing # 1314-691-3-C/ E551100 2-Zone Infrared Cosmetic Metal Drying Oven With Indirect Fired Heater Box, Zone-1 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 25,000 CFM, (Qty1) Twin City 7.5-HP, 1800 rpm Blower Fans, (Qty1) 5-HP, 1800 rpm Blower Fan, & Zone Control/ Power Distribution Panels. 460V, 3-Ph, 60Hz. Asset# KC-10124.
2241198	Floor Track & Trolley Conveyor System. TKF Conveyors Floor Track & Trolley Conveyor System. To Include Approx. (Qty 330) Vertical Parts Holding Trolley Carriers. With Approx. 1,329' ft. of Trolley Track With System Controls Panel. Asset# KC-10133.
	Paint Robots With Controller. Fanuc P-250iB / 15661RB2F & P-250iB / 15661RB2 (Lot of 2) Painting & Coating Robots, Each With Its Own Spray Head Dip Cleaner, To Include (Qty1) Type R-30iB (A05B-2649-B022/ A05B-2649-B024) 2-Station System Controller Tower & (Qty1) (DWG# NE-7125-111) Tandem Robot Control Console, sn# 150174B & (Qty1) Fanuc P-250 Zone Power Distribution Panel & Purge Air Supply Panel. 480VAC. (Robots & System Manufactured: 10-2015). SN# P2502418 & P2502419.
2245791	Paint Spray Booth. DURR Industries Inc. High Performance Paint Spray Booth With Approx. 10' x 25' d x
	11' Tall Manual 4-Station Sand Prep. With (Qty4) Pneumatic Hose Supply Reels With Trolleys, Water Flow Paint Particle Separation & Collection Flooring, Double Entrance & Single Side Door Access, (Qty1) 10' x 6' x 11' Vision Part Identification System Section With Interactive Design Inc. Vision System With (Qty2) Digital Video Cameras, Light Board & ELO Touch Screen Controller, (Qty1) 10' x 7.5' x 11" Wash Section, (Qty1) 10' x 7.5' x 11" Tach Section, (Qty1) 16' x 25' d x 11' Tall Robot Area / Spray Section, & (Qty1) 10' x 7.5' d x 11' Tall Exit Inspection With (Qty4) SICK Model EXE-09C6403B120 Laser Entrance Intrusion Light Curtain Bars. Central Air Handling System With (Qty1) Twin City Fan & Blower Co. 125-HP Air Handling Blower. Overall Paint Booth Dims: 80' x 10'/16'/10' ft. x 11' ft. Tall (Not Including Air Handling System Above the Booth-Robots In Some Photos Are Not Included With Booth). Asset# KC-12222.
2241199	

Inventory Num.	Description
,	Drying Oven. Thermal Innovations / DURR Ind. Drawing # E634000/ E551100 2-Zone Infrared Cosmetic
	Metal Drying Oven With Indirect Fired Heater Box, Zone-1 Burner Type: Eclipse 300 RM-FA, Burner Max. Output: 2.5 MM BTU/Hr. Fuel Inlet Pres: Natural Gas 10 PSI, With (Qty1) Twin City 50-HP, 1800 rpm, 25,000 CFM, (Qty1) Twin City 7.5-HP, 1800 rpm Blower Fans, & (Qty1) 5-HP, 1800 rpm Blower Fan, & Zone Control/ Power Distribution Panels 460V, 3-Ph, 60Hz. Asset# KC-10125, KC-10121, KC-10126.
2241201	
2241200	Floor Track & Trolley Conveyor System. TKF Conveyors Floor Track & Trolley Conveyor System. To Include Approx. (Qty 330) Vertical Parts Holding Trolley Carriers. With Approx. 1,329' ft. of Trolley Track With System Controls Panel. Asset# KC-10132.
2241205	20-HP Blower Fan. Twin City Blower Co. 20-HP Blower Fan, 1800 rpm, 14,100 CFM, 460v, 3-Ph, 60Hz.
2241206	10-HP Blower Fan. Twin City Blower Co. 10-HP Blower Fan, 1800 rpm, 6,400 CFM, 460v, 3-Ph, 60Hz.
2241207	50-HP Blower Fan. Twin City Blower Co. 50-HP Blower Fan, 1800 rpm, 20,990 CFM, 460v, 3-Ph, 60Hz. Asset# KC-10119-1.
2241208	25-HP Blower Fan. Twin City Blower Co. 25-HP Blower Fan, 1800 rpm, 8,270 CFM, 460v, 3-Ph, 60Hz. Asset# KC-10120-1.
2241209	10-HP Blower Fan. Twin City Blower Co. 10-HP Blower Fan, 1800 rpm, 6,400 CFM, 460v, 3-Ph, 60Hz. Asset# KC-10121-6.
2241210	10-HP Blower Fan. Twin City Blower Co. 10-HP Blower Fan, 1800 rpm, 6,400 CFM, 460v, 3-Ph, 60Hz.
2258808	Conveyor Lube System. LubeCon Conveyor Lube System, 1/3-HP, 1725 rpm, 115-230V, 1-Ph, 60Hz. Asset# KC-11051.
2245705	4-Station Manual Spray Booth. JBI Custom Paint & Finishing Equipment 4-Station Manual Spray Booth, Each Station is 5' x 3' d x 7' ft. Tall Clearance And Includes (1ea) Multi-Position Pneumatic Part Mount Holding Fixture,1-Gallon Paint Mixer. Booth Is Expandable to 5-Stations. (Qty2) Standard Access Doors & (Qty1) Rite-Hite 4' w x 8' ft. Tall Soft Power Roll Up Door. Explosion Proof Lighting, 30-Gallon Capacity Flammable Contents Storage Cabinet & (Qty2) Storage Racks. Overall Approx. Booth Dimensions: 21' x 21' x 10' ft. Tall Plus Approx. 3' More ft. For Ducting. Asset# KC-11562. Loc: Repair Spray Booth. Electric Drive Pump. Binks 107060 1.5-HP Vacuum Pump, Max. Work Pressure: 18 bar With Motovario (VHF 010/A52) VHF Series Variator Gear Reducer, 230/460V, 3-Ph, 60Hz. SN# 7741. Loc: Paint Mix
2245708	Room.
2245709	Stainless Steel Mixing Tank. 30-Gallon Stainless Steel Mixing Tank With Lightnin Model EV6L25 1/4-HP Mixer, 208-230/460V, 3-Ph, 60Hz. Loc: Paint Mix Room.
2245732	Electric Drive Pump. Binks 104018 1-HP E2-15 Solvent & Liquids Electric Drive Pump, Max. Work Pressure: 20 bar With Motovario (VHF 010/A52) VHF Series Variator Gear Reducer, 230/460V, 3-Ph, 60Hz. SN# 44126/2015. Loc: Paint Mix Room.
2245733	Stainless Steel Mixing Tank. INOX Industries 970515-5R 30-Gallon Stainless Steel Mixing Tank With Lightnin Model EV6L25 1/4-HP Mixer, 1725 rpm, 208-230/460V, 3-Ph, 60Hz. Loc: Paint Mix Room. Paint Mixing Skid. Binks 104018 1-HP E2-15 Solvent & Liquids Electric Drive Pump, Max. Work Pressure:
2245734	20 bar With Motovario (VHF 010/A52) VHF Series Variator Gear Reducer, 230/460V, 3-Ph, 60Hz. SN# 431324/2015. Loc: Paint Mix Room.

Inventory Num.	Description
2245735	Stainless Steel Mixing Tank. INOX Industries 970515-4L 30-Gallon Stainless Steel Mixing Tank With Lightnin Model EV6L25 1/4-HP Mixer, 1725 rpm, 208-230/460V, 3-Ph, 60Hz. Loc: Paint Mix Room.
2245750	Paint Mixing Station. Paint Mixing Station To Include (1ea) Binks Model 104018 1-HP Vacuum Pump, Max. Work Pressure: 20 bar With Motovario (VHF 010/A52) VHF Series Variator Gear Reducer, 230/460V, 3-Ph, 60Hz, 1750 rpm. & INOX Industries Model 970515-1R 30-Gallon Stainless Steel Mixing Tank With Lightnin 1/4-HP Mixer, 1725 rpm, 208-230/460V, 3-Ph, 60Hz. Loc: Paint Mix Room.
2245751	Paint Mixing Station. Paint Mixing Station To Include (1ea) SPX Model 030-U2 1-HP Vacuum Pump, 230/460V, 3-Ph, 60Hz, 1750 rpm. & INOX Industries Model 970515-3L 30-Gallon Stainless Steel Mixing Tank With Lightnin Model EV6L25 1/4-HP Mixer, 1725 rpm, 208-230/460V, 3-Ph, 60Hz. Loc: Paint Mix
2245751	Room. Electric Drive Pump. Binks 107077 1.5-HP Solvent & Liquids Electric Drive Pump With Motovario (VHF 010/A52) VHF Series Variator Gear Reducer,, 230/460V, 3-Ph, 60Hz, 1740 rpm. SN# 10343. Loc: Paint
2245756 2245761	Mix Room. Electric Drive Pump. 2-HP/1.5-HP Vacuum Pump, 230/460V, 3-Ph, 60Hz, 1740 rpm. Loc: Paint Mix Room.
2245779	Vacuum Pump. Binks 104018 E2-15 Solvent & Liquids Electric Drive Pump, Max. Work Pressure: 20 bar. (Motor Not Included). Loc: Paint Mix Room. Paint Mixing/Pump Station. Paint Mixing Station To Include (1ea) 2-HP Gear Drive Pump With Approx.
2245793	20-Gallon Stainless Steel Mixing Tank With Lightning 1/2-HP Mixer, 1750 rpm, 230/460V, 3-Ph, 60Hz. Loc: Wet Spray Booth Area.
2245794	Paint Mixing Station Skid. Paint Mixing Station Skid To Include (Qty1) Approx. 20-Gallon Stainless Steel Mixing Tank With Lightnin 1/4-HP Mixer, 1725 rpm, 230/460V, 3-Ph, 60Hz. Loc: Wet Spray Booth Area.
2245687	Microscope. Nikon SMZ-U DIA Microscope With (Qty4) Objective Lenses To Include (Qty1ea) CF Plan 50X/ 0.55c, BD-ELWD- DIC, CF Plan 10X/ 0.30 A-BD DIC & CF Plan 5X/0.13 BD, Upper & Lower Light Sources, Model UN2-PSU100 Light Source Power Supply & (Qty2) Model CFWN 10X/20 Eyepieces. Including Spare Model SMZ-U DIA Microscope Stand. Loc: Powder Coating Booths.
2245688	Microscope. Nikon SMZ-10A Microscope With (1ea) ED Plan Apo 1x Lens, 20W Halogen Light Ring, MicroLite FL2000 Dual Flex Fiber Light, Model XN Power Supply & (Qty2) Model SMZ-U UW10XA/24 Eyepieces. Loc: Powder Coating Booths.
2245703	Vertical Mount Jib Crane. Kone Cranes 1,000 lb Capacity Vertical Mount Swing Jib Crane, 4' ft. Reach With CM 1,000 lb. Capacity Chain Falls Hoist. Asset# KC-11090. Loc: Waste Treatment.
2241211	Vertical Post Jib Crane. CONTRX Industries Vertical Post Swivel Jib Crane, 1-Ton Capacity With CM 622 Series Chain Falls Hoist With Approx. 7' ft. Reach. Asset# KC-11101. Loc: Above Wet Spray Booth.
2241212	Vertical Post Jib Crane. CONTRX Industries Vertical Post Swivel Jib Crane, 1-Ton Capacity With Approx. 4' ft. Reach. Hoist NOT Included. Loc: Above Wet Spray Booth.
2241213	Vertical Post Jib Crane. CONTRX Industries Vertical Post Swivel Jib Crane, 1-Ton Capacity With Approx. 4' ft. Reach. Hoist NOT Included. Loc: Above Wet Spray Booth.
2241214	Vertical Post Jib Crane. CONTRX Industries Vertical Post Swivel Jib Crane, 1-Ton Capacity With Approx. 7' ft. Reach. Hoist NOT Included. Asset# KC-11108. Loc: Above Wet Spray Booth.
2241215	Vertical Post Jib Crane. CONTRX Industries Vertical Post Swivel Jib Crane, 1/2-Ton Capacity With Approx. 3' ft. Reach. Hoist NOT Included. Loc: Above Powder Spray Booth-1.
2241218	Vertical Post Jib Crane. CONTRX Cranes Vertical Post Swivel Jib Crane, 1/2-Ton Capacity With Approx. 3' ft. Reach With Chain Falls Hoist. Loc: Across From Dip Line.

Inventory Num.	Description
	Reverse Osmosis System. Delta-15 Reverse Osmosis System, 21,600 Gallons Per Day (82 m3/Day) With Grundfos 7.5-HP Pump, 30.38 GPM, 3525 rpm, Flexcon Industries Model WR260S Pressure Tank,
	Harmsco Cartridge Filter, (Qty2) Mettler Toledo Model Thornton M300 Controllers, (Qty1) 3000 Gallon
	Capacity (PolyPro) R.O. Water Storage Tank With 7.5-HP Pump & (Qty1) 500 Gallon Capacity (PolyPro)
	Feed Water Tank With 1.5-HP Pump & (Qty8) Filter Tanks. 230/460V, 3-Ph, 60Hz. Asset# KC-10112. Loc:
2241221	Wash/ Prep Lines Area.
2241222	2,000 Gallon Holding Tank. Edwards Fiberglass Inc. 2,000 Gallon Capacity Holding Tank, Intended Service: Phosphate. SN# 42488. Asset# KC-43. Loc: Wash/ Prep Lines Area.
	Pressure Filter Press. Oberlin OPF-2 Phosphate Pressure Filter Press With General Purpose Type HS Heavy
	Duty Transformer, Primary Volts: 240/480, Secondary: 120/240, 1-Ph, 60Hz, 1.5 KVA. SN# 292-MD.
2241223	Asset# KC-10113. Loc: Wash/ Prep Lines Area.
	Waste Treatment System. Belding Tank Technologies, Inc. (mfg for Waste Treatment System To Include
	Qty 1 ea) T1: General Rinse Equalization Fiberglass Tank, 11,621 Gallon Capacity, T2: Spent Booth Dumps
	Fiberglass Tank, 11,621 Gallon Capacity, T3: Spent Dumps Fiberglass Tank, 5,312 Gallon Capacity With 1.5
	HP Stirring Agitator, , T20: E-Coat Buffer Fiberglass Tank, 2,513 Gallon Capacity, T21: E-Coat Batch
	Fiberglass Tank, 1,789 Gallon Capacity With 1.5-HP Stirring Agitator, T6: Sludge Thickener Tank, 1,789
	Gallon Capacity, CR1 Chrome Reduction Tank, 1,047 Gallon Capacity With Brawn 1/2-HP Stirring Agitator, (Qty2) GLI Model 63 Digital PH Meters, N1: Neutralization Reactor Tank, 1,047 Gallon Capacity With
	Brawn 1/2-HP Stirring Agitator, (Qty1) GLI Model 63 Digital PH Meter, T4: Surge/Transfer Tank, 566
	Gallon Capacity, (Qty4) 1.5 HP Pumps, (Qty5) Diaphragm Pumps, (Qty1) Parkson Corp. Model 200/55 Eco-
	Flow Gravity Settler, (Qty1) Pacific Press Co. Model P1000E132A-10R Sludge Filter Press, sn# 902, (Qty18)
	39.5" x 39.5" Filter Plates, (Filter: PMU10-FG1), (Qty8) LMI Milton Roy Metering Dosing Pumps, (Qty2) .3-
	HP Agitating Stirrers & Power Distribution/Control Panel With Allen Bradley PanelView Plus Color Touch
2258842	Screen Controller. Loc: Waste Treatment Area.