

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
896	Inv# 2276053	Cabinet # 1117	90	ABR DISC 2.000D 80GRT AOX	FLEX EDGE ROLOC HOLD 100/PK
			5	ABR DISC 4D ZIRC PLUS SIRCONIA	ALUM 120 GRT TY III 50/PG
			2400	ABR DISC 6" NOR GRIP 150 GRT	HOOK & LOOP ATCH
			12	APRON VINYL 33 X 44	
			50	TUBBING PLASTIC VINYLITE	9/16ID X 7/8OD X 5/32 100FTMIN
		Cabinet# 1119			
			100	ABR DISC 1.0000D 36 GRT TY III	SIRC PLUS NO SUB
			80	ABR DISC 1.000D 80 GRT PLUS	TY III ROLOC MERIT #67097
			100	ABR DISC 1.000D 120 GRT PK/100	PLUS TY III ROLOC MERIT NO SUB
			5	DISC 2.000D 120 GRT	REGALITE POLYCUT 200/CS
			5	ABR DISC 1.00D 120 GRT TY III	REGALITE POLYCUT NO SUB 500/CS
			5	ABR DISC 3.000D 12GRT REGALITE	POLYCUT 200/CS
			1100	ABR DISC 6" NOR-GRIP 80 GRT	HOOK & LOOP ATCH
			200	ABR DISC 6" NOR GRIP 240 GRT	HOOK & LOOP ATCH
			5	PAD DISC 6 X 11/16 X 5/16-24	EXTERNAL THD 10/CS
			8	PAD 6.7500 X 11.6250	STIKIT DISC
			3	PAD HOOK & LOOP 6"	5/8-11 FEMALE THD
			7	PAD DISC 6 X 1/2 X 3/4 IN	HOOKIT 05777
			5	PAD HOOK 6" DISC SZ	5/16-24 TRTD SZ 12000 RPM
		Cabinet# 1121			
			37	TB 1/4 ID X 7/16 OD	PLASTIC VINYLITE
899	INV # 2276056	Cabinet # 1111	Quantity	Material Description1	Material Description2
			1	ABR UTL RL AOX 1-1/2 X 50Y	150GRT
			1	ABR UTL CLTH AOX RL	1-1/2W X 50YDS METAL WORKING
			300	ABR DISC 1.000D CRS	GRD TY III SURF PREPARATION
900	INV # 2276057	Cabinet # 1109	Quantity	Material Description1	Material Description2
			10	ABR SNDG BLT 1/2W 12L 80GRT	50/BX
			520	ABR DISC AOX 2D 120 GRT	FLEX-EDGE ROLOCK HOLDING
			120	WHL 3 X 1/4 6A MED UNTZ	TY 2 BTTN MNT NO SUB
			10	ABR DISC 5 X 1/2 X 1/4SHK	2 PLY MED AX
901	INV # 2276058	Cabinet # 1103	Quantity	Material Description1	Material Description2
			3	ABR BAND 1/2D 1W 150 GRT	AOX CLTH 100/PK
			100	ABR BAND AOX CLTH 1 X 1 36GRT	RB 100 /CS
			50	ABR BAND AOX CLTH 1 X 1 80GRT	50/BX
			169	ABR BND 1-1/2"D x 1W	AOX CLTH 100/CS
			65	ABR BAND AOX CLTH 1.5000D	1.000W 180 GRT 100/PK
			5	ABR BAND 2.000D 3.000W 36 GRT	AOX RB 100/PK
		Cabinet 1105	300	ABR CART 3/8D 2.00L 1/8AH	FULL TPR RB 120 GRT
			20	CART RL 1 X 1-1/2 60GRT	08834181240
			100	ABR CART RL CLTH .3750D	1.000L .1250AH 100 GRT AOX
			400	ABR CART CYL AOX 1/2D X 1-1/2L	1/8AH 60 GRT RL CLTH RB
			55	ABR CART RL CLTH AOX 1D 1-1/2L	3/16AH 60 GRT REG RB
			5	ABR CART RL CLTH 1.000D	1.500L .1875AH 100 GRT AOX
			200	ABR CART RL 3/8D 1-1/2L	1/8AH 120 GRT AOX 100/PK
			350	ABR CLTH RL CART 3/8D 2L 1/8AH	60 GRT FULLTPR 100/PK
			5	ABR RL CART 3/4 X 2L CLTH AOX	60 GRT RB
			5	ABR CART RL CLTH AOX 3/4D	2 L 3/16AH 120 GRT RB NO SUB
			100	ABR CART RL STR .3750D	1.500L .1250 AH AOX 60 GRT
			200	ABR DISC 3D 80 GRT	ZIRCONIA ALUM GRAIN 50/BX
		Cabinet 1107	100	ABR BLT 1 X 12 36 GRT	RB BIAS BOND 50/PK
			10	ABR BLT 1W X 12L RB	MIN OF 50
			10	ABR BLT 1.00 X 12.00L 120 GRT	AOX RB 3-MITE TS 50/BX
			150	DISC 2.000D BURRING TY III	FN NO SUB
			5	WHL 3 X 1/8 4A MED UNTZ	TY 3 BTTN MNT NO SUB

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
902	INV # 2276059	Cabinet # 1101	Quantity	Material Description1	Material Description2
			200	ABR DISC 1.00D 40 GRT AOX	RB
			100	ABR DISK 3.000D 120 GRT	RB AOX PWR-LOK 3M 50/PKG
			100	ABR DISC 2D 60 GRT ZIRCONIA	ALUM RB BLUE 60NRB
			300	ABR DISC 3D 80 GRT PWR-LOCK	ZIRCONIA ALUMINIA Y WEIGHT
			100	ABR DISC 3.000D 36 GRT	PWR LOCK RB R821 ZIRCONIA ALUM
903	INV # 2276060	Cabinet # 0411	Quantity	Material Description1	Material Description2
			15	WHL DEBURR 6D 1AH 1 WIDE	S-B 8A MED 3/CS
			12	WHL 6.00D 1AH 1/2W 8A MED	DBRT 4CS
			2	WHL BURNING 6 X 1 X 1	AOX 821 HD
			3	ABR WHL 8" X 1" X 3"AR 1-9SM	CONVOLUTE BEAR-TEX
			25	ABR DISC 2" X 1/4 X TR	U2311A/O MED SL3
904	INV # 2276061	Cabinet # 0102	Quantity	Material Description1	Material Description2
			24	FILTER PARTICULATE	50/PK 2PK/CS 100/CS
			1	UVEX REPLACE LENSE OVERGLASS	#150789
			130	UVEX BREAK AWAY LANYARDS	25/BAG
			3	SPLASH/DUST GOGGLES	#G211 10R
			5	SIDESHIELD CIR PLASTIC	SAFE EYEWEAR
			2	PODS RPLMT QUIET BAND	50/CS
905	INV # 2276062	Cabinet # 0104	Quantity	Material Description1	Material Description2
			86	.0980 #40 KNOCKOUT RVT SH	1-3/8 OAL
			24	DR COB .1285 #30 KNOCKOUT	RVT SH 1-3/8 OAL
			5	DR COB .0469D .7500FL 1.750OAL	135° SP JL SMG TY J
			10	DR .0625D ( 1/16 ) JL TY J	MIN ORD 12
			8	DR COB .0700D 1.000FL 2.000OAL	JL TY J MIN ORD 12
			68	DR COB .0980D 1.375FL 2.375OAL	JL TY J
			10	DR COB .1250D ( 1/8 ) 1.625FL	2.750OAL TY J JL
			38	DR HSS .0980D ( #40 ) 1.375FL	2.375OAL TY B JL MIN ORD 12
			34	DR EXT HSS .0980D .9060FL	6.000OAL TY SB MIN ORD 1000
			51	DR EXT HSS .1285D 1.094FL	6.000OAL TY SB MIN ORD 500
			5	DR EXT HSS .1563D 1.344FL	6.00AL PER STD SPL .221 ( #2 )
			5	DR EXT HSS .1590D ( #21 )	1.406FL 6.00OAL SPL #2 TY SB
			51	DR EXT HSS .1610D 1.406FL	6.000OAL TY SB
			8	DR HSS .1406D 1.750FL 2.875OAL	JL TY B NAS 907
			77	DR HSS .1563D ( 5/32 ) 2.000FL	3.125OAL TY B JL STR SHK
			10	DR HSS .0625D .8750FL 1.875OAL	JL TY B NAS 907
			77	DR ADPTR HSS .0980D ( #40 )	.3130FL .5OAL 500 MIN ORD
			31	DR ADPTR HSS .0980D ( #40 )	THDD HX 5000 MIN ORD
			262	DR ADPTR HSS .0980D .8750FL	2.125OAL THDD HX 1000 MIN ORD
			264	DR ADPTR .1285D ( #30 )	THDD HX SHTS (MIN 5000)
			53	DR ADPTR HSS .1285D ( #30 )	1.125FL 2.125OAL 5000 MIN ORD
			80	DR HSS .0410D ( #59 ) .6870FL	1.625OAL JL STR SHK HD
			11	DR HSS .0420D ( #58 ) .6870FL	1.625OAL STR SHK HD
			3	DR HSS .0635D ( #52 ) .8750FL	1.875OAL JL NAS 907 TY B
			11	DR HSS .0670D ( #51 ) 1.0000FL	2.000OAL JL NAS 907 TY B
			8	DR HSS .0760D ( #48 ) 1.0000FL	2.000OAL JL NAS 907 TY B
			8	DR HSS .0781D ( 5/64 ) JL TY B	1.000FL 2.000OAL STR SHK
			21	DR HSS .0810D ( #46 ) JL TY B	1.125FL 2.125OAL
			18	DR HSS .0820D ( #45 ) JL	NAS 907 TY B
			10	DR HSS .0860D ( #44 ) 1.1250FL	2.125OAL JL TY B NAS 907
			28	DR HSS .0935D ( #42 ) 1.2500FL	2.250OAL JL TY B
			15	DR HSS .0938D ( 3/32 ) JL TY B	1.250FL 2.250OAL STR SHK
			107	DR HSS .0980D ( #40 ) .9060FL	2.375OAL JL TY SB
			50	DR HSS .1590D ( #21 ) 1.000FL	1.5150OAL 1/4-28 THD (MIN 42)
			347	DR ADPTR HSS .1590D ( #21 )	1.125FL THDD HX 1/4-28 (MIN
			10	DR ADPTR HSS .0980D .2500FL	.3125OAL THDD HX 1/4-28 TY SB

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			25	DR ADPTR HSS .1285 ( #30 )	.250FL .3125OAL
			25	DR HSS .1285D .8270OAL .3130FL	1/4-28 THDD HX 2500 MIN ORD
			5	DR HSS .1065D 2.500OAL .968FL	TY SB JL
			6	DR .1360D ( #29 ) JL	
			8	DR .1406D 1.1560FL 2.8750OAL	JL TY SB PER STD TOOL SPEC #1
			43	DR HSS .1495D ( #25 ) 1.2500FL	3.000OAL JL TY SB
			12	DR HSS .1540D ( #23 ) 1.3430FL	3.1250OAL JL TY SB
			12	DR HSS .1562D 1.3430FL	3.1250OAL JL SPL #5 ISSUE #5
			19	DR HSS .1570D ( #22 ) 1.3430FL	3.1250OAL JL PER STD TOOL SPL 1
			5	DR HSS .0980D ( #40 ) 2.3750FL	3.3750OAL 135° SP SMG
			23	DR HSS .1285D 2.750OAL 1.625FL	HI-HELIX JL
			12	DR COB .1562D 2.000FL 3.125OAL	JL TY J NAS 907
			2	DR .1094D ( 7/64 ) JL TY J	
			11	DR COB .1495D ( #25 ) 1.875FL	3.000OAL JL TY J SMG
			5	DR HSS .1015D ( #38 ) JL TY B	1.437FL 2.500OAL STR SHK
			2	DR HSS .1040 ( #37 ) JL TY B	1.437FL 2.500OAL STR SHK
			10	DR HSS .1100D ( #35 ) 1.5000FL	2.625OAL JL NAS 907 TY B
			10	DR HSS .1520D ( #24 ) JL TY B	2.000FL 3.1250OAL STR SHK
			23	DR HSS .1590D ( #21 ) 2.1250FL	3.250OAL JL TY B 12 PCS/PKG
			46	DR HSS .1610D ( #20 ) 2.1250FL	3.250OAL JL TY B NAS 907
			8	DR COB .1610D 3.250OAL 2.125FL	JL TY J
			12	DR EXT COB .1660D ( #19 )	2.1250FL 6.000OAL STR TY J
			5	DR EXT .1562D ( 5/32 ) 6.0OAL	JL TY J NAS 907
			5	DR HSS .1440 ( #27 ) .7500FL	1.000ALHX ADPTR 500 MIN ORD
			75	DR EXT COB .0980D 6.000OAL	1.375FL TY J
			31	DR HSS .1285D 5.375OAL 3.00FL	135°SP
			22	DR HSS .0980D 6.000OAL 1.375FL	EXT HI-HELIX TY B
			4	DR HSS .1360D ( #29 ) 1.156FL	6.000OAL STR SHK 118° TY A
			7	DR HSS .1610D ( #20 ) .312FL	THDD HX ADPTR MIN ORD 250
			64	DR HSS .1285D .600OAL .5370FL	HX ADPTR TY SB 1000 MIN ORD
			5	DR EXT HSS .1470D ( #26 )	1.250FL 6.000OAL TY SB STD #2
			10	DR HSS .1470D ( #26 ) 1.8750FL	3.000OAL JL TY B NAS 907
			51	DR HSS .1285D ( #30 ) 1.094FL	3.000OAL UNCLEARED
			2	DR COB .1470D ( #26 ) 3.000OAL	STR SHK JL TYJ
			5	DR EXT CAR .1285D ( #30 )	1.250FL 4.000OAL STR SMG
			2	DR EXT COB .1495D ( #25 )	4.1250FL 6.000OAL TY J NAS 907
			18	DR DAGGER CAR .1610D ( #20 )	4.000OAL TY 1 PT
			20	DR DAGGER CAR ( #30 ) .1285D	3.000OAL TY 1 PT
			5	DR HSS .1250D ( 1/8 ) JL	NAS 907 TY A
			3	DR .1360D ( #29 ) JL TY J	STR SHK
			2	DR COB .1590D ( #21 ) 2.125OAL	2.125FL JL STR
			5	DR COB .1660D ( #19 ) 2.125FL	3.250OAL JL TY J STR NAS 907
			5	DR EXT COB .0980D 1.3750FL	6.000OAL TY J FOR E CRIB
			55	DR EXT COB .1285D ( #30 )	1.625FL 6.0OAL TY J FOR E CRIB
			2	DR EXT .1660D ( #19 ) 6.000OAL	NAS 907 TY 4 FOR E CRIB
			43	DR .1406D ( 9/64 ) JL TY J	
			2	DR HSS .0980D ( #40 ) 1.875FL	3.750OAL 100 MIN ORD
			45	DR COB .1285D ( #30 ) 4.000OAL	1.625FL TY J
			144	DR COB .0980D ( #40 )	1.375FL 4.000OAL STR SHK TY J
			1	DR COB .1610D .562FL 1.765OAL	135° SP BL COLOR ONLY 500/PKG
			50	DR COB .0980D 9 ( #40 ) .562FL	1.640OAL 118° SMG TY J
			50	DR TS COB .1285 ( #30 ) .500FL	1.765OAL THDD ADPTR CLEAR
			5	DR STP PLT COB .1648BD .1285PD	2.250FL 6.500OAL DM
			5	DR HSS .1562D .3120FL 1.265OAL	THD ADPTR 1/4-28 THD
			7	DR DAGGER CAR .1285	( #30 ) 6.000OAL
			5	DR COB .1563D .5620FL 1.515OAL	1/4-28 THDD NAS 907 TY J
			2	DR PLT HSS .1610BD .1250PD	.250FL 2.000OAL THDD HX ADPTR
			65	DR COB .1610D ( #20 ) .2500PL	1.500OAL ADPTR
			10	DR .1610D .5000OAL .0625L HX	1/4-28 THDD ADPTR (MIN 50)
			20	DR STP COB .1645D SML	DR/RM
			20	DR COB .0465D ( #56 ) 135°SP	
			10	DR SLD CAR #75 .2500FL	1.250OAL 118°PT FOUR FACET GRIND

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			31	DR CAR .1285 D 3/4" F 6" OAL	DBL PT AGL
			12	DR EXT .1660D ( #19 ) 6.00OAL	NAS 907 TY B
906	INV # 2276063	Cabinet # 0106	Quantity	Material Description1	Material Description2
			2	DR HSS 1.000D 3.000FL 6.000OAL	½ PLAIN RND SHK
			1	DR COB .7500D 5.875FL 9.750OAL	TL .7500D SHK
			2	CART FILTER RESP NORTH	MAGENTA 2/PK
907	INV # 2276064	Cabinet # 0108	Quantity	Material Description1	Material Description2
			1	DR HSS .8438D 3.000FL 6.000OAL	S&D 1/2 PLAIN RND SHK
			9	DR HSS .8750D ( 7/8 ) 3.000FL	6.000OAL S&D 1/2 PLAIN RND SHK
			3	DR COB .4375D ( 7/16 ) 4.063FL	5.500OAL TY J JL MIN ORD 6
			2	DR HSS .4375D 4.063FL 5.500OAL	JL TY B 6 PCS/PKG
			4	DR EXT HSS .3125D ( 5/16 )	2.125FL 12.000OAL TY SB
			5	DR EXT HSS .2812D 12.000OAL	STR SHK
			4	DR EXT .5000D 12.000OAL TY B	
			5	DR EXT HSS .0980D ( #40 )	.9060FL 12.000OAL TY SB
			2	DR EXT HSS .1250D 1.094FL	12.000OAL TY SB
			2	DR EXT HSS .1285D ( #30 )	1.094FL 12.000OAL TY SB
			10	DR EXT HSS .1562D 1.344FL	12.000OAL TOOL SPEC #2
			2	DR EXT HSS .1719D ( 11/64 )	2.125FL 12.000OAL TY B
			2	DR EXT .2969D ( 19/64 ) 1.0OAL	NAS 907 TY J
			10	DR EXT COB .1910D 6.000OAL	2.312FL TY J
			5	DR COB .4375D 4.062FL 5.500OAL	JL TY J NAS 907
			3	DR HSS .9844D( 63/64 ) .500SHK	1 PC/PKG
			2	DR RM EXT 12.000OAL	DM MODEL#1-04-356007-001
			1	DR EXT HSS .3906D 7.0000FL	10.0000OAL PT AGL 118°
908	INV # 2276065	Cabinet # 0110	Quantity	Material Description1	Material Description2
			12	RM HSS .1935D 1.2500FL	5.0000OAL RHC STR SHK STR F
			2	RM HSS .1910D 1.2500FL	5.0000OAL RHC STR SHK STR F
			14	RM HSS .1406D 1.000FL 4.000OAL	STR F
			96	RM HSS .1610D 1.1250FL	4.5000OAL RHC STR F
			16	RM HSS .1562D 1.000FL 4.000OAL	6F STR F RHC
			4	RM HSS .1719D 1.125FL 4.500OAL	6F STR SHK F
			10	RM HSS .0980D .8750FL 3.500OAL	RHC STR F RHC
			5	RM HSS .1875D RHC STR F	
			9	RM HSS .1640D 1.1250FL	4.5000OAL RHC STR SHK
			6	RM HSS .1865D 1.125FL 4.500OAL	RHC STR SHK F
			8	RM HSS .2010D 1.250FL 5.000OAL	6F STR F ( MIN ORD 12 )
			3	RM HSS .2460D 1.5000FL	6.0000OAL
			14	RM HSS .2485D 1.5000FL	6.0000OAL RHC STR SHK STR F
			5	RM HSS .2500D 1.500FL 6.000OAL	RHC STR SHK F ( MIN ORD 12 )
			6	RM HSS .2610D 1.5000FL 6.000OAL	RHC STR SHK & F ( MIN ORD 12 )
			8	RM HSS .2656D 1.5000FL	6.0000OAL RHC STR SHK STR F
			27	RM CT .2500D 6.000OAL 1.500FL	6F SMG
			5	RM HSS .2495D 1.5000FL	6.0000OAL RHC STR SHK STR F
			3	RM HSS .1250D 1.500FL 3.000OAL	STR F
			5	RM HND .2500D STD STR F	
			2	RM PLT COB .1875BD .1715PD	1.1250FL 4.5000OAL MIN ORD 15
			5	RM PLT HSS .2487BD .2340PD	1.500FL 6.000OAL MIN ORD 10
			4	RM PLT HSS .1895BD .1714PD	5.000OAL1.250FL 6F MIN ORD 40
			13	RM PLT HSS .1990BD .1870PD	5.000OAL 1.250FL 6F MIN ORD 25
			5	RM HSS .2420D 1.500FL 6.000OAL	STR SHK F
			9	RM CT .1900D RHC STR SHK	MIN ORD 20
			3	RM CHKG MACH HSS .247D 1.500FL	6.000OAL STR SHK STR F
			9	RM HSS .2630D 1.500FL 6.000OAL	LH SPRL STR SHK
			8	RM PLT HSS .1910BD .1720PD	1.250FL 5.000OAL MIN ORD 40
			9	RM PLT HSS .1640BD .1560PD	4.500OAL 1.125FL 6F MIN ORD 60

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	RM HSS .2520BD .2420PD 1.500FL	6.000OAL MIN ORD 10
			116	RM PLT HSS .2510BD .233PD 6F	1.500FL 6.000OAL
			8	RM PLT HSS .1875BD .1710PD	1.125FL 2.500OAL THDD HX ADPTR
			1	RM PLT HSS .250BD .241PD 1.5FL	5.00OAL RHC .250 L STR SHK & F
			2	RM PLT HSS .2540BD .2500PD	1.500FL 6.000OAL MIN ORD 6
			5	RM PLT COB .1903BD .1710PD	1.250FL 5.000OAL STR SHK F
			4	RM .1903/.1905D .171D X 5/32	LEN PLT THDD HX ADPTR
			12	RM PLT HSS .1640BD .1560PD	1.125FL 1.750OAL MIN ORD 6
			10	RM PLT HSS .1640BD .1590PD	1.500OAL 1.000FL 6F MIN ORD 15
			1	RM PLT HSS .2560BD .2400PD	1.500FL 6.00OAL NONCUTTING PLT
			5	RM PLT HSS .1640BD .1495PD	1.125FL 1.750OAL 1/4-28 THD
			1	RM PLT COB .2610BD .2500PD	1.500FL 6.000OAL JL STR SHK F
			1	RM HSS .1600D 1.125FL 4.500OAL	6F STR SHK MIN ORD 6
			51	RM PLT HSS .1900BD .1770PD	1.2500FL 5.00OAL
			10	RM PLT HSS .1910BD .1790PD	1.250FL 5.000OAL MIN ORD 30
			5	RM .1990/1992D PLT LH SPRL RHC	
			5	RM HSS .2540D 1.500FL 6.000OAL	RHC STR SHK F
			5	RM PLT HSS .1645BD 156PD	1/4 LEN PILOT 1.125FL 4.500OAL
			5	RM PLT HSS .1645BD .1460PD	1.125FL 4.5OAL RHC MIN ORD 150
			32	RM PLT HSS .1921BD .1760PD	1.250FL 5.000OAL MIN ORD 12
			5	RM PLT HSS .2211BD .2045PD	1.50FL 6.00OAL RHC MIN ORD 6
			1	RM PLT HSS .2031BD .1890PD	.890FL 1.453OAL THDD HX ADPTR
			58	RM PLT HSS .2215 .250BD 6F	.2045PD 1.500FL THDD ADPTR
			3	RM PLT HSS .2576BD .2410PD	1.500FL 6.000OAL RHC MIN ORD 6
			5	RM HSS .1570D	STR SHK F RHC
			4	RM HSS .1590D 1.125OFL	4.500OAL RHC SHT SHK STR F
			46	RM HSS .1660D 1.125FL 4.500OAL	6F RHC STR SHK
			9	RM PLT HSS .2344BD .2188PD	1.50FL 6.00OAL RHC MIN ORD 6
			5	RM HSS .1740D 1.125FL 4.500OAL	6F STR SHK F
			5	RM PLT HSS .2495BD .2340PD	1.50FL 6.00OAL STR F MIN ORD 8
			5	RM HSS .1870D 1.120OFL	4.5000OAL RHC STR SHK STR F
			5	RM CHKG HSS .1990D 1.25OFL	8.000OAL 6F MIN ORD 6
			1	RM COB .2270BD .2185PD 1.500FL	6.000OAL 6F MIN ORD 6
			4	RM ADPTR .1615/.1620D	W/.1460D PLT ( MIN ORD 10 )
			5	RM THDD HSS .2465D 1.000FL 6F	
			5	RM MACH CHKG STR F HSS 4F	.8750 FL 3.500 OAL .0995 D
			8	RM ADPTR .1910D ( #11 )	THDD HX
			22	RM PLT HSS .1935BD .1700PD	1.250FL 5.000OAL RHC STR SHK F
			5	RM CAR .2500D 1.500FL 10.00OAL 4FL	STR SHK STR F MIN ORD 40
			5	RM PLT HSS .1230D .875FL	3.500OAL STR SHK
			5	RM CHKG MACH PLT CAR .1865BD	.1715PD 8.500L 4F RHC
			5	RM CHKG HSS .1800D X 4.50OAL	6F PER PRINT SPL
909	INV # 2276066	Cabinet # 0112	Quantity	Material Description1	Material Description2
			1800	ABR DISC 6IN 280GRT NOR-GRIP	HOOK AND LOOP ATTACH
			33	RM HSS .2720D 1.500FL 6.000OAL	STR SHK STR F
			1	RM HSS .3090D 1.500FL 6.000OAL	RHC STR SHK F
			8	RM HSS .3125D 1.500FL 6.00OAL	RHC STR SHK STR F
			8	RM HSS .3115D 1.500FL 6.00OAL	STR SHK & F
			51	RM HSS .3160D 1.500FL 6.00OAL	RHC STR SHK STR F
			56	RM HSS .3230D 1.500FL 6.000OAL	STR SHK F MIN ORD 12
			2	RM HSS .3720D 1.750F 7.000OAL	STR F 6F
			4	RM HSS .3750D 1.750OFL	7.0000OAL RHC STR SHK STR F
			7	RM HSS .3906D 1.750FL 7.000OAL	RHC STR SHK STR F
			2	RM HSS .4062D1.500FL 6.00OAL	RHC STR SHK STR F
			1	RM HSS .4375D 1.750OFL	7.0000OAL RHC STR SHK STR F
			6	RM CHKG MACH CT .3125D 6.00OAL	STR SHK 6F
			2	RM HSS .3120D 1.500FL 6.00OAL	
			2	RM HND HSS .3125D 2.25OFL	4.500OAL 6F
			3	RM HND .3750D STR F	
			2	RM HND .4062D RHC	

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	RM CT .4531D 1.7500FL 7.000OAL	RHC STR SHK STR F
			6	RM HSS .2696D 6.000OAL 1.500FL	MIN ORD 6
			2	RM CT .3120D 1.5000FL 6.000OAL	STR SHK
			2	RM CAR .4370D 7.000FL 1.750OAL	STR SHK STR F
			2	RM CHKG MACH CT .3750D 1.750FL	8.500OAL FULL F
			2	RM CHKG MACH HSS .4410D 1.75FL	7.000OAL 6F RHC
			4	RM COB .290D 1.500FL 6.000OAL	RHC STR SHK F
			2	RM CT .3930D 1.750FL 7.000OAL	RHC STR SHK STR F
			17	RM PLT HSS .266D 1.50FL 6.0OAL	.25L PLT RHC MIN ORD 30
			1	RM CHKG MACH HSS .3790 1.750	7.000OAL 6F RHC
			5	RM PLT HSS .3130BD .2960PD	1.500FL 2.500OAL 6F MIN ORD 10
			6	RM PLT .2811BD .2645PD 1.500FL	6.000OAL MIN ORD 12
			1	RM PLT HSS .3285BD .3115PD	1.500FL 6.000OAL RHC MIN OR 10
			1	RM PLT HSS .4061BD .3895PD	1.75FL 7.0OAL RHC MIN ORD 6
			3	RM PLT HSS .266BD .219PD 1.5FL	2.562OAL TS 1/4-28 THD MIN 6
			2	RM CHKG MACH PLT HSS .3750D	6F 1.750FL 7.000OAL
			1	RM PLT HSS .3120BD .2965PD	1.500FL 3.500OAL RHC
			1	RM HSS .2860D 1.500FL 6.000OAL	6F STR SHK RHC
			14	RM HSS .3906D 2.500FL 5.000OAL	6F STR F
			29	RM HSS .3820D 1.750FL 7.000OAL	6F STR SHK
			2	RM CHKG MACH CT.4219D 7.00OAL	MACH CHKG RHC 6F STR SHK
			15	RM HSS .3740D 1.750FL 7.000OAL	6F RHC STR SHK
			1	RM CAR .3112 2.000FL 10.000OAL	PER 6100-0759 DWG
			2	RM HSS .4390D 1.750FL 7.000OAL	6F STR SHK RHC
			29	RM HSS .3710D 1.750FL 7.000OAL	RHC STR SHK STR F
			2	RM CT .4054D 1.750FL 8.500OAL	MIN ORD 6
			5	RM PLT HSS .3590BD .3100PD	1.750FL 2.500OAL 6F INT THD
			2	RM HSS .3430BD .3270PD 1.500FL	6.000OAL RHC STR F MIN ORD 6
			2	RM CHKG MACH PLT HSS .3274BD	6.000OAL 6F RHC MIN ORD 6
			1	RM HSS .4370D 1.750FL 7.000OAL	DWL PN STR SHK F
			16	RM PLT COB .3120BD .2964PD	1.500FL 6.000OAL MIN ORD 8
			2	RM PLT HSS .3125BD .2970PD 6F	1.250FL 2.00OAL 1/4-28 THDD HX
			2	RM HSS .3765D 1.750FL 7.000OAL	STR SHK 6F RHC
910	INV # 2276067	Cabinet # 0114	Quantity	Material Description1	Material Description2
			2	RM CHKG MACH HSS .6550D .250FL	9.00OAL RHC
			1	RH HSS .4688D 1.7500FL 7.00OAL	RHC STR SHK STR F
			1	RM HSS .5000D 2.000FL 8.000OAL	6F RHC STR SHK
			4	RM CHKG MACH HSS .5312D RHC	
			1	RM COB .5625D 2.000FL 8.000OAL	STR SHK F
			1	RM HSS .5938D 2.000OFL 8.00OAL	RHC STR SHK STR F
			2	RM CHKG MACH HSS .6252D	STR SHK RHC
			6	RM HSS .6875D 2.250FL 9.00OAL	STR SHK F
			2	RM PLT HSS .7500BD .2630PD	1.500FL 6.00OAL STR SHK RHC
			1	RM HSS .7812D	RHC STR SHK F
			2	RM CHKG MACH HSS .9062D 8F	2.625FL 10.000OAL RHC
			3	RM HSS 1.00D 2.750FL 10.500OAL	RHC STR SHK STR F
			1	RM CHKG MACH HSS .5010D	STR SHK RHC
			3	RM HND HSS .6250D STR F	
			3	RM HND HSS .7500D 4.812FL	8.375OAL RHC STR SHK STR F
			2	RM CHKG MACH HSS .4844D 2.00FL	8.000OAL
			2	RM HSS .5469D 2.000FL 8.000OAL	RHC STR SHK F
			3	RM CHKG MACH HSS .4985D 2.00FL	8.000OAL 6F RHC
			1	RM CT .2500D 1.500FL 10.000OAL	RHC STR SHK F
			2	RM CAR .5000D 2.000OFL	8.000OAL
			1	RM CT .9998D .2130D ( #3 )SHK	10.500OAL 8F
			2	RM CHKG MACH HSS .5030 2.00FL	8.000OAL 6F
			2	RM PLT HSS .5000D .480BD	.4840PD 2.0FL 3/8-24 THDD
			2	RM HSS .4970D 2.00FL 8.000 OAL	RHC STR SHK STR F
			1	RM COB .4995D 2.000FL 8.000OAL	DWL PN RHC STR F
			4	RM CT .4996D 2.000OFL 8.000OAL	CTR CUTT STR SHK

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	RM CHKG MACH HSS .502D 8.000A	8F STR F MIN ORD 6
			5	RM CT .5781D 2.000FL 8.000AL	RHC STR F PERROHR SPL #58
			2	RM CT .2610D 4F STR F RHC	
			2	RM HSS .8750D 2.625FL 10.000AL	6F RED SHK RHC
			1	RM .4999D PLT X .4600PD X .200	PLT FULL L
			2	RM MACH CHKG HSS STR .6719 D	SHK .5 D 1.5 L TRI FLATS
			2	RM MACH CHKG HSS STR .6875 D	SHK .5 D 1.5 L TRI FLATS
911	INV # 2276068	Cabinet # 0116	Quantity	Material Description1	Material Description2
			300	BAG#2 PPR KRAFT OR EQUAL	SPEC:UUB-36 250PG
			160	BAG PPR #6	
			25	RM HSS .1960D 1.2500FL	5.0000AL RHC STR F
			2	RM CHKG MACH HSS .4340D	1.750FL 7.0000AL 6F RHC
			2	RM HSS .4990D 2.000FL 8.0000AL	RHC STR SHK F ( MIN ORD 6 )
			1	RM CHKG MACH HSS .6850D	2.250FL 9.0000AL
			1	RM HND EXPN .4688 TO .5312	
			2	RM HND HSS .1562D 1.625FL	3.2500AL 6F STR SHK
			2	RM HND HSS .1719D 1.750FL	3.5000AL 6F
			1	RM HND HSS .2812D 2.125FL	4.2500AL 6F STR F
			4	RM HSS .2969D 2.250FL 4.5000AL	STR F
			2	RM CHKG MACH CT .3105D 1.500FL	6.0000AL RHC
			2	RM HSS .4531D 1.750FL 7.0000AL	RHC STR SHK STR F .375
			2	RM CHKG MACH HSS .6235 2.250FL	9.0000AL 8F RHC
			2	RM .6496D 2.250FL 16.5MM RHC	
			3	RM CT .3090D 1.5000FL 6.0000AL	4F LH SPL RHC
			2	RM CHKG MACH CT .4375D	10.000AL ( MIN ORD 10 )
			2	RM CT .2568D 1.500FL	6.0000AL 6F STR SHK
			1	RM CT .8728D 2.625FL 10.0000AL	TPR SHK RHC LH SPRL
			2	RM COB .2130D 1.2500FL	5.0000AL STR SHK STR F
			5	RM PLT HSS .1925D 1.250FL	5.0000AL
			3	RM CT .8748D 2.620FL 10.0000AL	TPR SHK
			1	RM CT .3750D ( 3/8 ) RHC	
			2	RM HSS .4955D 2.000FL 8.0000AL	6F STR SHK RHC
			2	RMHSS .3730D 1.750FL 7.0000AL	6F STR SHK
			1	RM HSS .3071D 1.500FL 6.0000AL	6F STR SHK RHC
			2	RM HSS .2890D 1.500FL 6F	6.000AL
			2	RM CAR .8125D TS FULL L STR F	.2210 ( #2 ) MTS.
			2	RM COB .277D ( J ) 1.5FL 6.OAL	RHC STR F PER TL NO. 58
			1	RM CT .9375D 2.625FL 10.0000AL	TPR SHK 8F RHC
912	INV # 2276069	Cabinet # 0118	Quantity	Material Description1	Material Description2
			50	BAG GROCERY #20 3-3/8 X 6-1/8	X 13-3/4 SUB #42 100 PER PK
			2	BT TOOL 1/4 X 1/2 X 6 RECT	MIN ORD 10
			1	BT TOOL SQ 1/8 X 2-1/2 L	MIN ORD 10
			18	BT HSS SQ .1875 X 2.5000L	MIN ORD 10
			2	BT HSS 1/4 SQ 2-1/2 L	MIN ORD 10
			2	BT HSS 5/16 SQ 2 1/2 L	MIN ORD 10
			2	BT TOOL CAR 3/8 X 2-1/2 LG	GRD 370 SQ MIN ORD 12
			4	BT TOOL CAR 3/8 SQ X 2-1/2 FL	BRZD GRD 370 ALG MIN ORD 12
			1	FILE BEAVER FLEXIABLE FLT HND	METAL CUTT CRVD ML TTH
			2	FILE F METAL CUTT HND OP	BAST CUT 4
			8	FILE BAST CUT 12	FLT METAL CUTT HND
			8	FILE F 4 LG METAL CUT HND	SMOOTH CUT
			4	FL 6 FLT MTL CUTTG	HND SMOOTH CUT MIN 12
			1	FILE BAST 8 HF RND METAL HND	
			2	FILE BAST CUT HF RND	METAL CUTT HND OP
			6	FL 4 HF RND MTL CUTTG	HND OP SMOOTH CUT
			1	FILE HF RND SMOOTH CUT	METAL CUTT HND OP
			1	FILE 8"L X 13/16"W X 9/32"TH	HALF RND HND SMOOTH CUT
			1	FILE F MULTI CUT 12.000	METAL CUTT HND OP

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	FILE F ML TTH VIXEN TY	METAL CUT HND STND CUT
			1	FILE F ML TTH 12 10 TTH/IN	METAL CUTT HND 6 MIN
			2	FILE F ML TTH 14 8 TTH/IN	METAL CUTT HND VIXEN TY
			2	FILE ML TTH HF RND HND OP	VIXEN TY STD CUT
			2	FL 12 RND MTL CUTTG	HND OP SMOOTH CUT
			1	KNIFE 4 SZ FILE MTL CUT	HND OPER #2 SWISS PTRN
			5	FILE NDL METAL CUTT HND OP	#0CUT RND HDL SWISS PTRN 5-1/2
			5	GA HI LOK PROTRUSION	#2 1522
			3	SHEAR HI 1/16 INCREMENT	GRP GA
			2	FILE HDL #4 DISSTION	STRONGHOLD 6/PKG
			2	HDL HND DR FIXTURE	
			3	SCRIBE 1/4 X 1/2 X 6.0	BAT SYLLE DBL EN TS8 3576 2
			2	SCRIBE 1/4 X 1/2 X 3	BAR STYLE DBL ENDED
			2	GA BALL ST .245D	
			3	GA BALL .265 DIAGRADE 25	CHRM STL
			2	GA BALL 52100 TL STL	.280D GRD 25
			5	TAG REWORK RECORD	
			1	HDL GA .1800 - .2810	
			4	BUSH PN GA ALUM .180- .188	HURON REVER WR TY PLAIN
			150	ADH TAPE TAG ALUM	TS20-895-6
			275	TAG MOUNTING PL ALUM	TS20-645 FABRICATE
			54	TAG ALUM TOOLING IDENTIF.	
			14	TAG ALUM- RE WORK	ADH TAPE ROHR
			5	TAG PROPERTY USAF	PER BOEING DESIGN #UT6902 1
			27	TAG PERIODIC INSP DATA	ROHR DESIGN TS8 948A
			40	TAG PROOF LOAD ID	
			50	PN PLATED SAF FOR TOOLING ID	TAGS 25 /PK
			200	SCR DRV #2 .098D 3/16L	ZINC PLD STL
			300	DRV SC .098D X 1/4 L	ZINC PLD STL #2
913	INV # 2276070	Cabinet # 0217	Quantity	Material Description1	Material Description2
			3	GA OFFSET FEELER	PROTO #000M
			1	HOLD GA DBL EN TH	
			2	RCHT CHRM 3/8 DRV ENCLOSED	HD 8" OAL 36 TTH
			6	TAPE MEAS 25FT YELLOW	
			2	STRIP pH TEST 6 X 80MM WITH CERTS	0-14 pH COLOR BONDED 100/PK
		Cabinet 0219	2	PLIERS 4 VISE GRIP LONG NS DI	
914	INV # 2276071	Cabinet # 0107	Quantity	Material Description1	Material Description2
			200	ROLLER PAINT POLYESTER 1.8 LB	1 .125 " X .5 "
		Cabinet 0109	2	BLD SLIT SAW CT 1/16"W 3"OD	1"AR 12TTH
			2	SAW 3.000D .0625W 1.000AH	28 TTH METAL SLIT (NEW ONLY)
			2	SAW CIR 10.00D .093WIDE	.0938THICK .625AH 150-190TTH
			2	SAW CT 3.3750D	22 TTH
			2	BLD CAR SAW-SLIT 3.000D	.040TIP W 5/8"AH 20TTH
			2	SAW CT 3.000D .0400W 5/8 AH	SLIT THIN EDGE 30 TTH
			2	SAW CT 4.000D .0750W	24 TTH 3/4AH
			1	BLD SAW CT 12.000D 1.000AH	102 TTH
		Cabinet 0111	4	FILE ROT CAR .625FL .2500D SHK	CYLIND
			1	FILE ROT CAR .7500D .7500FL	.2500SHK CYLIND
			1	FILE ROT CAR 1.0000D .2500FL	LAR CYLIND
			3	FILE ROT CAR 3/8 DIA. BALL .2500 SH	5/PK
			1	FILE ROT CAR .2500SHKD	.7500D BALL DBL CUT 5/PK
			6	FILE ROT CAR .1250D SHK BALL	
			4	FILE ROT CAR .5000D .2500D SHK	1 LEN FOR CUTT ALUM
			7	FILE ROT CAR .2500D .2500D SHK	BALL FN CUT
			2	FILE ROT CAR.3750D .2500D SHK	.750 RND NS TREE MED NEG CUT
			3	FILE ROT HSS .1250D .2500D SHK	.5000 LEN CYLIND
			1	FILE ROT HSS .2500D .2500SH	1.000L HD STD CT CYL
			1	FILE ROT HSS .3750D .2500D SHK	1.5000 LEN CYLIND MED CUT



Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	FILE ROT HSS .5000D .2500D SHK	1 LEN CYLIND MED CUT
			1	FILE ROT HSS .6250D .2500D SHK	A MED CUT
			3	FILE ROT HSS .7500D .2500D SHK	.7500 CYLIND MED CUT
			3	FILE ROT HSS 1.000D .2500D SHK	1 LEN CYLIND MEDC .1990 ( #8 )
			1	FILE ROT HSS .1875D .2500D SHK	BN MED CUT
			4	FILE ROT HSS .250D .250D SHK	.250 LEN BALL MED CUT
			5	FILE ROT HSS .3750D .2500D SH	.3750 LEN BALL MED CUT
			1	FILE ROT HSS .2500D .2500D SHK	CYLIND BN MED CUT
			1	FILE ROT CAR .3125D .2500D SHK	.7500 CYLIND R NS
			2	FILE ROT CAR .7500D .3750D SHK	1.2500OAL 8F R NS TREE 5/PK
			2	FILE ROT 3/16 CYLIND	R NS
915	INV # 2276072	Cabinet # 0101	Quantity	Material Description1	Material Description2
			2	DR RVT COB .1935D ( #10 )	.3750FL 1.375OAL KNOCKOUT
			166	DR EXT HSS .1719D 1.406FL 6.00	PER STD SPL #2
			2	DR EXT HSS .1850D ( #13 )	1.531FL 6.000OAL SPL #2 TY SB
			36	DR EXT .1890D ( #12 ) 1.531FL	6.000OAL STR SHK
			46	DR EXT HSS .1910D 1.531FL	6.000OAL TY SB MIN ORD 250
			28	DR EXT HSS .1935D ( #10 )	1.625FL 6.000OAL MIN ORD 1000
			3	DR CT .1875D 2.312FL 3.500OAL	JL TY B
			36	DR .1875D ( 3/16 ) JL TY B	
			117	DR HSS .1935D ( #10 ) 2.437FL	3.625OAL TY B JL
			2	DR ADPTR HSS .1770D ( #16 )	.563FL 1.25OAL THDD (MIN 500)
			16	DR ADPTR HSS .1770D ( #16 )	1.125FL 1/4-28 THD (MIN 200)
			44	DR HSS .1875D 1.515OAL .563OFL	1/4-28 THD HX ADTPR
			5	DR ADPTR HSS .1890D ( #12 )	.563FL 1.25OAL THDD HX SPL
			48	DR ADPTR HSS .1935D .562FL	1.25OAL THDD HX 1/4-18 MIN 25
			30	DR ADPTR HSS .1935D 1.125FL	2.125OAL THDD HX (MIN 500)
			5	DR HSS .1990D ( #8 ) .562OFL	1.515OAL THDD HX 17PCS MIN ORD
			40	DR HSS .1990D ( #8 ) 1.125FL	2.390OAL THDD HX 25 MIN ORD
			2	DR ADPTR HSS .1875D .313OFL	.375OAL 1/4-28 THDD HX 118° SP
			2	DR ADPTR HSS .1935D ( #10 )	.500FL .3125OAL .0625 TH HX
			8	DR HSS .1719D ( 11/64 )	1.406FL 3.250OAL JL TY SB
			36	DR HSS .1770D ( #16 ) 1.468FL	3.375OAL JL TY SB SPL #1
			76	DR HSS .1910D ( #11 ) 1.531FL	3.500OAL JL TY B
			29	DR HSS .1990D ( #8 ) 1.625FL	3.625OAL JL TY SB
			385	DR COB .1719D 2.125OFL	3.2500OAL JL NAS 907 J
			30	DR COB .1910D ( #11 ) 2.312OFL	3.5000OAL JL TY J NAS 907
			10	DR COB .1935D 2.437OFL	3.625OAL JL STR TY J
			5	DR HSS .1910 ( #11 ) .75OFL	1.765 OAL 1/4-28 THD (MIN 36)
			68	DR EXT HSS .1990D ( #8 )	1.625OFL 6.000OAL TY SB STD #2
			10	DR HSS .1770 ( #16 ) 2.187FL	3.375OAL JL NAS TY B
			2	DR HSS .1960D ( #9 ) 2.437OFL	3.625OAL JL TY B NAS 907
			36	DR EXT HSS .1875D 2.312FL	6.000OAL TY B SMG 135° SP
			48	DR EXT HSS .1719D 6.000OAL	2.125FL TY B
			2	DR EXT HSS .1960D ( #9 )	.1960FL 6.000OAL SPL #2
			17	DR COB .1875D ( 3/16 ) JL TY J	2.312FL 3.500OAL STR SHK
			2	DR ADPTR HSS .1875D .500FL	.625OAL 1/4-28 THD HX 118° PT
			27	DR EXT .1875D ( 3/16 ) 6.00OAL	
			1	DR EXT .1850D ( #13 ) 8.000OAL	PER4865-1334 DWG.
			57	DR HSS .1870BD .1285PD 6.00OAL	1.531FL
			5	DR EXT .1770D ( #16 ) 6.000OAL	PER STD TOOL SPEC #2
			2	DR PLT HSS .1850BD .1285PD	1.531OFL 6.000OAL STP
			32	DR EXT COB .1719D ( 11/64 )	2.125OFL 6.000OAL TY J
			2	DR EXT COB .1960D ( #9 )	2.437FL 6.000OAL TY J
			2	DR HSS .1935D .750OAL .625OFL	1/4-28THDD HX ADPTR
			3	DR CAR .1770D ( #16 )	STR DBL F AGL PT MIN ORD 15
			10	DR CAR .1990D ( #8 )	1.102FL 3.00OAL STR F DBL AGL
			48	DR COB .1695D ( #18 ) 2.125OFL	3.250OAL JL TY J 12 PCS/PKG
			3	DR COB .1730D ( #17 ) JL	2.187FL 3.375OAL TY E FOR J
			1	DR .1770D ( #16 ) JL	NAS 907 TY J E CRIB

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	DR .1850D ( #13 ) JL	NAS 907 TY J FOR E CRIB
			2	DR COB .1890D 2.312FL 3.500OAL	JL TY J NAS 907
			5	DR COB .1719D ( 11/64 ) JL	TY J FOR E 2.125FL 3.250OAL
			7	DR COB .1935D 2.437FL 3.625OAL	JL NAS 907 TY J E CRIB ONLY
			12	DR COB .1875D 2.312FL 3.500OAL	JL NAS 907 TY J E CRIB ONLY
			2	DR EXT .1800D ( #15 ) 6.00OAL	NAS 907 TY J FOR E CRIB
			45	DR EXT COB .1875D 2.312FL	6.00AL TY J 12 PCS/PK
			3	DR EXT COB .1910D 2.312FL	9.000OAL TY J NAS 907
			24	DR DAGGER CAR .1770D ( #17 )	6.000OAL STR SHK
			5	DR STP PLT COB .1878BD .1610PD	.188PL 2.25FL 7"OAL
			6	DR PLT COB .1908BD .1510PD	3.000OFL 7.000OAL NAS 937 TY D
			5	DR STP PLT COB .1910D 2.100FL	6.500OAL DM 118° PT
			5	DR COB .1770D ( #16 ) 1.500OFL	4.000OAL SLOW SPRL
			5	DRILL .191 6 OAL STEP DRILL 118 DEG	POINT W/.144 PILOT COBALT A.C.T.
			35	DR STP RM PLT COB .1910BD .1753PD	1.00FL 7.00AL .2500STPL
			5	DR CAR .1935 D 3/4" F 6" OAL	DBL PT AGL
			4	DR STP PLT CAR .1910D ( #11 )	1.25OFL 6.00OAL DM 135 DEG
			4	DR DBL PT AGL CAR .1770D 6.0OAL	1-1/2 FL 4865-3 SPEC
		Cabinet 0103	2	DR COB .2570D ( F ) .7500FL	1.375OAL
			11	DR COB .2812D ( 9/32 ) 2.937FL	4.250OAL STR JL MIN ORD 12
			32	DR COB .3125D ( 5/16 ) 3.187FL	4.500OAL TY J JL STR
			14	DR HSS .2344D (15/64) 2.625FL	3.875OAL JL TY B MIN ORD 12
			18	DR EXT HSS .2500D ( 1/4 )	2.750FL 6.00OAL TY B MIN ORD 1
			300	DR HSS .2570D ( F ) 2.875FL	4.125OAL TY B MIN ORD 12
			2	DR HSS .2031D 3.625FL 6.000OAL	TL MIN ORD 12
			34	DR EXT HSS .2188D 1.656FL	6.000OAL TY SB
			19	DR EXT HSS .2344D 1.750FL	6.000OAL TY SB
			53	DR EXT HSS .2500D ( 1/4 )	1.844FL 6.000OAL STR SHK TY SB
			26	DR EXT HSS .257D ( F ) 1.906FL	6.000OAL TY SB MIN ORD 24
			4	DR EXT HSS .2656D ( 17/64 )	1.906FL 6.000OAL TY SB
			39	DR EXT HSS .2812D ( 9/32 )	1.969FL 6.000OAL UNCLEARED
			6	DR CT .2500D 2.750FL 4.000OAL	JL TY B
			12	DR HSS .2969D 3.062FL 4.375OAL	JL HVY WEB NAS 907 TY B SPL
			5	DR HSS .2813D 2.937FL 4.250OAL	NAS 907 TY B JL
			7	DR HSS .2660D ( H ) 2.875FL	4.125OAL JL HVY WEB TY B
			9	DR HSS .2950D ( M ) 3.062FL	4.375OAL TY B JL
			13	DR ADPTR HSS .2188D ( 7/32 )	.563FL 1.125OAL 250 MIN ORD
			18	DR ADPTR HSS .2188 ( 7/32 )	1.125OFL 2.125OAL TH 100 MIN O
			14	DR HSS .2010D ( #7 ) 1.625FL	3.625OAL JL TY SB
			10	DR HSS .2031D 1.625FL	3.750OAL JL TY SB SPL #1
			2	DR HSS .2040D 1.656FL 3.750OAL	JL TY SB
			14	DR HSS .2055 ( #5 ) 1.656FL	3.750OAL JL TY SB
			4	DR HSS .2090D ( #4 ) 1.656OFL	6.75OAL JL SPL #1
			12	DR HSS .2130D ( #3 ) 1.656OFL	3.750OAL JL TY SB
			5	DR HSS .2188D 1.656FL 3.750OAL	JL TY SB PER STD SPL SERIAL #1
			1	DR HSS .2280D ( #1 ) 1.750OFL	3.875OAL JL TY SB
			5	DR HSS .2340D ( #A ) 2.625OFL	3.875OAL JL TY B
			2	DR HSS .2460D ( #D ) 1.843OFL	4.000OAL JL TY SB
			93	DR HSS .2500D ( 1/4 ) JL TY SB	1.843FL 4.000OAL STR SHK
			2	DR .3125D ( 5/16 ) JL	
			168	DR COB .2500D ( 1/4 ) 2.750OFL	4.000OAL JL TY J
			9	DR COB .2280D ( #1 ) 2.625OFL	3.875OAL JL TY J
			3	DR COB .2770D ( #J ) JL TY J	
			2	DR COB .2969D 4.000FL 6.375OAL	TL NAS 907
			27	DR .2188D ( 7/32 ) JL 3.500OAL	2.500FL TY J
			48	DR .2812D 2.00OAL 1.000FL	1/4-28THDD HX ADPTR (MIN 50)
			6	DR COB .2420D ( #C ) 1.375OFL	2.500OAL SM STR SHK
			17	DR COB .2570D ( #F ) 2.875FL	4.125OAL JL TY J SMG
			144	DR ADPTR .2344D ( 15/64 )	.563OFL 1.00OAL
			5	DR COB .3125D ( 5/16 )	NAS 907 P-3
			1	DR COB .2813D (9/32) 1.500FL	2.687OAL SM P-3 PT
			30	DR HSS .2010D 2.437FL 3.625OAL	JL TY B

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	DR HSS .2040D 3.750OAL 2.500FL	TY B JL
			2	DR HSS .2380D ( #B ) 2.7500FL	4.000OAL JL TY B NAS 907
			8	DR HSS .2500D 2.750FL 4.000OAL	JL TY B SMG NAS 907
			64	DR EXT HSS .2570D ( #F )	2.875FL 6.000OAL TY B NAS 907
			2	DR EXT HSS .2420D ( #C )	3.3750FL 6.000OAL TY B NAS 907
			46	DR COB .2500D 3.750FL 6.125OAL	TL TY J NAS 907 P-3 PT
			5	DR HSS .3125D .5620FL 1.0OAL	1/4-28 TS PER 4865-1190 21/PKG
			10	DR HSS .2055D ( #5 ) 1.120FL	1.75OAL HX ADPTR 25 MIN ORD
			2	DR EXT .2055D ( #5 ) 6.00OAL	STR
			2	DR COB .2055D ( #5 ) 2.500FL	3.750OAL JL TY J NAS 907
			28	DR EXT COB .2570D 2.8750FL	6.000OAL TY B
			15	DR HSS .2344 ( 15/64 ) 1.125FL	2.125OAL HX ADPTR 50 MIN ORD
			2	DR EXT .2344D ( 15/64 ) 8.0OAL	
			16	DR EXT HSS .2130D ( #3 )	1.6560FL 6.000OAL TY SB
			276	DR HSS .2969D 1.562FL 2.5OAL	SMG 1/4-28 THDD HX ADPTR
			9	DR EXT .3125D ( 5/16 ) 8.00OAL	SMG
			2	DR COB .2344D ( #15/64 )	2.625FL 3.875OAL TY J
			1	DR .2610D ( #G ) JL F 135°	P3 NYTD #3015 OR EQUAL
			5	DR PLT HSS .3120D 4.500OAL	118°SP STP JL
			2	DR EXT PLT .3125BD .1875PD	3.187FL 6.0OAL PER STD SPL #11
			24	DR PLT HSS .2812BD .0980PD	1.656FL 4.250OAL JL 118° SP
			11	DR HSS .2460D ( #D ) 2.7500FL	4.000OAL JL TY B NAS 907
			2	DR .2812D ( 9/32 )	NUCON FAST SPRL
			47	DR HSS .2344D (15/64) 2.6250FL	3.7650OAL 1/4-28 THDD(MIN 25)
			2	DR COB .2344D (15/64) 1.3120FL	2.4370OAL SM RHC SPRL STR SHK
			2	DR COB .3125D ( 5/16 ) SM	SMG 135°SP
			2	DR EXT COB .2210D ( #2 )	2.6250FL 6.000OAL TY J NAS 907
			24	DR EXT COB .2500D 2.7500FL	6.000OAL TY J
			58	DR .2610D (G) 1.500OAL	EXCLUDING THD 1/4-28 THD
			26	DR THDD HSS .2969D W/.161D X	.250 LG PL; 2-1/8" OAL EXCLUD THDD
			47	DR STP PLT HSS .2188BD .0980PD	3.750OAL 2.500FL
			24	DR STP PLT HSS .2500BD .0980PD	2.75FL 4.0OAL SMG MIN ORD 24
			2	DR CAR DAGGER .2188D ( 7/32 )	4.000OAL TY 1 PT
			5	DR EXT COB .2188D ( 7/32 )	TY J FOR E 2.500FL 6.000OAL
			16	DR COB .2420D ( C ) 2.7500FL	4.000OAL TY J STR SHK
			8	DR COB .2460D ( D ) 2.7500FL	4.000OAL JL FOR E ONLY #70
			38	DR COB .2656 ( 17/64 ) 2.875FL	4.125OAL JL TY J
			8	DR COB .3125D 3.187FL 4.500OAL	JL TY J FOR E CRIB USE ONLY
			2	DR COB .3020D ( #N ) 3.062FL	4.375OAL JL TY J FOR E
			2	DR COB .2500D 2.750FL 4.000OAL	JL NAS907 TY J SERIAL #70
			2	DR .2188D ( 7/32 ) JL TY J	RESHARP PER SERIAL #70
			5	DR COB .2055D ( #5 ) 2.500FL	3.750OAL JL TY J NAS 907
			2	DR EXT COB .2570D 2.875FL	6.000OAL TY J 12/PK PAM060402
			5	DR COB .2344D ( 15/64 ) JL	TY J RESHARP PER SERIAL #70
			5	DR COB .2969D ( 19/64 ) 3.062F	4.375OAL JL TY J STR SHK
			4	DR COB .2610D ( #G ) 2.875FL	4.125OAL JL TY J NAS 907
			17	DR COB .2210D ( #2 ) 2.625FL	3.875OAL JL TY J NAS 907
			26	DR STP PLT HSS .2812BD .1250PD	2.937FL JL SMG 135° SP
			20	DR DAGGER CAR 15/64D 6.000OAL	
			4	DR DAGGER CAR .2570D ( F )	6.000OAL STR SHK
			5	DR HSS .2031D ( 13/64 )	THD HX ADPTR SHTS
			37	DR RM TPR SLD CAR	.3125D X 6.000OAL
			7	DR SLD CAR .2500D 6.0OAL	1-1/2"FL DBL PT AGL
			2	DR SLD CAR TW .250D 6.0" OAL	JL FL 135 DEG SP
			2	DR THD ADPTR .2969 (19/64")	1" L UNCLEARED F PER SPEC #3
			28	DR HSS .2188D 3.750OAL 2.500FL	JL TY B
			2	DR EXT COB .2344D ( 15/64 )	2.625FL 8.0OAL TY J MIN ORD 24
			2	DR EXT HSS .2656D 2.8750FL	6.0OAL TY J 12/PK
			9	DR COB .2031D ( 13/64 ) SM	NAS 907 P-3
			2	DR DAGGER SLD CAR .1990D	6.000"OAL
			48	DR STP PLT HSS .2010BD .1285PD	.2500L PLT JL 135SP SM SPL
			8	DR STP PLT HSS .2010BD .0980PD	.,2500L PLT JL 135SP SM SPL

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
		Cabinet 0105	5	DR HSS .5625D ( 9/16 ) 3.000FL	6.000OAL S&D 1/2 PLN RND SHK
			10	DR HSS .6250D ( 5/8 ) 3.000FL	6.000OAL S&D MIN ORD 1
			7	DR HSS .6563D 3.000FL 6.000OAL	1/2 PLAIN RND SHK
			5	DR HSS .7500D ( 3/4 ) 3.000FL	6.000OAL S&D MIN ORD 1
			2	DR HSS .7812D ( 25/32 ) 3.00FL	6.000OAL S&D 1/2 PLN RND SHK
			1	DR HSS .6719D ( 43/64 )	5.375FL 9.250OAL TPR SHK
			2	DR HSS .7656D 6.000FL 9.875OAL	.5000D STR SHK TL
			15	DR COB .3594D ( 23/64 ) 3.50FL	4.875OAL JL TY J MIN ORD 6
			15	DR COB .3750D ( 3/8 ) 3.625FL	5.000OAL JL TY J
			6	DR COB .5000D 4.500FL 6.000OAL	NAS TY J JL MIN ORD 6
			6	DR CORE HSS .3750D 3F TL	STR SHK
			2	DR EXT HSS .3906D ( 25/64 )	3.7500FL 8.000OAL TY B STR SHK
			1	DR EXT HSS .3281D ( 21/64 )	2.219FL 6.000OAL STR SHK TY SB
			9	DR CT .3750D 3.625FL 5.000OAL	JL STR SHK TY B
			1	DR CT .5000D STR SHK JL	EXT TY B
			2	DR HSS .3281D ( 21/64 )	3.187FL 4.625OAL JL TY B
			5	DR .4531D ( 29/64 ) JL TY B	
			5	DR HSS .4688D 4.312FL 5.750OAL	JL NAS 907 TY B STR SHK
			6	DR STP PLT HSS .3750BD .250PD	2.406FL 5.000OAL JL 118°SP RH
			7	DR HSS .3480D ( S ) 3.500FL	4.875OAL TY B HVY WEB
			2	DR HSS .3580D ( T ) 3.500FL	4.875OAL TY B JL NAS 907
			19	DR HSS .3680D ( U ) 3.625FL	5.000OAL TY B JL NAS 907
			20	DR HSS .397D ( X ) 3.750FL JL	5.125OAL TY B NAS907 HVY WEB
			11	DR HSS .4040D ( Y ) 3.875FL	5.250OAL TY B JL HVY WEB
			8	DR JL .3438D ( 11/32 )	
			36	DR COB .5625D ( 9/16 ) JL	4.812FL 6.625OAL TY J
			3	DR EXT HSS .3230D ( #P )	2.2180FL 6.000OAL TY SB
			2	DR COB .7344D ( 47/64 ) TL	HD M51CO
			7	DR COB .5312D ( 17/32 )	4.812FL 6.625OAL JL TY J
			5	DR COB .5625D 2.500FL 4.000OAL	SMP-3 PT SHK NAS 907
			4	DR COB .6562D ( 21/32 )	2.875 STR SHK 4.500OAL SM
			2	DR EXT HSS .3438D (11/32)	2.2810FL 7.000OAL TY SB
			2	DR HSS 1.125FL 2.125OAL	JL .4219D NAS907 TY B
			2	DR COB .4688D ( 15/32 )	4.3120FL 5.7500OAL JL TY J
			19	DR EXT COB .3750D 3.625FL	6.000OAL NAS 907 TY J
			2	DR HSS .6094D ( #39/64 ) S&D	3.000FL 6.000OAL
			1	DR HSS .5000D ( 1/2 ) 4.500FL	6.000OAL JL TY B
			1	DR EXT .4844D ( 31/64 )	10.000OAL TY B
			2	DR .3594D ( 23/64 ) 3.5000FL	4.8750OAL JL TY B STR SHK
			5	DR EXT COB .4844D ( 31/64 )	4.600FL 6.6000OAL TY J TNGD
			5	DR HSS .3594D 2.00AL 1.250FL	1/4-28 THDD HX ADPTR 58/PKG
			20	DR EXT PLT COB .3594BD .2500PD	3.500FL 6.000OAL STR SHK TY J
			2	DR COB .4844D 2.187FL 3.687OAL	SM SPLT PT NAS 907 AUTO TANG
			13	DR HSS .6250D ( 5/8 ) .5000SHK	TL
			1	DR CORE HSS .4219D ( 27/64 )	7.250OAL 4.625FL STR SHK
			9	DR DAGGER CAR .3750D	4.000OAL STR SHK TY 1 PT
			14	DR COB .3580D ( T ) 3.5000FL	4.8750OAL JL TY J NAS 907
			2	DR COB .3594D 3.500FL 4.875OAL	JL TY J NAS 907
			6	DR COB .3750D ( 3/8 ) 3.625FL	5.000OAL JL TY J STR SHK
			4	DR COB .4062D 3.875FL 5.250OAL	JL TY J NAS 907
			4	DR COB .4844D 4.375FL 5.875OAL	JL TY J NAS 907
			2	DR COB .5000D 4.500FL 6.000OAL	JL TY J FOR E CRIB
			2	DR COB .3320D ( #Q ) 3.437FL	4.7500OAL JL TY J NAS 907
			5	DR COB .3438D 3.437FL 4.750OAL	JL TY J NAS 907
			4	DR COB .5313D 4.812FL 6.625OAL	JL TY J FOR E CRIB ONLY
			3	DR COB .3680D ( U ) 3.625FL	5.000OAL JL TY J STR SHK
			1	DR .3281D ( 21/64 ) JL	TY J STR SHK NAS 907
			1	DR COB .3860D ( #W ) 3.7500FL	5.1250OAL JL TY J NAS 907
			2	DR EXT COB .3860D 3.750FL	8.000OAL TY J NAS 907
			1	DR COB .3594D 1.750FL 3.062OAL	SM 135° SP
			4	DR HSS .7344 ( 47/64 )	3.000FL 6.000OAL S&D
			2	DR RM .4998D 10.000OAL 4.750FL	130°PT

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	DR RM HSS .4858 DR D .4998 RM D	10.000 OAL 4.62FL .562PL
			3	DR .3160D ( #O ) JL TY B	
			2	DR COB .4219D (27/64) DM STP	7.00OAL .3750PD .60PLTL 2F
			2	DR COB .5156D (33/64) DM STP	7.00OAL .3750PD .60PLTL 2F
			2	DR SPT CAR 90 DEG PT 0.5000D	2 FL 1-3/16" FL L 3.0OAL
			2	DR CAR 140 DEG PT .4531(29/64) OD J	2 FL 4.01 OAL
916	INV # 2276073	Cabinet # 0202	Quantity	Material Description1	Material Description2
			4	GUN TAG SWIFTACHER FAST	MAS R/P #FLD 155B MTR FIELD
			2	NDL REG DENNISON #08941	FOR MARK II SWIFTACKER
			50	PAD HAND W/SCREENCLOTH	HPS-515 10/PG
			39	STENCIL BOARD .007 X 6 X 12	USED ON ALL 1/4 STENCIL CUT
			7	STAMP RBR IDENTIFICATION	STAMP MATERIAL RF05
			1	STAMP RBR INDENTIFICATION	STAMP MATERIAL RF02
			4	STAMP PAD 7 1/4 X 17	RBR CUSHION
			3	STAMP RBR IDENTIFICATION	MATERIAL RT04 STA TITE #TA10
			3500	TAG ID ALUM .500X3.0X.050 W/A	3/16 HOLE 2024 PER TDS 20 1342
			1400	TAG ID SS (RPS 13.99) .50X3.00	X.03 W/A 3/16 HOLE MATERIAL BX/2000
			200	SLV COPPER ZINK PLATED OVAL	FOR USE W/ 1/16 " BRAIDED CABLE
		Cabinet 0204	4	ABR WHL .7500D 2.5000TH	.2500 X 1.5000L MTD PT A-1
			5	ABR WHL 1/4D 1-1/16THK	GRDING
			2	ABR WHL GR 5/8 X 5/8 A26 SHAPE	60 GR MTD PT .250D 1.500L MANDRELL
			5	ABR GR WHL 1/2D 3/8THK	
			1	WHL MNTD .500 SHAPE B121	
			5	ABR WHL GR .5000D 1.5000 TH	MTD PT W-188
			5	ABR WHL GR .7500D 1-1/2 TH	1/4 X 1-1/2 MTD PT W-207
			2	ABR MTD 7/32 X 3/8 PT SHAPE	1/8 X 1-1/2 SHK 25/CS
			12	BLD HACKSAW HSS 12.000L 1/2W	.0250TH 32 TTH PER IN FLEX BK
			2	BLD FLT FOR STANLEY SURFORM	FL NO 21-293BC #21-293
			3	DIE SLOT .2500 .5000 TY M FOR XX	HAND PUNCH
			3	DRVR COLLAR SETTER	TS17-1004-2 REV A
			555	BLD KNIFE EXACTO #11 NO SUB	5 /BX
			1000	BLD X-ACTO #11	
			2	PUNCH SLOT PLT .5000 .2500	TY M ROPER WHITNEY
			1	PUNCH .0980D 2-7/8L	DUPLICATING
			2	PUNCH 1/8D 2 7/8L	DUPLICATING
			2	PUNCH 5/32D 2-7/8L	DUPLICATING
			9	PUNCH 3/16D 2-7/8L DUPLICATING	
			3	PUNCH 7/32D 3-7/8L DUPLICATING	
			3	PUNCH 1/4D 7/8L DUPLICATING	
			1	PUNCH 11/32D 3-7/8L	DUPLICATING
			1	PUNCH 1/2D 3-7/8L DUPLICATING	
			1	PUNCH .1285D #30	PIERCE TOOLSET
			2	PUNCH PIERCE TOOLSET .1562	DWG TS5-124
			1	STICK POUNDING	MICARTA TS 20 80 4 REV F
			1	STICK ALUM POUNDING	TS 20 80 8 REV F
		Cabinet 0206	5	ADPTR DR COLLET CHUCK	#30 1/4-28 SPINDLE THRDS
			4	DR ADPTR .1935D ( #10 )	1/4-28 SPNDL TH MIN ORD 12
			30	DR ADPTR .18750D 1/4-28 THD	MIN ORD 12
			2	APDTR QUICK CHANGE PRESSURE	FT ASSY USE W/G&S 4025-0020
			3	CSK ADPTR	TS9-32-2
			2	CSK ADPTR	TS9-32-4
			2	DRUM AR 3/4D X 1L	1/4D SHK FOR SAND SLV
			3	AR GR	TS27-23 REV C
			1	AR 2 CUTOFF WHL	
			24	BT SD PT SZ #1 1.000OAL	INS 1/4 HX DRV 440-11
			3	BT SD #2 PT SZ 1/4D 1/4HX DRV	6.000OAL PHL PWR DRIVEN
			5	BT SD PWR DRVN 1/4 HX	DRV #14 PNEU 320-6X
			5	BT TRQ 1/4 DRV	#440-TX-20H
			4	TORX BT 440-TX-07X	
			4	BURR REMOVER CAR	BLD VARGUS MODEL#2064 5145B20C

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	DBRT 5/16-25/32 CUT D STYLE #1	90 21/32 LONG MIN ORD 12
			5	FILM TATTLE TALE RECORDER	FOR ELONGATION CONTROL
			4	RTR GUIDE 9/32ID 1/2OD 1/8TH	1/2-20THD 1/2 LG NS
			6	DR PLT .1285BD ( #30 ) .2480PD	.1870FL 1.1250OAL TS8-3592-1
			2	DR GUIDE .1285BD .2490PD	4.250OAL .8750FL TS8-3593-1
			3	DR .0980BD .2490PD .5000FL	1.125OAL TS8-3592-2
			2	DR GUIDE PLT ( #40 ) .0980D	.249PD .187LG 4.250OAL
			1	DR .0980BD .374PD .500FL	2.875OAL TS8-3593-5
			1	RTR GUIDE .5625D .5000FL	1/2-20 THRDS
			1	GUIDE RTR .2812ID .4370OD	.5 LEN NS .125 TH 1D FLANGE
			2	DR GUIDE PLT .2490BD .0980PD	.8750FL 4.250OAL TS8-3593-8
			1	DR .1285BD .2490PD .5000FL	1.125OAL TS8-3592-3
			2	GUIDE RTR .480D X .500L	.260 CLR HOLE 1.000D FLANGE
			4	GUIDE RTR .500D X .500L	.260 CLR HOLE 1.000D FLANGE
			1	GUIDE RTR .530D X .500L	.260 CLR HOLE 1.000D FLANGE
			2	RTR GUIDE .500" PD .437" PLT L	1/2-20"THD 1.250" FLANGE DIA
			2	HOLD 10-32 THD PLASTIC ANCHOR	TS20-1352-1
			2	SET HOLD TOP	TS17 205 2
			1	HOLD WHL MANDREL #936 1X1GROUP	UNTZ S-B WH 5/CS
			2	ABR HOLD DISC 4.000D MED PAD	FOR TY III ROLOCK DISCS
			28	INS PHENOLIC COLLAR MIC-ST CSK	3/4 20MALE 50 ORD MIN
			1	TPR THD 118 PLT SZ 1.000L	1/4 SHK SZ
			2	TPR THD 1.000L 3/16PLT 1/4SHK	
			5	MANDREL CART RL PLT 1/8D PLT	1-1/2L 1/4SHK 5-1/2OAL 10/PKG
			1	SHK EXT .2500ID 6LEN	FOR CBOR
			2	MIC-ST 5/32 AT441	SML 332 532 ZT330M-.332-.532
			5	STOP DR #16 (.1770)	
			5	DR STOP .1610 (#20)	MONOGRAM DS 20
			2	MICRO STOP 1/4-28 THD	MAGNAVON NO 35108
			2	STONE PN TS21-109-201	
917	INV # 2276074	Cabinet # 0208	Quantity	Material Description1	Material Description2
			12	BLANK DR .0980D ( #40 )	
			2	BLANK DR .2500D ( 1/4 )	
			2	BLANK DR .1875D	
			8	TOOL BURRING	EDGE BREAKER AT514
			2	DBRT SHT MTL	DBL BLD
			2	DRVMT C .1610D .1250FL	1.485OAL
			5	CDC PLT HSS .1875BD .0781PD	120° DR & 60° BP AGL MIN ORD 6
			2	CDC PLT HSS .50BD .2188PD 120°	DR PT AGL 60° BP AGL MIN ORD 6
			2	CDC HSS 60° BODY PT AGL	120° DR PT AGL
			2	CDC HSS .3125BD .125D SHK 6OAL	DBL EN SR SHK 60° BP MIN ORD 6
			6	DR NT PL HSS .2500D .5600FL	2.9850OAL 2 EA = 1 PR
			2	DRVMT C COB .1930D .2500FL	1.6100OAL ( MIN ORD 25 )
			2	CDC HSS .1875BD .0781FL	4.000OAL TY 60 110° MIN ORD 6
			2	CDC .2040BD ( #6 ) 6.000OAL	.500 X .2188PT D MIN ORD 6
			2	DRVMT C COB .1935D .2500FL	1.610OAL TY D NAS 907
			2	CDC DRVMT C COB .1610D	.4500BD .2500OAL
			2	DRVMT C .1610 X .3170	.2500F
			2	DRVMT C PLT 3750BD .1935PD	.2500FL
			2	DRVMT C .250D .250L	100° CSK AGL
			20	DR DRVMT C CAR .1935 DR D 2F	.375DR L .375BD .250SHK 4867-5
			2	SPT FCR PLT BK	INT LOCK & PN TY
			4	SPT FCR BK PLT.1562D	INT LOCK & PN TY
			1	BK SPT FCR PLT STP PL MINOR	.1875D P2 MAJOR .1719D
			4	PN FORM BLK PER TS4 4 9	HYDROPRESS
			3	PN .180D FORM BLK HYDROPRESS	PER TS4-4-7A
			5	PN FORM BLK TS4-4-14	MODEL REV D MIN ORD 10
			5	PN FORM BLK	MIN ORD 10
			3	SPT FCR BK .625D	.060-.080R .2500D HOLE
			5	SPT FCR BK .5000OD	

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			5	SPT FCR BK .6875D	
			2	SPT FCR BK .8750D .3750AH	.090COR R 4F
			5	SPT FCR BK PLT .3750BD	.1562PD ZEPHYR ZT 73 24
			5	SPT FCR BK 3/8D 3/16 PH	
			7	SPT FCR BK .840 X.650 W/ 3/8"	BAYONET STYLE ARBOR
			4	SPT FCR REVER CAR .5D 1875PLT	
			10	PN FORM BLK 3/4D 1.00L .245D	SHK TS4 54 14
		Cabinet 0210	2	CBOR PLT .3438BD .0938PD 4F	2.3750AL SH ST MIN ORD 3
			2	CBOR HSS .4062BD .1250PD	2.8125OAL 4F SH ST MIN ORD 3
			2	CBOR HSS .7188BD .1875PD	2.8125OAL 4F SHORT STYLE
			3	CBOR PLT HSS .7500BD .1875PD	.625 FL 4F STR SHK MIN ORD 6
			2	CBOR HSS .8750BD .1875PD 4F	.250D SHK ACFT 060 MIN ORD 8
			2	CBOR HSS 1.1875D .1875PD	5.3750AL 4F STR SHK
			5	CBOR PLT HSS .2500BD .0938PD	.500FL 2.3750AL 4F STR SHK
			12	CBOR PLT CT .6875BD .1875PD	2.7500OAL 3F SHORT STYLE
			3	CBOR CT .5000D .1250PH ACFT	.2500STR SHK NO R MIN ORD 3
			2	CBOR PLT HSS .3906 ( 25/64 )	.125PD .500FL 2.812OAL 4F .390
			8	CBOR CT .6406D .1875PH D 4F	.0700R +/-0.006 LNGS .500 SHK D WITH
			1	DUP STRAP 8-1/2L	
			1	BUSH DR PLT .0980PD DUP STRAP	INV 61/4 USEABLE L 10 MIN
			1	REACH STD SZ 3/32 W/OUT SPG	#7150 6003
			2	MANDRELL 1/8SZ STD REACH	W/O SPG
			3	CBOR PLT .1250BD .0938PD	
			6	CBOR PLT .1875PLT BODY	.0938PLT SHK SCHRILLO TY 7036
			2	CBOR PLT .2500D .0938D SHK	SCHRILLO TY 7038
			47	CBOR PLT .1875BD .1250PD	SCHRILLO TY 7046
			2	CBOR PLT .2812D .1250D SHK	SCHRILLO #7049
			39	CBOR PLT .3125BD .1250PD	SCHRILLO TY 7050
			2	CBOR PLT .3750BD .1250PD	
			44	CBOR PLT .2812PD .1562D SHK	SCHRILLO #7059
			4	CBOR PLT .3750BD .1875PD	TY 7072 SCHRILLO
			3	CBOR PLT .5625PB .1875P SHK	SCHRILLO TY 7078
			1	CBOR PLT .6250D .1875D SHK	SHORT STYLE
			1	CUT CSK PLT .3125D .1700SHK	MM311-2
			2	CSK PLT .3438BD .1700PD	MM311-2 OR EQUIV.
			4	CUT CSK PLT .6562D .1700SHK	MM311-2
			2	CSK PL .1760D .1250D SHK	HARDENED ZT301-16
			1	CSK PLT .1890BD	.1250D SHK
			14	CSK PLT .2344D .1250D SHK	HARDENED
			2	CSK PLT .1562D .1250D SHK	HARDENED ZT301 5/32
			2	CSK PLT .1875D 1.000OAL	
			2	CSK PLT .1800D .1250D SHK	
			2	CSK PLT .1800D .1250SHKD	
			11	CBOR PLT .0938 SHK D.1980 PLT D	
			2	PT SPT .218D .187MINORD	6"OALSERIES186
			2	WHL BUFF 6D 1/2 FACE 1/2 AH	SEWED
			4	WHL .5000 AR 8.000D .2500THICK	SEWED U.O.M=EA
		Cabinet 0212	7	CUT CSK HSS .5000D .2500SHK 3F	82° AGL
			1	CSK HSS .6250D .3750D SHK 3F	SPRL 82°
			2	CUT CSK PLT HSS 2.000BD	90° AGL 3F .500 SHK DIA
			2	CSK HSS .3750D .2500D SHK 3F	SPRL 100°
			2	CUT CSK HSS .5000D .2500SHK 3F	100° AGL SPRL
			2	CSK PLT .375BD .1880PD	1/4-28 TS 100° ( MIN ORD 15 )
			2	CSK PLT .5600BD .3710PD 100°	1/4-28 TS ( MIN ORD 6 )
			20	CSK PLT HSS .3750BD .1925PD	1.192OAL 1/4-28 THDD 100°
			2	CUT CSK PLT HSS .375BD .201PD	100° AGL 1/4 28 TS MIN ORD 2
			2	CSK PLT HSS .5000BD .2630PD	1/4-28THDD SHK MIN ORD 2
			2	CUT CSK BK HSS .3750BD .1875PH	100DEG AGL
			6	CSK PLT HSS .500BD .1990PD	4F 1/4-2 100°
			3	CSK PLT .1875PD	100 CTSK AGL W/ADJ DPTH COLLAR
			2	CSK PLT HSS .3750BD .2170PD	1.222OAL 100° ( MIN ORD 12 )
			2	CSK PLT .5000BD .2790PD 100°	( MIN ORD 10 )



Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	CUT CSK PLT HSS .500BD .0781PD	100° AGL REPLACEABLE 1/4-
			3	CSK PLT .5300BD .2490PD 100°	.030/.035R ( MIN ORD 12 )
			2	CUT CSK PLT .500BD .0980PD	100° AGL 1/4 28 TS PER
			1	CUT CSK PLT HSS .625BD .1875PD	90° CUT AGL .2500 REPLACEABLE
			7	CSK CT .8750BD .1875PH	100° MIN ORD 12
			5	CSK PLT HSS .3750BD .1850PD	1.1820OAL 100° ( MIN ORD 6 )
			1	CSK PLT .1895PD .3630BD	100° CSK AGL MIN ORD 12
			1	CUT CSK PLT HSS .5000BD .1870P	100° AGL 3F PER PRINT 4690-2
			2	CUT CSK PLT CT .500BD .1935PD	100° AGL 3F MIN ORD 6
			2	CUT CSK PLT HSS .5000BD .1910P	100° AGL 3F PER PRINT 4690-2
			5	CSK PLT CT .125PD .625BD 100°	1/4-28 TS REPLACEABLE TY
			2	CUT CSK PLT HSS .5000BD .2010P	100° AGL 3F PER PRINT 4690-2
			2	CSK PLT HSS .2340D INT 1/4-28T	1/2 BODY X 100° X 3F 4690-2
			38	CSK PCD INT .500 BODYD .249PD	100 DEG .025/.035R 1/4"-28 THD
			2	CSK CT .247PD X .500BD	.2500 1/4- 28 TS
			2	CSK CT .249 PD .530 BD	PER DWG 4690-3
			2	CSK CT .375BD X .1590PD	1/4-28 THD PER DWG 4690-3
			4	CSK CT .245PD X .500BD	.2500 1/4- 28 TS
			4	CSK CT .500BD X .185PD	1/4--28 THD PER DWG 4690-3
			2	CSK CT .197 PD .406 BD	
			2	CSK CT .259PD .531BD	
			9	CSK BK PLT CAR .5625BD .250PD	
			2	CSK PCD .500BD .1980 PT	100 DEG AGL .025/.035 TRANS
			2	CSK PLT HSS .3750BD .1590PD	1.1520AL 82° ( MIN ORD 12 )
			9	CSK PLT HSS .5000BD .2180PD	1.2600AL 3FL ( MIN ORD 10 )
			5	CSK PLT HSS .3750BD .1890PD	1.2200AL 100° ( MIN ORD 24 )
			10	CSK PLT HSS .3750BD .0970PD	1.1100AL 100° ( MIN ORD 20 )
			4	CSK PLT .4375BD .2480PD	1/4-28 TS 100°
			5	RVT SHR CT .5625D 1/4-28 TS	AT429-5B HP50-5
			2	CSK PLT .159PD .375BD	1/4-28 TS 100°
			2	CSK PLT HSS .3750BD .1900PD	1.2200AL 100° ( MIN ORD 20 )
			5	CSK PLT HSS .3750BD .1580PD	100° 3F .1562 ( MIN ORD 24 )
			4	CSK PLT HSS .3750D .0970PD	1.0720AL ( MIN ORD 24 )
			14	CUT CSK .3750BD .1870PD 100°	.2200L 3F MIN ORD 10
			8	CSK PLT HSS .5000BD .1860PD	1.2200AL 3F ( MIN ORD 10 )
			2	CUT CSK PLT .5000BD .2490PD 3F	.300LG 100° 1/4-28TS
			8	CSK PLT HSS .6250BD .2490PD	1.2620AL 100° 1/4-28 THD
			2	CUT CSK PLT .3750BD .1770PD	.200FL 3F 1/4-28 TS MIN ORD 6
			2	CSK PLT .375BD .203PD 1.2120AL	3F 100° ( MIN ORD 12 )
			5	CSK PLT .375BD .097PD .110FL	82° 1/4-28 TS PER 4755 3F
			11	CSK PLT HSS .2500BD .0980PD	1.0720AL 3F ( MIN ORD 24 )
			2	CUT CT .3125D 2F	1/4-28 THDD ( MIN ORD 24 )
			1	CSK PLT HSS .5625BD .281PD INT	1/4-28TS 100° 3F
			2	CUT CSK .6250BD .2600D .3200LG	PLT 1/4-28TS 100°
			2	CUT CSK PLT .5000BD .1990PD	.2300L 3F 100° ( MIN ORD 6 )
			2	CUT CSK PLT .2470PD .3750BD	1/4-28 THD 90° AGL
			2	CSK PLT HSS .3750BD .1640PD	1.180AL 130° AGL ( MIN ORD 6 )
			2	CUT SHR .4375D TY Z	HPV-55-3 NO SUB MIN ORD 20
			2	CSK DI COATED .4375BD .250PD	100° PER STD DWG 4755-4
			2	CSK DI COATED .4375BD .1990PD	100° PER STD DWG 4755-4
			2	SD MAG 7.5625OAL #337937	HX MAGNA #SRR-1 NO SUB
			2	KNIFE PALLET 3.000IN 3.00L 1/2	TROWEL TPR BLD 41010 10/PKG
919	INV # 2276076	Cabinet # 0401	Quantity	Material Description1	Material Description2
			5	ABR WHL 6.000D .2500W .2500AH	NON WOVEN CLEANING MED AOX
			450	ABR DISC AOX CLTH 3.000D	80 GRT RB 200/CS
			350	ABR DISC 3"D 120GRT AOX CLTH	RB PPR BK 200/CS
			100	ABR SHT 9X11 280 GRT AOX	RSN OVER RB 500/PK
			50	ABR WHL 1.000D 1.000W 3/16 AH	MED GRT 50 /CS
			16	ABR DISC SUPER FN	7 S-B
			25	ABR DISC 3D PART #048011 S-B	GRN VFN COLOR CODE BLUE



Lot	Inv#	Unit#	Quantity	Description 1	Description 2
920	INV # 2276077	Cabinet # 0209	Quantity	Material Description1	Material Description2
			2	BR EN PLT SS .1250PD	10/PK
			2	BR EN BONDING 5/32 PLT	WEILER#10058EP5 OR EQUIV 10/PK
			5	BR EN PLT .1875PD BONDING SS	#10059 EP6 OR EQUIV. 10/PK
			7	BR 3/8D .005WI SS SITUFT	OR EQUIV. 10/PK
			1	BR 1/2D .005WI SS FLT SITUFT	OR EQUIV. 10/PK
			2	BR FLT 5/8D .005 SITUFT SS	12/PK
			2	BR SS 1.000D .005 WI GA 1.00L	CRIMPED WI 1/8D SHK HELICA
			27	BR 2X9 SS WI SCRATCH	PLYWOOD HDL 25/PK
			2	BR WHL SS 1.000D .0005D WI	1/4FACE 1/4AH 10/PK
			7	BR WHL SS 2.00D1/4FACE 1/2AH	.0040WI WEILER#16833C-2 10/PKG
			2	BR WHL 3.000D 3/8FACE 3/8AH	.005WI SZ SS NON-MAG 10/PKG
			2	BR WHL SS 4.000D .014 WI SZ	3/8 AH #1104 S45
			2	BR WHL 6.000D .0118WI .5000AH	NON-MAG TLN-6
			1	BENCH/COUNTER BR	
			91	BR ARTIST CAMEL HAIR GRUNBACHE	#1096SZ #1 LA MESA BR LINE
			89	BR ARTIST CAMEL HAIR SZ 4	#4 RD ARTIST BR MFG# 1090R04
			24	BR ARTIST 1/2 SZ	(IDEAL #3648 #48) CAMEL HAIR
			24	BR BRISTLE NYL APPROX 3/8	8-1/2 CRVD WOODEN HDL .014
			11	BR 7.500 X 1.500 .003D SS	BRISTLES 36/PK
		Cabinet # 0211	2	CLAMP SHT HOLD #40 HX NT	1/2-1-1/2 CP SPIN FREE NO SUB
		Cabinet # 0215	3	ADPTR 1/4DRV 1.000L	1/4 FEMALE 3/8 MALE #5256
			3	ADPTR SCT 3/8 TO 1/4	5255
			3	CUT SHEARS STL 6.0000OAL	LIGHTWEIGHT CLAUS #FSS6
			47	SCREW DRIVER 8 COMMON	URREA #9608
			2	SCT 1/4DRV 7/32REG 6 PNT	
			2	SCT 3/8DRV 7/16DP 12PNT	
			2	SCT 3/8 DRV 5/8 REG 12 PT	5220
			2	SCT 1/2DRV 5/8DP 12PNT	
			2	SCT 1/2DRV 3/4REG 12PNT	
			1	RCHT WR .3125 X .3438 OFFSET	(DOG BONE)
921	INV # 2276078	Cabinet # 0201	Quantity	Material Description1	Material Description2
			10	ABR WHL 2 X 1/18 X 1/4"	
			8	ABR WHL 2"D 1/16"W 1/4" ARBOR	HOLE
			6	ABR WHL 3D 1/4W 1/4AH FN GRT	NON WOVEN UNTZ AOX
			20	ABR WHL 4.000D 1/16W 3/8AH	AOX CUT-OFF 46 GRT
			26	ABR WHL 7.000D .0312W 1.2500AH	AOX 60 GRT RB
			1	BT RTR .250D 1.00FL 3.00OAL	2F RHC RH SPRL MIN ORD 100
			71	BT RTR .2500D .7500FL 2.750OAL	2F RHC LH SPRL MIN ORD 3
			2	BT ROT .5000CUTD .5000SHKD 2F	3.2500OAL 1.2500FL RHC LH SPRL
			16	BT RTR CAR .2500BD .2500D SHK	.7500FL 2.500OAL 4F STR SHK RHC
			2	BT RTR .3750D SHK 1.5000FL	3.2500OAL 4F RHC SPRL
			1044	RTR BT .1875D .4375FL	2.5625OAL 2F RHC LH SPRL
			12	BT RTR CAR .7500FL 3.000OAL	STR SHK STR F KEVLAR
			70	BT RTR FBRGLS .2500D 1.000FL	TITANIUM NITRIDE MIN ORD 40
			2	BT RTR .3750D DBL F UC	.500D SHK CARLSON #072-1233
			5	BT RTR .2187D X .8750FL	.2500SHK DBL F UC
			16	BT RTR HSS .2187D ( 7/32" )	1/4" SHK 3" OAL RHC RH SPRL
			4	BT RTR CAR .2500D .7500FL	2.500OAL 4F RHC .2500D SHK
			1	BT RTR FBRGLS .2500D 3.00OAL	1FL CRS DI CUT DC NO EN CUT
			2	BT RTR CAR .250" CUTT DIA	1/4" SHK 3" OAL AL TIN COATED
			167	BT RTR CAR .250" CUTT DIA	1/4" SHK 3" OAL AL TIN COATED
			4	BT RTR SLD CAR .375 CUT EDG D	1.500 CUTT EDGE L 4.000 OAL
			5	RTR .2130 TPR PN ACE	NO SUB
			25	BT RTR .3125D 2F RH SPRL	DBL EDGE UC .5000D SHK
		Cabinet # 0203	3	HX STK 5/64 HX X 6 L	TEMPERED NO SUB 20/PKG
			72	KEY JACOBS CHKG #K 1	NO SUB 20/PKG - MIN BUY 20
			4	KEY JACOBS CHKG #K 2	NO SUB 20/PKG

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	KEY JACOBS CHKG #K 3	NO SUB 20/PKG
			4	KEY JACOBS CHKG #K 7	NO SUB 20/PKG
			3	KEY JACOBS CHKG #K 30	NO SUB 20/PKG
			1	KEY JACOBS CHKG #K 32	NO SUB 20/PKG
			192	SET SCR .050 HX #4 SZ KEY SCT	SHRT ARM #3 & #4 SET 100/PKG
			12	SET SCR SCT 1/16HX	OFF KEY #5 AND #6 10/PKG
			212	SET SCR 3/32 HX KEY SCT	#10 SC SHORT ARM 100/PKG
			89	SET KEY SCT HD SCR 7/32 HX	ALLEN WR SHORT ARM 100/PKG
			3	KEY 10MMD HX METRIC SHORT ARM	ALLEN WR
			313	WR KEY 5/64 X 4 L	L #7000.4 100/PKG
			1	KEY HX ALLEN #644	
			5	KEY 3/32 HX TIP	B&D PRODUCT TRQ CONTROL
			5	KEY 5/64HX TIP	TRQ CONTROL
			7	KEY HX TIP TRQ CONTROL TOOLING	QUICK RELEASE SYTEM .0938 HX
			100	KEY HX TIP TRQ CONTROL TOOLING	QUICK RELEASE SYS .1250 HX
			1	TOOL SNAP RNG INST	CAMLOC 4002 SERIES RINGS #T26
			2	WR COLLET 11/16	FOR DOTCO MTR #14-0811
			8	SET SCR SPL DRIFT PN HDL	TS20-2-1 REV C
			2	STONE PIN ASSY, ADJUSTABLE	3.50 OAL X .468 BODY DIA.
		Cabinet # 0207	47	BR PAINT 100% PURE BRISTLE	BAKER OR FULLER 36/PK
			35	BR PAINT #1 NATL BRISTLE 36/PK	SET UNPAINTED HDL IDEAL #150
			36	BR PAINT 2 FULLER 770	24/PK
			12	BR PAINT 4 UTL BRSTL BR 104	IDEAL #1325 WPS 400-4
			3	PP CLEANERS 12 X 6MM	CHENILLE STEMS 100/PK
			9	HDL T 3/32HX	ALLEN #57300 25/PKG
			4	NIPPLE FITTING AIR	1/4 NPT AMFLO#CP1
			2	WR HILOK SCT 5/16 1/4DRV	
			1	WR ALLEN 3/16 HX 6L T HDL	HUNTER #11332 NO SUB 10/PKG
			5	WR 1/4HX 6L T HDL HUNTER	#11336 NO SUB 10/PKG
			2	WR ALLEN 5/16 HX 6 LEN HUNTER	T HDL #11338 NO SUB 5/PKG
			5	WR 1/4 SQ DRV HI LOC INST	
			2	VAC FITTING	TDS 203 101
922	INV # 2276079	Cabinet # 0302	Quantity	Material Description1	Material Description2
			1	SET 1/8BL .437+.010-.010 BD	3/16 SQZR RVT CPD
			1	SET RVT SQZ CU 1/4 BL .187SHK	.2500RVT SZ AT 108AP
			2	SET RVT SQZ 1/4BL 3/16D SHK	5/32 RVT SZ CPD
			1	SET RVT SQZ 3/8BL 3/16D SHK	1/8SZ RVT
			2	SET RVT SQZ 3/8BL 3/16D SHK	3/16SZ RVT CPD AN 470 RVT
			4	SET RVT SQZ 1/8SZ RVT 5/8BL	3/16D SHK CPD AN 470 RVT
			2	SET RVT SQZ 3/4BL 3/16D SHK	CPD AN 470 RVT
			2	SET RVT SQZ 1/2BL 5/32 SZ	3/16D SHK CPD TY
			3	SET RVT SQ 3/8D FACE 3/8BL	.186D SHK FLUSH TY
			1	RVT SQZ SET 1/2 FACE 1/8 BL	.1860D SHK FLUSH TY
			7	SET RVT SQZ 1/2 FACE 3/8BL	FLUSH TY
			2	SET RVT SQZ .1250FL .1870D SHK	FLUSH TY 1 FACE D
			5	SET RVT SQZ 5/8D 1/2BL	.1860D SHK
			3	SET RVT SQZR 5/8D 1/4BL	.1860D SHK FLUSH TY
			6	SET RVT SQZR 5/8D 3/8BL	.1860D SHK FLUSH TY AT109A-R
			2	SET RVT SQZ .7500D .2500L	FLUSH TY CA2003 33
			24	SET RVT SQZ .1875D SHK	.1875 RVT SZ TY #1 HI SHEAR
			1	SET RVT SQZ 3/32D 3/16D SHK	CPD AN 470 RVT
			2	SET RVT SQZ .187D SHK	1/2BL FOR BACR 15FT
			2	RVT SQZ 3/16D 3/16D SHK	DRAW FLUSH TY TS-17-1043-101
			1	RVT SQZ 5/16D 3/16D SHK	DRAW FLUSH TY TS17-1043-102
		Cabinet # 0304	2	SET RVT 5/32 5-1/2OAL	.4010D SHK OFFSET TY
			2	SET RVT 3/16SZ 3-1/2OAL	.4010D SHK OFFSET TY
			2	SET RVT 3/32 2-1/2OAL	401 SHK D STR CPD TY
			2	SET RVT 1/8SZ 5-1/2OAL	.4010D SHK STR CPD TY
			23	SET RVT .401D SHK 2.000OAL	STR CU TY 5/32
			1	SET RVT 5/32 5 1/2OAL	.410D SHK STR CU TY

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	SET RVT 3/16SZ 2-1/2OAL	.4010D SHK HARD CHR M PL
			2	SET RVT 1/2 SHK 3/16	STR CU TY AT100A 5 CA1002 17
			1	SET RVT 1-1/8FACE 2-1/8OAL	.401D SHK FLUSH STUB TY
			2	SET RVT .401D SHK 1-1/4FD	2-1/8OAL FLUSH STUB TY
			2	SET GUN SPG LOADED 6.000OAL	.4010D SHK PRESSURE FT
			1	SET RVT 1-1/8FACE .401SHK	15/16OAL FLUSH TY AVON
			2	SET RVT OFFSET TY 5.500OAL	
			2	SHK FOR STD GUN SET	TS17 758 2 REV K
923	INV # 2276080	Cabinet # 0308	Quantity	Material Description1	Material Description2
			30	HOLD CLAMP SHT 3/16 4M	SPG TY 1/4 CP
			22	CLAMP SHT HOLD #30 0-1/2CP	CYLIND BODY
			25	CLAMP SHT HOLD CYL BODY#30SHRT	1/8" SZ 1/2" - 1" GRIP COPPER
			3	CLAMP SHT HOLD CYL BODY #30LNG	1/8"SZ 1" - 1 1/2" GRIP COPPER
			65	CLAMP SHT HOLD CYL BODY #20LNG	5/32" SZ 1" - 1 1/2" GRIP BL
		Cabinet # 0310		EMPTY	
		Cabinet # 0312	6	CLAMP SHT HOLD 1/4 HX 1/2 CP	NT TY SPIN FREE HNX-SF-1/4
			2	FASTENER .1770D ( #16 ) CLECO	
924	INV # 2276081	Cabinet # 0402	Quantity	Material Description1	Material Description2
			12	ABR SHT 9 X 11 600DRY GRT	CLTH MESH 100 /PK
			23	ABR SHT 9 X 11 80 GRT CLTH	GARNET FINISH PPR
			125	ABR SHT 150 GRT BOTH SIDES	50PK
			25	ABR DISC AOX 3.00D NON WOVEN	CRS GRT 100/CS
925	INV # 2276082	Cabinet # 0301	Quantity	Material Description1	Material Description2
			100	WASHER FBR RED ONLY #6 5/32ID	5/16OD 3/64 TH
			40650	WASHER 3/16ID 7/16OD	1/16 TH FBR RED #10
926	INV # 2276083	Cabinet # 0303	Quantity	Material Description1	Material Description2
			7	COLD SURF MARKER YELLOW	12 /PGK
			8	PAD FOR STICK ON DISC 6" BK UP	10/CS
			11	MARKER PENCIL RED FOR MAKING	HEAT AFFECTED ALLOY ONLY #26
			5	BAG VAC AT560A-3	FOR MINI VAC WITH CLOSURE BAR
927	INV # 2276084	Cabinet # 0307	Quantity	Material Description1	Material Description2
			2	BUSH THD DR .191 ID 3/8-16 THR	TB-24-12-.191
			5	STRP BOLT 3/8 D X 1/2 L	5/16-18 THRDS
			6	STPR BOLT 1/2D X 2-1/2L	3/8-16
			1	BUSH DR .1285D ( #30 )	.250OD .750L
			3	BUSH DR .2610ID ( #G ) .5000OD	.5000OAL CLASS A HDLS.P.F.
			2	BUSH DR .0980ID ( #40 )	ANCHOR DR
			2	BUSH DR .2500ID .500OD 1.3750L	CLASS A
			1	BUSH DR .2969ID .5000OD 1.375L	CLASS A
			2	BUSH DR .1285 ID X .3750OAL	#30 FLANGE GROOVE
			4	BUSH DR .1285ID ( #30 )	.3125OD .3125FL DELTA GROOVE
			2	BUSH DR .0980ID .2500OD .375FL	NURLOK
			81	DWL PN STL .1875D X 1.500L	
			84	PN STL DWL .250D X 1.750L	
			2	DWL PN STL .2500D X 2.500FL	
			2	POTTING PN PER TDS 232 6	DESIGN #40 X .2500
			2	PN POTTING .2480 X .1270D 3L	PER TDS232 7
930	INV # 2276087	Cabinet # 0320	Quantity	Material Description1	Material Description2
			2	PG THDD SS TYPE 303	1/4 MALE 1/4 COUPLING SIZE
			9	COVER TB BT-922/W-3228-10	10/CS

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			13	HOOD RPLMT WHT UNIV 10/PK	S-605-10
933	INV # 2276090	Cabinet # 0321	Quantity	Material Description1	Material Description2
			4	CORD ELASTIC SHOCK 1/4D 500FT	SPOOLS (1/4 X 686)
			4	RPLMT LENS 3.0 BIONIC SHIELDS	UVEX
934	INV # 2276091	Cabinet # 0314	Quantity	Material Description1	Material Description2
			2	BUSH .2810ID 1/2-16THDD	
			10	BUSH THDD DR .191 X 1/2"-13 THD	TB-32-12-.191
			4	BUSH THDD DR .251 X 1/2"-13 THD	TB-32-12-.251
			4	BUSH THDD DR .267 X 1/2"-13 THD	TB-32-12-.267
			5	BUSH TRTD .218 ID 1/2"-13 TRTD	TB-32-12-.218
			2	COLLET LG GLS LENS 1/16	13N22L 2/PK
			6	CU HELIARC HIGH IMP LINDE	#13N09 FOR HW-20
			3	CU #10 HIGH IMP 53N88	FOR HELIARCTORCH LINDE #HW-27
			2	CU WELD #12	TORCH NO HW 27 LINDE PRODUCT
			40	ELECTRODE ICE 40C/50C/55C	PLASMA TORCH
			5	LENS PL SHADE 10 2 X 4-1/2	
			2	LENS WELD 2.00 DIOPTR	2" X 4-1/4"
			17	SHIELD DRAG ICE 50C/55C	PLASMA TORCH
			15	TIP STD 55 AMP ICE 55C	PLASMA TORCH
			2	RNG SWIRL FOR XT60 PLASMA	TORCH 256028 MILLER ELECTRIC
			5	ELECTRODE 256026 FOR XT60	PLASMA TORCH MILLER ELECTRIC
			5	TIP 649929 FOR XT60 PLASMA	TORCH MILLER ELECTRIC
			4	SHIELD DRAG 256027 FOR XT60	PLASMA TORCH MILLER ELECTRIC
			2	BUSH DR .2031ID .500ID .7500FL	S.R. CLASS A
			2	EXPANDER BEAD AIR OP	
			2	BUSH DR .1285ID ( #30 )	3/8-16 THD
			9	BUSH DR .1285ID ( #30 ) THDD	AMP 871-#30
			3	BUSH DR .1610ID ( #20 ) .500OD	THDD AMP 871-#20
			2	BUSH DR ( 3/16 ) .1875ID	1/2-13 THD OD
			1	BUSH THDD DR #10 .1935ID X 3/8	-16 THD MAGNAVON #2539-10/EQV
			5	BUSH DR .1935ID 1/2-13 THDD	AMP871-#10
			19	BUSH DR .2500ID ( 1/4 )	1/2 13 THD
			3	BUSH DR .1640ID .375OD	
			3	BUSH DR .1770ID ( #16 ) .375OD	THDD
			1	BUSH DR .1990ID( #8 ) .3750OD	THDD AMP #872-#8
			10	BUSH DR .2344ID .3750OD	THD AMP #872-15/64
			2	BUSH THDD .2500ID 3/8-16 OD	
			2	DR BUSH THDD .2656ID 1/2-13OD	
			2	DR BUSH SFR .2460ID .3750OD .7500 L	
			3	BUSH THDD DR	11/64"ID X 3/8"-16 THD
			5	BUSH THDD DR	19/64"ID X 1/2"-13 THD
			5	BUSH THDD DR .266 ID X 1/2"-13 THD	
			5	BUSH THDD DR .266 ID X 3/8"-16 THD	
			33	BUSH THDD DR 15/64" ID X 1/2"-13 TH	
			3	BUSH THDD DR .204 ID X 1/2"-13 THD	
			4	BUSH THDD DR .204 ID X 3/8"-16 THD	
			4	BUSH THDD DR .309 ID X 1/2"-13 THD	
		Cabinet # 0319	28	CLIP GLOVE GUARD BLUE	
			4	SAF STL TOE SLIP ON SHOE	SMALL
			2	SAF STL TOE SLIP ON SHOE	X-SMALL
936	INV # 2276093	Cabinet # 0317	Quantity	Material Description1	Material Description2
			2	HAMMER DEAD BLOW #57 530	12OZ STANLEY #57-530
			1	HAMMER SPLT HEAD	#1 RAWHIDE FACE GARLAND
			2	HAMMER RPLCE FACE CAST IRON	HCK HDL 40MM FACE DIA
			2	HAMMER TIP SOFT 1.500D BLUE	
			8	HAMMER FACE RAWHIDE 1-1/4"	SZ 1"

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			8	HAMMER FACE RAWHIDE 1-3/4"	SZ 3"
			2	TIP MICARTA	FOR TS13 29 MALLET REV A
			3	TIP MICARTA STYLE B REV A	TS13-28 MALLET TS13-29
938	INV # 2276095	Cabinet # 0408	Quantity	Material Description1	Material Description2
			70	BLD #99 TRAPEZOID 100/BX	
			50	COVER LENS OUTER .0075IN	PERFRD 25/PK 2PK MIN
		Cabinet # 8006	14	DR PLT .1935BD .161PD 2.125OAL	TS 1/4-28 SMG TY B
			2	DR PLT .1935BD .1610PD 6.00OAL	DM TY D NAS 937
			60	RM DR TPR .2500 DIA 6.00AL	CAR
			1	DR CORE HSS PLT .3750BD	.2500PD .3750L PLT 4F STD F
			3	DR CORE HSS PLT.4219BD	.3750PD .5000L PLT 4F STD F
			1	CORE DR .5 D W/ .4219 D PILOT	.5 L PILOT 4 F HSS STD FL
			6	DR CORE HSS PLT .5937BD	.5000PD .5000L PLT 4F STD
			2	DR RM CAR .1910D MULTI STP	SHK 5 DEG HELIX AGL
			12	DR/RM SLD CAR .2510 X 6.00OAL	5DEG HELIX HSS THDD SHK DM
			50	INS CAR .015R	GRD PVD COATED BORING S SERIES
			10	INS CAR STYLE:TPCG 322L CG5	GRD INS HAS CHIP CONTROL
			10	INS CAR 1/32"R GRD 883, K68 OR	EQUV. STYLE TPG-322F
			10	INS CAR GRD 883 OR K68	VNMP-331E16
			10	INS CAR GRD C25	TDAB-505 CIRCLE BRAND NO SUB
			20	INS CAR .0630W GRD KC5025	CUTOFF PK OF 30
			10	INS CAR ML ALUM	SEGT13T3AGFN-JP GRD HT110
			5	INS CAR CLAMP STYLE SQ 11°	POSITIVE GROUND ALL SIDES SPG 623
			10	INS CAR PLNG ML	EDCT140431PDERGD GRD KC725M
			10	INS CAR MILLING .062R KC725M	EDPT140416PDSRGD
			170	INS CAR MILLING .122R KC725M	EDPT1407431PDERHD - EP1431EHD
			10	INS CAR MILLING 6.44R KC725M	EDPT180564PDERGD
			8	RM CAR .2510x.2344PLTx 6.00AL	
			9	RM PLT CAR .2510BD .2344PD	1.000OAL 1/4-28 TS STR F RHC
940	INV # 2276097	Cabinet # 0502	Quantity	Material Description1	Material Description2
			35	SCR FLT SCT HD 1/4-20 3/4L	
			72	SCR HX HD CP 1/4 20 X 2 1/2 L	
			155	SCT SCR HEAD CP	1/4 20 X 1 1/2 L
			100	SCT SCR FLT HEAD 1/4 20 X 1 L	
			44	SCR HX HEAD CP 3/8 16 X 1 L	
			25	SCR HX HEAD CP 13-1/2 X 4-1/2F	
			72	SCT SCR HEAD CP	#6 32 X 1/2OAL
			100	SCT SCR HEAD CP 1/4 20 3/4 L	
			50	SCT SCR HEAD CP	1/4 20 X 1 1/4 L
			38	SCT SCR HEAD CP 20-1/4 X 3L	100/PKG
			7	SCT SCR HEAD CP SS	
			31	SET SCT SCR 20-1/4 X 2FL	CU PT
941	INV # 2276098	Cabinet # 8002	Quantity	Material Description1	Material Description2
			3	EM HSS .2500D .3750SHK	.6250LOC .1250R 2.500OAL 2F
			3	EM HSS .2500D .3750SHK	1.7500LOC .1250R 3.630OAL 2F
			2	EM COB .3750D .3750SHK	.7500LOC .1870R 2.500OAL 4F
			3	EM .3750D 1.000FL 2.750OAL 2F	.3750D SHK RHC RH SPRL BN
			3	EM HSS .5000D .5000SHK	1.250LOC .2500R 3.250OAL 2F BN
			2	EM COB .5000D .5000SHK	1.250LOC .2500R 3.250OAL 4F BN
			2	EM HSS .5000D .5000SHK	1.6250LOC .2500R 3.6200OAL 2F
			3	EM HSS .6250D .6250SHK	1.6250LOC .3120R 3.6200OAL 2F
			3	EM COB .6250D .6250SHK	3.000LOC .3120R 5.1300OAL 4F
			2	EM .7500D 1.750FL 4.000OAL 4F	.7500SHK RHC RH SPRL BN
			3	EM HSS .7500D .7500SHK	2.000LOC .3750R 4.2500OAL 2F
			2	EM .7500D 2.250FL 4.500OAL 4F	4EBRR G S 750 FUL 2250 750 BN
			3	EM COB .7500D .7500SHK	3.000LOC .3750R 5.250OAL 4F BN

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			2	EM HSS 1.000D 1.000SHK	2.000LOC .5000R 4.500OAL 2F
			3	EM HSS 1.000D 1.000SHK	3.000LOC .5000R 5.500OAL 2F
			3	EM COB 1.000D 1.000SHK	4.000LOC .5000R 6.500OAL 4F
			2	EM HSS 1.5000D 1.2500SHK	4.000LOC .7500R 6.500OAL 2F BN
			2	EM HSS 2.000D 1.2500SHK	2.2500LOC 1.000R 4.7500OAL 2F
			3	EM 2.000D 2.000FL 4.500OAL 6F	BN FULL R RHC RH SPRL
			3	EM HSS 2.000D 2.000SHK	4.000LOC 1.000R 7.7500OAL 2F
			2	EM HSS 2.000D 2.000SHK	6.000LOC 1.000R 9.7500OAL 2F
			3	BK SPT FCR CAR .4375D .2000FL	.6000OAL 4F LH CUT
			4	INS .2500L .1340TH .0200R TY K	THD RLF 10ER 1.0D76 2/PKG
			3	EM CAR 1.250D 4.500OAL .6000FL	IDXABL 30 HELIX AGL 3F
			2	EM 2F M7 1.50IN D X 2.50IN FL	3.00IN FACE RAD/.125 COR RAD
			3	EM HSS .2500D .3750SHK	1.000LOC .1250R 2.880OAL 3F BN
			3	DR .0980D 1.2500FL 3.250OAL 2F	PRBLC STR SHK REV B
			3	DR COB .2031D SPL L	TIN COATED MC1078-020-04
			2	RTR CAR .3120D	C-2 MICROGRAIN
			3	EM CAR .2500D 3.000OAL	1.500FL 8F
			3	EM CAR 8 X 5 8 X 1-1/4 3.50OAL	MC 1186-062-01A
			2	EM CAR 2 X 5 8 X 1 3.500	MC1186-05-02
			3	EM HSS .2500D .3750SHK	1.750LOC .1250R 3.560OAL 3F BN
			1	EM TPR .967 EN D	MC1010-125-02
			10	INS CAR CUT-OFF	GRD H13A MC4000-016-02
			10	INS CAR GRD CP-25 MC4000-050-	40 CNMG433-MR4 10 /PKG
			10	INS CAR MC4000-016-05	FOR USE WITH MC5000-400-01
			3	INS CAR #MM12-0.500-B90P-M05	COPYMILL EDP #86949 2 /PKG
			3	EM 1.000D .12500R 6FLT 2"FL	TITANIUM CARBONITRIDE COAT
			2	EM 1.000D .1250R 5F ROUGHER	MUST BE TITANIUM CAR COAT
			2	EM 1.5000D BELL SHAPE	
			3	EM 3.000FL FINISHER	TICN COATED .6250 COATED
			2	EM CAR .3750D .3750SHK	1.7500LOC .1870R 4.000OAL 3F
			3	EM COB .5000D .5000SHK	.5000LOC .062R 2.5000OAL 4F
			3	EM CAR .50D .625FL 2.625OAL 6F	.062R .500SHK MC1000-050-08
			2	EM CAR 1.375D 1.250SHK 2.250FL	4.500OAL 1F .0300R IDXABL
			10	INS GRD 205	DRAWING MC4000-024-01
			2	EM CAR.750D 1.75FL 3.750OAL 2F	MC1006-075-05
			10	INS CAR GRD J05 MILLING	MC4000-043-08
			3	DR CAR .281D 4 FACET GRIND	
			60	INS CAR .0150R GRD CP-25 PVD	COATED TPG 431F CP25 10/PKG
			10	INS CR .0312R GRD	EDP#64915 TPG432CP200
			10	INS CAR .0625R COATED GRD	883 MC4000-050-48 10 /PKG
			3	EM .5000D .5000FL .125R	TICN COATED MC1000-050-09
942	INV # 2276099	Cabinet # 8001	Quantity	Material Description1	Material Description2
			3	EM COB 1.2500D 1.2500SHK	2.5000LOC 5.000OAL 6F RHC
			3	EM HSS 1.2500D 1.2500SHK	3.000LOC 5.500OAL 2F CTR CUT
			3	EM COB .7500D .7500SHK	4.000LOC 6.2500OAL 4F CTR RHC
			3	EM HSS 1.2500D 1.2500SHK	4.000LOC 6.5000OAL 2F RHC CTR
			3	EM COB 1.2500D 1.2500SHK	4.000LOC 6.5000OAL 6F RHC CTR
			3	EM 1.250D 6.00FL 8.50OAL 6F	CTR RHC RH SPR 1.250D SHK
			3	EM COB 1.5000D 1.2500SHK	2.000LOC 4.500OAL 6F RHC CTR
			3	EM HSS 1.5000D .12500SHK	2.5000LOC 5.000OAL 2F RHC CTR
			2	EM 1.500D 2.500FL 5.000OAL 6F	RHC RH SPR 1.250D SHK
			3	EM HSS 1.500D 1.2500SHK	3.000LOC 5.500OAL 2F RHC CTR
			1	EM 1.500D 3.00FL 5.500OAL 6F	CTR RHC RH SPR 1.250D SHK
			3	EM HSS 1.500D 1.2500SHK	4.000LOC 6.5000OAL 2F RHC CTR
			3	EM 1.500D 4.000FL 6.500OAL 6F	CTR 1.250D SHK
			3	EM 1.500D 5.000FL 7.500OAL 6F	CTR RHC RH SPR
			3	EM COB 1.7500D 1.2500SHK	2.000LOC 4.500OAL 6F RHC CTR
			3	EM COB 2.00D 2.00FL 4.500OAL 6F	CNT 1.250D SHK RHC RH SPR
			3	EM HSS 2.000D 1.2500SHK	3.000LOC 5.500OAL 2F RHC CTR
			3	EM COB 2.000D 2.000SHK	3.000LOC 6.7500OAL 6F RHC CTR

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			3	EM HSS 2.000D 2.000SHK	4.000LOC 7.7500OAL 2F CTR
			2	EM 2.000D 6.000FL 9.750OAL 6F	CTR RHC RH SPR 2.000D SHK
			6	EM HSS 1.000D .7500SHK	1.1250LOC .2500R 3.250OAL 4F
			3	EM 1.500D 1.700FL 4.120OAL 4F	.500R COR RND RHC RH SPR
			3	EM COB 1.5000D 1.2500SHK	2.0000LOC 4.500OAL 6F ROUGHIN
			3	EM COB 2.0000D 2.000SHK	4.000LOC 7.7500OAL 8F RHC
			2	EM COB 2.0000D 2.0000SHK	6.000LOC 9.750OAL 8F RHC
943	INV # 2276100	Cabinet # 8000	Quantity	Material Description1	Material Description2
			1	EMCOB.7500D.7500SHK	2.000LOC .3120R 4.2500OAL 4F
			3	EM HSS .7500D .7500SHK	1.6250LOC .2500R 3.880OAL 2F
			1	EM .750D 53° .375 FLT CHAM	MC1003-075-03
			3	EM .250 EN D ANGLED	MC1003-075-13
			3	EM CAR .500D 1.250FL .500OAL	6F MC1006-050-02
			2	EM 5.120OAL 1.000BN	.930CUTTING L 2.750 REACH
			3	REM CAR .5011D BRZD CHKG	MC1034-050-07
			4	DR .2500D 2.500L 0.787FL 2F	SPOT MC1075-02501
			4	DR HSS .250D 1.1875FL 4.000OAL	2F SPOT MC1075-025-02
			3	DR HSS .2500D ( 1/4 ) SPOT	KEO RH 6.000D SHK 90° NC
			2	DR HSS 4.000L .5000D	STR SHK MC1075-050-01
			3	DR HSS .5000D 6.000OAL	STR SHK MC1075-050-02
			3	DR .7500D 5.000OAL STR SHK	MC1075-075-01
			3	DR HSS 1.00D 6.000OAL STR SHK	MC1075-100-01
			3	DR COB .5625D 4.000OAL STR SHK	MC1078-056-01
			2	BROACH 1.0470D ROTO	
			10	INS CAR .0300R GRD IN 15K	MLG MC4000-030-05
			40	INS .125R GRD 205	MILLING APKT160432R IN30M
			10	INS CAR .0300R GRD 227	MLG MC4000-031-03
			10	INS CAR .0150R GRD D&C2	LATHE MC4000-037-04
			5	INS CAR .0063-.0075R THD	5/16-24UN 16ER 24UNJ 2/PKG
			10	INS CAR .060R .187 TH GRD 581	IDXABL MC4000-037-19 D
			10	INS CAR .1250R GRD 301 MLG	MC4000-037-33
			10	IN CAR .0470R GRD CNMG 433-MF3	MC4000-050-20 93910
			10	INS .0320R GRD TP 300 CNMG 432	LATHE MC4000-050 -21
			10	INS CAR .0320R GRD KC730	LATHE MC4000-050-22 (PK OF 30)
			10	INS CAR .0600R GRD 301 MLG	MC4000-050-31
			100	INS CAR .1250R GRD 301MLG	MC4000-050-35
			20	INS CAR 45° .100 CHAM MLG	INGERSOLL #LSE444R01 (NO SUB)
			10	INS CAR 1.000R GRD 555 MLG	MC4000-050-38
			10	INS CAR .0310R GRD VC2 MLG	VAL NO SUB MC4000-056-02 10/PK
			10	INS CAR .0620R GRD VC2 MLG	VAL NO SUB MC4000-056-03 10/PK
			20	INS CAR .0940R .1870TH	IDXABL MC4000-056-04 10/PK
			20	INS CAR .0620R GRD C2 GRD 205	MLG LH MC4002-056-02
			10	INS CAR .250R .188THK GRD J05	INDXABL MC4000-031-07 B
			12	DR SM .062D .5000LOC 1.500OAL	2F STR SHK
			1	EM 2.000D IDXABL	MC1006-200-08
			2	EM CAR 2.000D .600FL 4.500OAL	5F .250R RHC RH SPRL 1.250SHK
			5	INS CAR 1.000R GRD 301MLG	MC4000-087-01
			20	INS CAR .0125R GRD 847 MLG	MC4000-031-08
			3	EM .5000D	RHC LH SPRL
			3	EM CAR 1.500D .600FL 4.500OAL	4F 1.250SHK MC1006-150-03
			3	EM HSS 2.000D 2.000SHK	4.000LOC 7.7500OAL .2500R 3F
			1	EM HSS 1.000D 1.000SHK	4.000LOC .5000R 6.5000OAL 2F
			20	INS CAR GR Z20 .015R MILLING	
			8	EM .0930D .3100FL 2.200OAL 4F	.1870D SHK CTR RHC RH SPR
			3	EM COB .1870D .3750SHK	.5000LOC 2.3800OAL 4F CTR
			3	EM COB .2500D .3750SHK	.6250LOC 2.500OAL 4F CTR CUT
			3	EM .250D 1.250FL 3.130OAL 4F	.375D SHK CTR CUTG M42
			1	EM COB .3125D 3750SHK	.7500LOC 2.500OAL 4F CTR
			2	EM COB .3125D 1.00FL 2.750OAL	4F .375SHK CNTR RHC RH SPR
			1	EM COB .3125D .3750SHK	2.000LOC 3.750OAL 4F CTR

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	EM .4370D 1.000FL 3.000OAL 4F	.3750D SHK CTR RHC RH SPR
			3	EM COB .5000D .5000SHK	1.250LOC 3.250OAL 4F CTR CUT
			4	EM COB .5000D .5000SHK	1.5000LOC 3.5000OAL 4F CTR
			5	EM COB .5000D .5000SHK	2.000LOC 4.000OAL 4F CTR RHC
			1	EM HSS .6250D .6250SHK	1.6250LOC 3.750OAL 2F CTR
			3	EM COB .6250D .6250SHK	1.620LOC 3.620OAL 4F CTR
			1	EM COB .6250D .6250SHK	1.750LOC 3.880OAL 4F CTR
			2	1.750LOC 3.880OAL 4F CTR	2.000LOC 4.000OAL 2F RHC
			3	EM COB .6250D .6250SHK	2.000LOC 4.130OAL 4F CTR
			3	EM HSS .6250D .6250SHK	2.5000LOC 4.6300OAL 2F CTR RHC
			3	EM .625D 3.00FL 5.13OAL 4F CTR	4ECCRR G S 625 000 3000 625
			3	EM .750D 1.250FL 3.500OAL 4F	CTR CUTT MC1008-075-09
			3	EM COB .7500D .7500SHK	1.6200FL 3.6200OAL 4F CTR RHC
			3	EM HSS .7500D .7500SHK	2.2500LOC 4.500OAL 2F CTR
			1	EM COB .7500D .7500SHK	2.00LOC 4.250OAL 4F CTR
			3	EM COB .7500D .7500SHK	2.5000LOC 4.7500OAL 4F CTR
			3	EM .750D 4.50FL 6.75OAL 4F CTR	4ECCRR G S 750 000 4500 750
			3	EM COB .8750D .8750SHK	1.8700LOC 4.1200OAL 4F CTR
			3	.875D 3.00FL 5.25OAL 4F CTR	RHC RH SPR MC 1008-087-03
			3	EM HSS .8750D .8750SHK	4.000LOC 6.500OAL 2F CTR RHC
			3	EM HSS 1.000D 1.000SHK	2.000LOC 4.500OAL 2F CTR
			3	EM COB 1.000D 1.000SHK	2.000LOC 4.500OAL 4F CTR RHC
			4	EM COB 1.000D 1.000SHK	2.250LOC 4.750OAL 6F CTR RHC
			3	EM HSS 1.000D 1.000SHK	2.500LOC 5.000OAL 2F CTR RHC
			1	EM COB 1.000D 1.000SHK	2.5000LOC 5.000OAL 4F
			2	EM HSS 1.000D 1.000SHK	3.000LOC 5.500OAL 2F CTR RHC
			3	EM HSS 1.000D 1.000SHK	4.000LOC 6.500OAL 2F RHC CTR
			3	EM COB 1.000D 1.000SHK	4.000LOC 6.500OAL 4F RHC CTR
			3	EM 1.125D 2.25FL 4.75OAL 2F	CTR RHC RH SPR 1.00D SHK
			1	EM HSS 1.2500D 1.2500SHK	2.2500LOC 4.7500OAL 2F CTR
944	INV # 2276101	Cabinet # 8003	Quantity	Material Description1	Material Description2
			1	BK SPT FCR PLT CAR .6870BD	.187PD .2FL .6OAL 4F .062COR R
			10	INS CAR 1.500D FULL R	GRD IN1530
			3	DR RM PLT .3125BD.2987PB	4.120FL 6.500OAL 2F 7.00PL
			3	EM CAR .3750D .3750SHK	.8800LOC .062OR 4.000OAL 2F
			3	EM CAR .3750D .3750SHK	.5000LOC .312OR 4.000OAL 2F
			6	EM CAR .7500D .7500SHK	1.2500LOC .375OR 5.000OAL 2F
			3	DR CAR .4060D 2.300FL	
			2	EM CAR .5000D .5000SHK	2.000LOC 4.000OAL 2F
			2	EM 1.000D 2.000FL 4.500OAL 6F	RHC LH SPRL NON CTR CUT
			3	DR CAR .3740 ( 9.5MM ) 2.36FL	3F MC1076-037-04
			3	DR CAR .1850D 3F GRD K10	MC1076-018-01 PK OF 12
			3	DR CAR .250D 1.50FL 3.25OAL	2F .375SHK PK OF 2
			6	EM CAR .7500D .7500SHK	.6250LOC .375OR 3.000OAL 3F
			3	EM CAR .1250D .1250SHK	.1900LOC 1.400OAL 2F FULL R
			13	EM CAR .2500D .2500SHK	.3750LOC 2.250OAL .125OR 2F
			3	EM CAR .250D .375FL 2.000OAL	.022R MC1006-025-06
			3	DR .5156D	
			3	DR CAR .250D 1.65FL 2.75OAL 3F	GUHRING SERIES 1452 NO SUB
			18	RM HSS .375D 1.500FL 5OAL	MC1030-037-01
			3	RM .2500D 1.500FL 4OAL	MC103-025-01
			3	EM CAR .7500D .7500SHK	1.5000LOC .030OR 3.500OAL 3F
			3	EM CAR .250D .022R .375FL 2OAL	3F .230SPEC .875REACH REV A
			3	EM CAR .1870D .1870SHK	.3100LOC .005OR 1.600OAL 2/3F
			3	RM .3120D 1.50FL 3.50OAL	
			3	EM CAR .5000D .5000SHK	.6500LOC .030OR 2.500OAL 3F
			1	EM CAR .5000D .5000SHK	.65000LOC .250OR 2.500OAL 2F
			2	EM CAR .2500D .2500SHK	1.000LOC .005OR 2.250OAL 2F
			3	EM CAR .7500D .7500SHK	.7500LOC .060OR 4.500OAL 2F
			3	EM .5000D 0-.060R ROUGHING	LOCATIONS 10F-02 11F-04



Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			3	EM CAR .5000D .5000SHK	1.000LOC .0050R 3.000OAL 2F
			3	DR .2500D STUB L	MC1075-025-05
			3	DR CAR .2579D 5.500OAL 1.079FL	.3125STR SHK 2F PK OF 3
			2	EM CAR .3750D .3750FL	2.5000OAL 3F MC1006-037-06 A
			3	DR CAR .500D 2.000FL 4.010OAL	3F MC1076-050-01 (PK OF 3)
			3	EM CAR .375D .125R .375FL	2.750OAL 2F .375SHK
			5	EM CAR .1250D .1250SHK	.2500LOC 1.700OAL .0120R 2F
			3	EM CAR .5000D .5000SHK	.6250LOC .2500R 3.5000OAL 2F
			3	DR CAR .1935D ( #10 )	1.5000FL
			2	EM CAR .2500D .5000SHK	.5000LOC .1250R 5.000OAL 4F
			3	SHL ML INS CAR 3.0000D .2500R	NO SUB
			3	EM CAR .500D .625SHK FULL R	RHC MC1006-050-30
			3	DR .3750D 4.000OAL SPOTTING	MC1075-037-04
			3	DR CAR 2.0FL .323+/- .002	TOLERANCE IS ALLOWED BY PA
			8	DR CAR .2344D ( 15/64 )	FIREX COATED
			10	DR COB .2500D SPL L	BRIGHT FINISHED GTM-A-900-2500
			3	CUT BODY 2.00RPF FACE ML	.7500AH
			3	DR CAR 1/2D 2.13FL 4.010OAL 2F	COOLANT THRU STR SHK
			2	EM .2500D .2500D SHK .2500FL	6.000OAL 3F .0315R COR RND
			10	INS 1.500 BN GRD KC930M	MC4000-050-56
			10	INS CAR 581GRD .1250R	IDXABL
			3	EM CAR .500D .625FL 5.00OAL 4F	BN 3.25 NECK DOWN TIALN COATED
			3	DR CAR .6250D 2.540FL STR SHK	
			1	EM CAR .43750D 1.250FL 2F	4.000OAL BN MC1006-043-01
			3	DR CAR .5620D 2.32FL 4.21OAL	COOLANT STR SHK 2F
945	INV # 2276102	Cabinet # 8004	Quantity	Material Description1	Material Description2
			1	DR CAR .3125D 1.500FL 3.11OAL	STR SHK COOLANT 2F
			3	RNDR COR COB .6250D .5000SHK	.1250R 1.2500LOC 3.500OAL 4F
			3	EM CAR.1250D 1.600OAL .5000FL	
			3	EM CAR .3750D .3750SHK	.5000LOC .1870R 2.750OAL 2F
			3	DR CAR .255D 135° 1.340FL	3.11OAL
			3	DR CAR .2656D ( 17/64 ) 135°	1.500FL 3.110OAL
			3	DR CAR .3281( 21/64 ) 1.810FL	3.5000OAL 135°
			3	DR CAR .4531D ( 29/64 ) 2.13FL	4.0100OAL 135°
			5	INS CAR	GRD KC510M PK OF 65
			5	INS CAR GRD KC935M 5/8"IC RND	5/16"TH PK OF 10
			10	INS CAR MILLING .125R	ANGT2548PPER10LG KC725M
			10	INS CAR MILLING .032R	ANGT2542PPER6LG KC725M
			14	EM CAR .1870D .1870SHK	.6250LOC .0100R 2.250OAL 4F
			3	EM CAR .4375D .4380SHK	.6250LOC 2.500OAL 4F
			10	INS CAR ML .5000D .500IC	GRD IN2005 IN BODY 5W6J-20R01
			1	BODY MILLING .4.00D 7 POCKETS	.50IC INSERT INDEXABL EDP # 3026028
			1	EM CAR .7500D .8750FL 3.50OAL	6F .02 CHAMFER TIAIN COATED
			1	CUT BODY 1.50"D X 2.16"LOC	0° FLUTED END MILL
			3	EM INDXABL BN 1.00"D	.50" CUTT L 1.50"FL 3.75"OAL
			10	INS ML FULL RAD FOR 1.0" CUTT BODY	
			10	INS RND GRD IN2030	
			2	DR SLD CAR .2874D 3.110OAL	1.614FL 140°PT AGL 8MM SHK
			20	EM CAR .2500D .7500FL 2.500OAL	NO RADIUS
			3	CUT BN 1/2" DIA	
			3	CUT BN 3/4" DIA	
			10	INS CAR GRD IN2005	
			10	INS CAR IN2005	
			3	SLIT SAW HSS 5.000D STR TTH	3/16"W 1.250AH 40TTH
			3	SLIT SAW HSS 6.000D STR TTH	3/16"W 1.250AH 42TTH
			2	DR SLD CAR 9/16"D 2F 4.88OAL	2.81FL 140PTAGL 2.99 STAND OUT
			3	EM CAR DI TPD .5000D 3.54OAL	1.00LOC 2F
			3	ML 1.500"D 5F INDXABL	RAMPING CUT
			10	INS IN2505 EDP 05612374	RJLT1204 MON
			3	DR CAR .5625"(9/16)OD 2F 4"FL	6"OAL STR SHK

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			100	INS SDMS130515R-PH IN4035	
			18	INS CAR TURNING .250"IC .094TH	.016R GRADE US735
946	INV # 2276103	Cabinet # 8005	Quantity	Material Description1	Material Description2
			3	EM CAR .5000D .5000SHK 1.00LOC	.0160R 3.000OAL 4F TIAIN COATED
			3	DR .5310BD	
			3	DR CAR .5310BD BLD	KC7030GRD
			3	EM CAR 1.000D 1.000SHK 1.50LOC	.0200R 4.000OAL 4F TIAIN COATED
			3	DR .8750D IDXABL	
			10	INS .6250 - .9690D KC720GRD	PK OF 10
			5	INS .6250 - .9690D KC7935GRD	PK OF 10
			20	INS CAR .2500R ( 1/4 )	PK OF 45
			3	ML FACE 3.000D RPF	
			3	DR .2320BD	PK OF 3
			2	DR .5310BD	
			2	EM CAR 1.000D 1.000SHK 2.50LOC	.2500R 5.000OAL 4F TIAIN COATED
			3	EM COB 1.2500D 1.2500SHK 3.50LOC	.2500R 6.000OAL 6F TIAIN COATED
			3	EM COB 1.2500D 1.2500SHK 2.50LOC	.2500R 5.000OAL 6F TIAIN COATED
			3	EM CAR .7500D .7500SHK	1.7500LOC .2500R 4.000OAL 4F
			2	EM CAR .5000D .5000SHK 1.50LOC	.0300R 4.000OAL 4F TIAIN COATED
			1	EM CAR .5000D .5000SHK 1.50LOC	.2500R 4.000OAL 4F TIAIN COATED
			1	EM CAR .2500D .2500SHK .750LOC	.1250R 2.500OAL 4F TICN COATED
			3	EM CAR 1.000D 1.000SHK 1.50LOC	.1250R 4.000OAL 5F TIAIN COATED
			2	DR .4840D GRD KC7215	
			3	DR INS .5310D GRD KC7015	
			3	EM CAR 1.000D 1.000SHK 1.00LOC	.0300R 5.5000OAL 4F TIAIN COATED
			3	EM CAR 1.000D 1.000SHK 2.50LOC	.2500R 5.000OAL 4F TIAIN COATED
			3	EM CAR 1.000D 1.000SHK 2.25LOC	.1900R 5.000OAL 5F TIAIN COATED
			2	EM CAR .5000D .5000SHK 1.25LOC	.0900R 3.000OAL 4F TIAIN COATED
			3	EM CAR .5000D .5000SHK .6250LOC	.1900R 4.000OAL 4F TIAIN COATED
			1	EM CAR .5000D .5000SHK 1.00LOC	.2500R 3.000OAL 4F TIAIN COATED
			3	EM CAR .7500D .7500SHK 1.5000LOC	.2500R 4.000OAL4F TIALN COATED
			5	EM CAR .7500D .7500SHK 1.00LOC	.0200R 4.2500OAL 4F TIAIN COATED
			3	EM CAR .7500D .7500SHK 1.50LOC	.0200R 4.000OAL 4F TIAIN COATED
			2	DR CAR .1719BD	
			4	DR CAR .2342BD	
			2	DR CAR .2194BD x .2500 SHK D	84MM OAL K211A02194HP
			1	DR CAR .3125BD	PK OF 5
			3	DR CAR .4531BD	GRD CS3
			2	DR .6250BD	IDXABL
			10	INS	GRD KC7025 PK OF 10
			3	DR CAR .2969BD	CRD CS3
			3	DR CAR .2813BD	GRD CS3 PK OF 2
			1	DR BODY .5160BD	
			2	DR BODY .6880BD	
			3	INS .6880BD	GRD KC7015 PK OF 4
			3	EM CAR 1.000D 1.000SHK 1.50LOC	.2500R 4.000OAL 4F TIAIN COATED
			2	EM CAR .6250D .6250SHK 1.50LOC	.3120R 4.2500OAL 4F TIAIN COATED
			2	EM CAR .7500D .7500SHK 2.25LOC	.1250R 5.000OAL 5F TIAIN COATED
			3	EM CAR .7500D .7500SHK 2.50LOC	4.7500AL4F TIALN COAT
			3	EM COB 1.2500D 1.2500SHK 2.50LOC	.1250R 5.0000OAL 6F TIAIN COATED
			1	EM CAR .3750D .3750SHK	.8750LOC .020R 2.5000OAL 4F
			3	DR .2045D	KC7215
			3	DR .4375D	
			2	EM CAR .5000D .5000SHK 1.00FOL	.0200R 3.000OAL 4F TIAIN COATED
			3	EM CAR .6250D .6250SHK 1.50LOC	.2500R 3.5000OAL 4F TIAIN COATED
			3	EM CAR .6250D .6250SHK	2.2500LOC .0300R 5.000OAL 4F
			2	EM CAR .7500D .7500SHK .50LOC	.0600R 3.000OAL TIAIN COATED
			3	EM CAR 1.000D 1.000SHK 2.25LOC	.0600R 5.000OAL 4F TIAIN COATED
			3	EM CAR 1.000D 1.000SHK 2.25LOC	.2500R 5.000OAL 4F TIAIN COATED
			5	INS RND 1.000	GRD KC850

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	EM CAR 1.000D 1.000SHK 1.50LOC	.5000R 4.000OAL 2F TIAIN COATED
			1	EM CAR .5000D .5000SHK .6250LOC	.2500R 5.000OAL 4F BN TIAIN COATED
			2	EM CAR .5000D .5000SHK .6250LO	.1250R 5.000OAL TIAIN COATED
			3	DR DYNAPOINT 3.3MM	PK OF 3
			2	EM CAR 1.000D 1.000SHK	1.1250LOC .0200R 7.000OAL 4F
			3	EM CAR .6250D .6250SHK	.7500LOC .1250R 5.000OAL 4F
			6	EM CAR 1.000D 1.000SHK	1.125LOC .2500R 5.000OAL 2F
			3	EM CAR .7500D .7500SHK	1.000LOC .1900R 5.000OAL 4F
			1	CUT 1.000	IDXABL
			3	EM CAR .5000D .5000SHK	1.2500LOC .2500R 3.000OAL 2F
			10	DR JL	DGJ 40 SC
			1	EM CAR 1.000D 1.000SHK	1.500LOC .1250R 4.000OAL 2F
			3	EM CAR .5000D .5000SHK	.6200LOC 6.000OAL 2F
			1	EM CAR .3750D .3750SHK	.8750LOC .1870R 2.500OAL 2F
			3	EM CAR .5000D .5000SHK	.1250R .6250LOC 5.000OAL 2F
			3	CUT COB .7500D .3750D SHK	.2500W 90° DBL AGL 6F
			3	DR 4.2MM FIREX	5514SC
			3	EM HSS .6250D .6250SHK	3.000LOC .2500R 5.1300OAL 2F
			2	DR CAR .0938D 135°	PK OF 4
			3	DR CAR .2344BD ( 15/64 )	FIREX COATED
			2	EM CAR .2180D .2500SHK .500LOC	2.500OAL 4F DBL EN DOUBLE END
			3	EM CAR .5000D .5000SHK	1.250LOC .1250R 3.000OAL 4F
			6	DR CAR .1600BD	
			3	EM CAR .5000D .5000SHK	.3320LOC .2500R 3.000OAL 4F
			3	EM CAR .5000D .5000SHK	1.000LOC .1250R 3.000OAL 4F
			2	EM CAR .7500D .7500SHK	2.2500LOC 5.000OAL 2F
			2	EM CAR .5000D 2.850OAL IDXABL	.015R 1F
			3	EM CAR .3750D .3750SHK	.8750LOC .1870R 2.500OAL 4F
			10	INS CAR GRD 1025	
			1	DR CAR .1910D	
			2	ML 2" PLUNGE	
			2	CUTTER MILLING PLUNGE	F92ST D3.00-07-10-12-C12
			8	HOLD TOOL 1"D 3FLT IDXABL	M1D100E1403W100L175
947	INV # 2276104	Cabinet # 0213	Quantity	Material Description1	Material Description2
			2	STENCIL 3IN X 100FT PN FEED	DIE IMPRESSION BLUE R03B5-01
			2	RPLMT CART RIBBON WHT	STENCILMARK
			1000	WI STL 12L 25 GA 1M PER BUNDLE	TAG ANNEALED (SOFT)
			17	WI .0640D ALUM	9 RL MIN
			3	WI SS .0320D SOFT TEMPER	SPEC QQ-W-423B COND A
948	INV # 2276105	Cabinet # 0506	Quantity	Material Description1	Material Description2
			2	ABR WHL 4.00D .500W .500AH	46GRT AOX RBR BOND GRD TY1
			1	SAW AH PLT 1/4D	3/16D SHK 5/16-24 THD MM302-1
			1	SAW AH .2500D .2500D SHK	5/16-24 THDD MM302-2
			1	SAW AH PLT .2500BD .2500PD	1/2-20 THD
			3	TAP HSS .3750-16 SPRL F	
			3	TAP HSS .5000-13 SPRL F	
			3	TAP HSS .7500-10 SPRL F	
			2	DIE 1.000OD 6-32	RND SPLIT ADJ
			1	DIE 1.000OD 8-32	RND SPLIT ADJ
			2	DIE 1.000OD 10-24	RH RND SPLIT ADJ
			17	DIE HSS 1.5000OD 1/4-20	RH ADJ EN SPLIT
			3	DIE HSS 10-32 1.000OD	RH RND SPLIT ADJ
			2	DIE HSS 1.5000OD 1/4-28	RH ADJ RND SPLIT
			1	DIE HSS 1.5000OD 7/16-20	RH ADJ RND SPLIT
			5	FL OILSTONE RND 1/2D X 4.00L	CARBORUNDUM M 31
			4	FILE OILSTONE SQ 3/8 X 4 FL	CARBORUNDUM
			1	FILE OILSTONE SQ 3/4SQ X 6.00L	12 MIN
			3	HSAW HSS 1.000D 5/16-24AH	FN TTH ACFT TOOL

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			4	HSAW .5000D 5/16-24THD	STUB TTH
			4	HSAW HSS .5625D SZ	CRS 4 TTH
			2	HSAW .8750D 5/16-24 AH THD	STUB TTH MM301E
			3	HSAW STUB 1.000D 5/16-24AH	TTH MM301E AT474-11
			3	HSAW 1.125D 5/16-24 AH	STUB TTH MM301E AT474-13
			1	HSAW 1.1875D 1/2-20AH	STUB TTH MM301E AT474-14
			1	HSAW 1.500D .500-20 AH	STUB TTH MM301E MIN ORD 1
			1	HSAW 1.7500D 1/2-20 AH	STUB TTH
			1	HSAW STUB TTH 2.0000D	1/2-20AH MM301E AT474-27
			3	HSAW CT .6250D 1/2-20AH	SIMONDS OR CAPEWELL
			3	HSAW CT .8750D 1/2-20AH	SIMONDS OR CAPEWELL
			2	HSAW CT 1.000D 1/2-20AH	ASHMONDS OR CAPEWELL
			2	HSAW CT 1.2500D 5/8-18AH	SIMONDS OR CAPWELL
			2	HSAW CT 2.000D	5/8-11AH
			3	HSAW CT 2.250D 5/8-11AH	
			2	HSAW CT 2.3750D	5/8-18AH
			2	SAW HOLE 13/16" CUTT DIA	5/16-24 THD FOR AR CRS TTH
			2	SAW HOLE CT 5/8"-18 THD	1-5/16" (1.312) SAW DIA
			2	SAW HOLE CT 1/2"-20 THD	13/16" (.812) SAW DIA
			5	BLD SAW DI MAGNICON BOND 3"D	5/8" AR HOLE .080"TH SLOT
			4	STONE HONING 4 X 1	
			5	TAP HSS HND STR F PG GRND	THD RH #8-32 SZ
			8	TAP HSS .8-32 SZ4 STR F	RHC PG GRIND THD GH2 CLASS
			5	TAP HND HSS 12-24 GH14 F	PG GND THD RH STR F
			1	TAP HND STR F	
			2	TAP HND HSS 5/16-18 THD	RH PG STR F
			2	TAP HND HSS RH STR F	PG GHD THD 1/2-20 SZ
			4	TAP HND HSS 9/16-12	STR F RH GRND THD PG
			6	TAP HND HSS 3/4-10 SZ PG	STR F GRND THDD RH
			1	TAP HND HSS 1"-14 PG STR F 4F	GND TS RH
			8	TAP HND HSS 10-32 GH3 3 RH PG	GRD THDD SPRL F
			2	TAP HND HSS 3/8-16 SZ 3F GH3	2-15/16OAL SPRL F GND THD RH
			5	TAP HND SPRL PT PG 2F	GRND THD GH1 6-32 THD
			2	TAP HND HSS SZ 10-24 2F PG	GRIND THDD
			1	TAP HND SPRL PT PG	
			3	TAP HND HSS SZ 5/16-18 2F	SPRL PT PG
			6	TAP PG HSS 3/8-16 SZ 3F	HND SPRL PT
			3	TAP HELI COIL 10/32	STI
			2	TAP PG #10-32	
			6	TAP 10-32 HELI COIL	BTM TAP FOR 3B FITS #27
			4	TAP NT 3/8 16 GH34	STR F
			8	TAP PG 1/2-20	
			2	TAP HND 7.000OAL PG STR F	EXTENDED SHK
			4	TAP COB 1/2-13 THD HS 4F BTM	SM STR F
			3	TAP HND BTM HSS 3/8 16 4F	GH3 RH
			10	PUNCH DIMPLE SS	TS4-10-12
949	INV # 2276106	Cabinet # 0508	Quantity	Material Description1	Material Description2
			3	L-PN .1875D X 4L	CL-21-LP
			18	PN JIG .2480D 3.000FL	CL-41-LP
			39	PN JIG L .2500D X 4L	MIN OF 6
			1	PN JIG L .3125D X 4.000L	
			6	PN L 1/8 X 2 1/2 X 1 1/2	CL 0 LP
			6	PN CLAMPING T .250D 4.000LG	CL-1-CP 2 (TWO) PC
			74	DOOR PULL 4-1/8 CTR TO CTR	WROUGHT STL ZINC-PLATED
			7	DOOR PULL 4-7/8 CTR TO CTR	WROUGHT STL ZINC PLATED
950	INV # 2276107	Shelf #	Quantity	Material Description1	Material Description2
		9000	23	BLD BSAW CS 8TTH/IN 245L	PREWLDD MTL CUTG
			2	BLD,BSAW 1-1/4"x.042"x15'6"	PREWELDED,METAL CUT

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			1	WI 1100-0 ALUM .0640D	WOUND ON SPOOL 10.000LBS
		1303	12	SHEETWAX PETROLIUM BASE,12" X 24",	WITHOUT ADHESIVE, REGULAR
			24	SHT WAX .125 X 12 X 24 GA	.002TH PETROLIUM BASE
		1305	6	ABR DISC 6"D 280GRT AOX PPR	RSN 6RL/CS
			8	ABR DISC RL 6.00D PSA 80GRT	216U STIKIT 125DISC/RL 10RL/CS
		1307	2500	ABR DISC 6"D 80 GRT	
		1309	4	ABR DISC RL 6.000D AOX, 60 GRIT	CP CODE A290/ MULT OF 4
		1311	3	CLAMP TOGGLE ACTION DE-STA-CO	#441 CL-150-PL
		1301	40	SHEETWAX PETROLIUM BASE .020 X	12 X 24 GA TH TATRO TL
			20	SHEETWAX PERTOLIUM BASE .025 X	12 X 24 GA TH TATRO TL
			16	SHEETWAX PETROLIUM BASE .032 X	12 X 24 GA TH TATRO TL
			56	SHEETWAX PETROLIUM BASE TATRO	TL FORMULA .040 X 12 X 24 REG
			24	SHEETWAX PETROLIUM BASE .050 X	12 X 24 GA TH TATRO TL
			16	SHEETWAX PETROLIUM BASE	.063 x 12 X 24 GA TH TATRO TL
			72	SHEETWAX PETROLIUM BASE TATRO	TL FORMULA .72 X 12 X 24
			42	SHT WAX .080 X 12.000 X 24.000	PETROLIUM BASE REG NO ADH
951	INV # 2276108	Shelf #	Quantity	Material Description1	Material Description2
		2202	10	COVER FACESHIELD	10/CS
			19	SWEATBAND	FOR PAULSON HEADGEAR #24
			16	VISOR FACESHIELD FBR-METAL	9-3/4 X 19IN CLR HONEYWELL
			2	ASSY SHIELD FACE 7IN CROWN	RCHT NORYL GRAY HONEYWELL
		2206	60	RESP PARTICULATE 8247	3M# 051138-54358-2
		0605	5	CNTNR BOTTLE POLY	RND BLK PLASTIC
			37	CNTNR POLYE 190 OZ CU TRI-PLAS	72/CS
		0703	2	JAR PLASTIC CNTNR 1OZ	WIDE MOUTH 900/CS
			1	LINERS, LIDS LAR PAINT PREP	1KIT/CS
		0705	54	LID POLY 4OZ PF300	1500/CS
		3201	2	ABR BLT 4 X 60 80 GRT 964F	REGAL RB CLTH BLT 50/CS
		3203	40	ABR BLT 4 X 60 36 GRT 3M	REGALLOY 977F NO SUB 50/CS
		3205	50	ABR BLT 4 X 60 60 GRT 50/ORD	REGALLOY 977F NO SUB 50/CS
			10	ABR BLT 4X60 50 GRT 3M	REGALLOY 977F NO SUB * 50/CS MIN *
			10	ABR BLT 2 X 72 50GRT	50/CS
		3202	10	ABR BLT 2.000 X 48.000 CLTH	80 GRT AOX RB
		3204	10	ABR BLT 2 X 60 60 GRT	AOX 241D 50/CS
			3	ABR BLT 2 X 72	R823-Z-80X S FLEX
			5	ABR BLT 2 X 72 R823-Z-120X S	FLEX OR EQUIV
			10	ABR BLT 2.000W X 60L	RB 120 GRT
		3206	70	ABR BLT 2 X 72 50 GRT ALUM	ZIRCONIA Y WEIGHT CLTH BK RSN
			10	ABR BLT 1 X 42 50 GRT 964F	REGAL RB CLTH 200 /CS
			26	ABR 4 X 60 50 GRT	RR R801 10 /BX
		3207	40	ABR BLT 4 X 60 50 GRT	ALUM ZIRCONIA RB R861
			80	ABR BLT 4 " X 60 " 80 GR BLAZE	
			10	ABR BLT 4 " X 60 " 120 GR BLAZE	
		3208	53	ABR BLT 2 X 72 60GRT	50/CS SPID5601455.
		3209	28	ABR BLT 4 X 60 80 GRT ZIRCONIA	ALUM X WEIGHT CLTH BACKING RSN
			3	ABR BLT 4 X 60 120 GRT	ZIRCONIA ALUM X WEIGHT CLTH
			10	ABR BLT 4 X 60 36 GRT 50PER PK	ZIRCONIA ALUM RB
			10	ABR BLT 2 X 42 80 GRT	REGAL RB 50/CS
		3210	220	ABR BLT AOX 1 WIDE 42L 80 GRT	CLTH RB X WEIGHT JOINT
			250	ABR BLT AOX CLTH 120 GRT	1 WIDE RB X WEIGHT
		3211	10	BLT AOX 4 X 72 80 GRT RB	X WEIGHT CLTH REGALITE
			55	ABR BLT 4 X 60 60GRT CLTH	ZIRCONIA ALUM RB
		3212	10	BLT SAND 2 X 48	50/CS
			10	ABR BLT 3-1/2 X 15-1/2 50GRT	CERAMIC AOX RB
			8	PPR BLUE LINE 36 X 1740' 9"D	54LBS 4/CS
		3303	4	POLY TB 6" X 4 MIL AIR HOLES	BAGGING MATERIAL
			4	POLY TB 2"X4 MIL AIR HOLES	1075'/RL
		3305	2	SAND BAG PANCAKE	PER ROHR TOOL DESIGN
		3409	100	BOOT COVER WHT	100 PR/PK
			8	CLAMP C 3 HARGRAVE #540	

Lot	Inv#	Unit#	Quantity	Description 1	Description 2
			7	CLAMP PONY #246 2-1/2	WAS 4480-0004
			3	CLAMP C 2-1/2 4-1/2 THROATDPTH	HARGRAVE #556 JORGENSON #245
			4	CLAMP 8 CP	HARGRAVE #540
			3	CLAMP 3-1/2CP X 4-1/2 THOARD	DPTH 1/PKG